CAMBRO 3016 17

product catalog

www.cambro.com



Cambro® Catalog Table of Contents

equipment









Diggs	7		130		0
MOBILE VENDING	37	CAMSHELVING® PREMIUM SERIES	83	CAMSHELVING® BASICS SERIES 1	22
Versa Food Service System	38	Common and Key Features	86	Camshelving Basics Series	122
Food Bar Accessories	41	Quick Reference Guide	88	Weight Bearing Chart	123
Table Top Food Bars	42	Product Code Reference Guide	90	Basics Series Configurations	124
Sample Food Bar Set-ups	43	Free Camshelving Design Service	91	Basics Series Accessories	127
CamKiosk® System	44	Overall Length —		Wall Shelves and Shelf Extenders	130
Hand Sink Cart	46	Quick Reference Guide	92	Dunnage Racks	131
Camcruiser® Vending Carts	47	Camshelving Premium Series	94	Camlink®	131
· ·		Weight Bearing Chart	95		
Booster Seats	49	Premium Series Configurations	96		
Versa Organizers	49	Premium Series Accessories	101		
Portable CamBars®	51	High Density Storage			
Ice Caddies	57	Floor Track System	107		

supplies





178



234

GENERAL INFORMATION

Icon Directory	5
Warranty	5
Alpha Numeric Listing	255
Roto Color Chart	267
note color chart	

FOOD STORAGE AND 133 **PREPARATION**

Quick Guide To Storage Solutions 134 **Food Storage Containers** 136 Food Storage Boxes & Lids 144 Camwear® Food Pans & Lids 148 H-Pans™ 152 Translucent Food Pans 156 ColdFest® 158 StoreSafe® Labels 159 160 Pizza Dough Boxes Ingredient Bins & Camcrisper 161 162 Scoops & Measuring Cups

FOOD PRESENTATION

Deli Crocks & Platters	179
ShowFest® Display Bowls & Trays	180
Serving Bowls	18
Display Covers & Trays	18
Crocks & Ladles	18
Serving Spoons, Camtensils®	
& Turners	18
Tongs	18
Shakers/Dredges &	
Condiment Jars	18

HEALTHCARE

healthcare

Meal Delivery Ware	238
Reusable CamLids® for Meal Delivery Systems	240
Camrack® Wash and Store Rack	240
Disposable CamLids	241
Camshelving®	
Hygienic Drying Racks	242
Tablotherm	244
Versa Trays	246
Non-Slip Versa Trays	248
Camtrays® with Handles &	
Polycarbonate Non-Slip Tray	250
Meal Delivery Carts	251

PERSONALIZATION

CamKiosk®	45
Camcruisers®	48
Camracks®	70
Table Service/Storage	167
Trays	197
J	

www.cambro.com

Visit www.cambro.com for a wide variety of information about our products including new product updates, an interactive Camrack Glass to Rack Guide, consultant cut sheets and CAD drawings, care and maintenance product guides and more.





|--|

TRAYS 163 191 194 164 Tray Product Guide Dinnerware Camcovers® 166 Personalization 197 Personalization 167 Polyester Versa Trays 199 **Pitchers** 168 Versa Lite Trays 206 Aliso® Barware 169 Camtrays® 211 Cambro® Tumblers & Dietary & Camlite® Trays 217 Disposable CamLids® 170 Polycarbonate Trays 218 Camliter® 175 Camtread® Trays 219 Beverage Dispenser, Treadlite[™] & Polytread Trays® 220 Pail With Bail & Swirl Bowls® 176 Wood Trays 221 Wine Buckets. Punch Bowls & Bud Vase 177 Corfu, Capri, Mykonos, 223 & Madeira Trays Fast Food Trays 228 **Compartment Trays** 229 Market Trays & Pans 233

The Trademarks of Cambro and product images are the property of Cambro and are subject to the control and ownership of Cambro. Any use thereof is only granted for the promotion and sales of Cambro products and subject to the control of Cambro **Manufacturing Company.**

the **cambro** story

When William and Argyle Campbell first opened the doors at Cambro Manufacturing in 1951 their goal was to make a hospital meal tray of the highest quality possible. Named the Camtray®, it demonstrated that they were as committed to excellence in the food service industry as they were to the quality of their own products. As 2011 marks the company's 60th year of leadership in quality, innovation and customer service, today Cambro serves the world with the industry's most complete selection of products for widely diverse segments of the food service business.

Since 1951, the company has experienced many changes including a greatly expanded product line, new methods of manufacturing and distribution, and an increased emphasis on issues like environmental responsibility. From a single factory in California, Cambro has grown to become an international presence with production facilities and sales offices in the United States, Europe, the Middle East and Asia. But the original guiding vision of the Campbell brothers remains unchanged: to create and provide the most innovative, durable and highest quality products for the food service industry. Now led by William's son Argyle, Cambro is still dedicated to meeting our customers' needs, and equally committed to helping you serve, satisfy and delight your guests.

At the heart of our business philosophy is our willingness to listen, so in a very real way we owe all our success to you, our customer. Our longevity in a very competitive field for 60 years certainly proves the value of that philosophy, and we are proud to have earned the loyalty of customers of all sizes and in all segments of the industry. From hotels to healthcare to caterers, from restaurant chains to educational facilities, we understand the food service business and we design and create our products with the end user foremost in mind. Our goal is to provide our customers the best

possible value on products that are durable, save labor and increase food safety, so you can offer your guests a superior experience while enhancing profitability.

Cambro is uniquely committed to investing in the people and processes that make our products a reality. We're proud that children and grandchildren of some of our first employees are with us today, and of the dedication to quality and service of our entire family worldwide. We continually work on developing new ideas for specific industry segments, and invest in new tooling and leadingedge machinery to bring these products to market. We persistently strive to improve our manufacturing methods to be more efficient in terms of process and materials, to keep costs under control while keeping our planet healthy. And we constantly seek to maintain quality and value despite rising costs of transport and raw materials, the need to reduce environmental impacts, and the demand of end users for total order accuracy and responsive service across a global market.

From once offering a single product, the Camtray, sixty years ago, today Cambro offers a wide range of trays, table service and display items, storage, shelving, merchandising and insulated transport products, as well as innovative warewashing systems and healthcare meal delivery solutions.

The future is certain to bring great changes to our industry. Yet one thing that will remain a constant is Cambro's tradition of continually developing new products that help food service operators save time and money, increase sales, reduce labor and improve service. In the years ahead, guided by the commitment of its founders to innovation, quality, and value, Cambro Manufacturing will still be the leader in serving the food service industry and you, our valued customer.



Cambro Warranty

- 5 year pro-rated warranty against damage or defects found in excess to normal wear and tear on
 - Camtrays®
 - Camtread Trays®
- 5 year warranty against breakage in excess to normal wear and tear
 - Versa Trays
 - Dinnerware
- 2 year warranty against breakage under normal use
 - Polycarbonate food storage pans
 - Polycarbonate Squares
 - Polycarbonate Rounds
 - Polycarbonate Lids
- 1 year warranty on
 - Commercial Electric Equipment models

- 1 year warranty on workmanship and Lifetime Limited warranty against rust and corrosion, excluding mobile posts.
 - Camshelving®
 - Camshelving Elements Series

For all other Cambro products, Cambro warrants to the original buyer a three-year pro-rated warranty. If product proves defective during this time, Cambro grants a pro-rated credit of the original price toward replacement product. The warranty applies on all Cambro products only when used under normal foodservice industry conditions.

Specifications, features and equipment shown are based upon the latest information available. Cambro Manufacturing Company reserves the right to make changes at any time, without notice, to price, colors, specifications, accessories and materials. For additional information, please contact your authorized Cambro representative.

Note: Temperature ranges noted throughout this catalog are based on specific test criteria and provide a general guideline. Individual use may vary due to differences in loading temperatures or ambient temperature.

Product Accessories: Contents and accessories shown in photos are not included, except where noted.

ICON DIRECTORY

Throughout the Cambro catalog, find the following easy to identify icons to help explain Cambro product features or services.



Food Safety Matters

For 60+ years, Cambro foodservice equipment and supplies have earned the trust and loyalty of customers and public health professionals alike because our products are designed with Food Safety in mind. At Cambro, every product design is based upon the core principle of food safety.

Look for the Cambro StoreSafe mark throughout the Cambro catalog to identify Cambro storage and transportation products that help ensure food safety handling.

You can learn more about Cambro's Food Safety initiatives at www.cambro.com/storesafe



Many Cambro products may be recycled. For further information, please contact your Cambro representative.



Cambro "Storage Select" BPA-Free (Bisphenol-A Free) products are available for customers who are interested in products deemed BPA-Free. Please contact your sales representative for more information.



Certifies products by Technischer Überwachungs-Verein. (Technical Inspection Association)







Listed by NSF International, an independent, not-for-profit organization which certifies products that meet their criteria for sanitation and cleanability.



Not For Use In Heated Carts



Fit for Food Products



Dishwasher Safe



Stackable



Foam Insulation







Prorated Warranty



Personalization Available Non-Food Contact Areas Only



One carton of product is within the weight and cube requirements to be shipped by parcel carrier.





Food Holding and Transportation

Cam GoBox™— Insulatd Carrier Line **Insulated Beverage Containers Beverage Service Carts Insulated Top Loading Camcarriers® Temperature Maintenance Tools** Insulated Front Loading 300MPC & UPC400 **UPCS400 Ultra Pan Carrier® S-Series Ultra Camcarts® Transporter Capacity Guide** Ultra Pan Carrier® and Ultra Camcart® H-Series Combo Cart™ Plus **Camtherm® Electric Food Holding Cabinets Insulated Bakery Container** Camcarts® **Camcarriers® Tablotherm Insulated Trays**







Cam GoBox[™] - Insulated Carrier Line

Cambro's latest line of insulated transporters are ideal for caterers and foodservice operators looking for an ultra-lightweight transporter that offers superior temperature retention to protect food safety and excellent durability to withstand heavy commercial use, all at a budgetfriendly price. Just take them and go!

- Thermal Insulation- Holds hot or cold food for many hours.
- Lightweight- Made of EPP (Expanded Polypropylene)- an eco-friendly, high-performance foam material.
- Great Structural Strengthcapable of handling significant loads while maintaining its shape and form.
- Excellent Energy Absorption- can withstand substantial impact without damage.
- Chemically Inert- unaffected by oil, grease, and most chemicals.

- Dishwasher safe.
- CFC-Free.
- 100% Recyclable.
- Line your Cam GoBox with a Cambro GN Food Pan and Seal Cover for the ultimate food safety solution. Cambro GN pans protect food and carrier to support HACCP compliance.

Only available from Cambro European Logistics (CEL), Germany.

Cam GoBox[™] - Insulated Carrier Line





Using Cam GoBox carriers together with Cambro's polycarbonate, polypropylene or high heat GN food pans creates the ideal food-safe, HACCP-compliant holding and transport system.

Hot Holding

87°C	85,6°C	84,4°C	82,8°C	81,2°C
Starting	1 hr.	2 hrs.	3 hrs.	4 hrs.
Temperature				

Cold Holding

-21°C	-13°C	-11,6°C	-10°C	-9,4°C
_				\rightarrow
Starting Temperature	1 hr.	2 hrs.	3 hrs.	4 hrs.



Ergonomic HandlesComfortable handles allow easy and safe lifting of the Cam GoBox.



StackabilityCam GoBoxes inter-stack and also stack with major competitive brands.



A built-in label area keeps plastic menu tags (included for EPP300 and EPP400) in place for easy content identification or routing. StoreSafe Labels can also be used with Cam GoBoxes.




UnloadingInterior wall recesses make loading and unloading easy for both GN 1/1 as well as 1/2 pans.

Easy Loading and



4-Sided HandlingThoughtfully designed built-in handles along the top of the front loader units allow them to be easily carried from all four sides.



Drip-ResistantBuilt-in condensation barrier helps front loaders to remain drip-resistant.



Gentle Open and CloseBeveled door edges ensure door can be easily closed and latched.



Full 270° Access
Durable hinges and latches allow
the door to open 270° and remain
open securely to the side of the front
loader for easy access to products.
Latches keep door securely closed
during transport.

Cam GoBox[™] — Insulated Carrier Line







Exclusive inter stacking design saves 30% storage space!

CODE	EPP160	EPP180	EPP180S
DESCRIPTION	EPP Top Loader for 15 cm GN pan	EPP Top Loader for 20 cm GN pan	EPP Stacking Top Loader for 20 cm GN pan
EXTERIOR DIM. L x W x H	60 x 40 x 25,7 cm	60 x 40 x 31,6 cm	60 x 40 x 18,2 cm (top) 58,6 x 33,6 x 10 cm (bottom)
INTERIOR DIM. L x W x H	53,8 x 33,8 x 19,3 cm	53,8 x 33,8 x 25,3 cm	53,8 x 33,8 x 15,9 cm (top) 50,4 x 30,2 x 9,5 cm (bottom)
UNIT WEIGHT	1,07 kg	1,2 kg	1,13 kg
VOLUME	35,5 L	46 L	43 L

Case Pack: 1 Color: Black (110).





STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

EPP160, EPP180, EPP180S, EPP180PKG, EPP180SPKG, EPP300, EPP400, EPP3253DIV: (110) CP3253: (159) HP3253, CD3253EPP: (158) EPPID5: (000)

CODE	EPP180PKG	EPP180SPKG
PACKAGE INCLUDES	EPP180 Top Loader 18PP (20 cm polypropylene GN pan) 10PPCWSC (Seal Cover)	EPP180S Top Loader 18PP (20 cm polypropylene GN pan) 10PPCWSC (Seal Cover)
UNIT WEIGHT	2,8 kg	2,7 kg
VOLUME	46 L	43 L

Case Pack: 1 Color: Black (110).





CODE	EPP300	EPP400
DESCRIPTION	Front Loader	Front Loader
EXTERIOR DIM. L x W x H	64,5 x 44 x 47,5 cm	64,5 x 44 x 63 cm
INTERIOR DIM. L x W x H	53,5 x 33 x 37 cm	53,5 x 33 x 52,5 cm
UNIT WEIGHT	3,2 kg	3,9 kg
VOLUME	60 L	86 L

Case Pack: 1 Color: Black (110).



Optional Accessories











				•	•
CODE	CP3253	HP3253	EPP3253DIV	CD3253EPP	EPPID5
DESCRIPTION	Camchiller® GN 1/1 fits all Cam GoBoxes	Camwarmer® GN 1/1 fits all Cam GoBoxes	ThermoBarrier® fits EPP300 & EPP400	Camdolly® fits all Cam GoBoxes	Plastic ID labels fits all Cam GoBoxes
EXTERIOR DIM. L x W x H	53 x 32,5 x 3 cm	53 x 32,5 x 3 cm	_	_	_
UNIT WEIGHT	3,9 kg	3,25 kg	0,37 kg	4,5 kg	_
COLOR	Cold Blue (159)	Hot Red (158)	Black (110)	Hot Red (158)	(000)


Case Pack: 1

Cam GoBox™ Capacity Guide

51 L

All Cam GoBox carriers are designed with enough room to hold GN 1/1 pans along with Camwarmers or Camchillers, if desired.





52 L

58,5 L

51 L

Insulated Beverage Containers



- Use to hold, transport and serve hot or cold beverages.
- One piece, seamless double-wall polyethylene with thick foam insulation.
- Sturdy latches secure lids tightly and will never rust.
- Drip-proof recessed spigot for easy self-serve access.
- Stack units on riser to fill large cups or coffee pots.
- Sta-stack interlocking ensures stable stacking during transport and storage.

Easy Serve Dispenser Color: Black (110).

UC1000 covered by U.S. Patent D 403,916.

Vent Cap patent pending.

350LCD Camtainer not NSF.











Camtainer Cover

Durable and attractive

covers extend the life of your Camtainers and fit in any serving environment. Personalization available. Contact your Cambro representative for details.

(Models for covers on

next page.)



Equalizes pressure. Makes the opening of the container much easier.

E-Z Grip Molded-in Handles

For comfortable, safe transporting.



Recessed Faucet

Accommodates larger cups. Allows even dispensing and eliminates drips. Two positions: One for continuous pouring and one for individual dispensing.



Hot





Molded-in Metal Backing Plates Prevents latches from breaking away from the container.






Feature wide nylon latches which are easy to open and close with one hand.



Stack beverage servers during storage and transporting to save space.

Stacking options:

- 100LCD with 100LCD
- All 250, 350 and 500 units
- UC1000 and 1000LCD





Camtainers®

Feature sturdy plastic latches that secure lids tightly and will never rust.

Ultra Camtainers®

Choose from three sizes for beverage service. A contemporary line, featuring two wide nylon latches per unit that are easy to open and close.

STOCK PRODUCTS & **COLORS AVAILABLE** IN OUR EUROPEAN WAREHOUSE

UC250, UC500: (401), (191)







CODE	UC250	UC500	UC1000
CAPACITY	10,4 L	19,9 L	39,7 L
210 ML. CUPS	50	96	192
EXTERIOR DIMENSIONS D x W x H	42,5 x 30 x 50 cm	42,5 x 30 x 68 cm	52 x 41,5 x 65,5 cm
FITS CAMDOLLY	CD100H, CD1826H, CD300H, CD100HB, CD300HB, CD100	CD100H, CD1826H, CD300H, CD100HB, CD300HB, CD100	CD300H, CD1826H, CD2020H, CD100HB, CD300HB, CD1826MTCHB, CD300, CD2020
CAMTAINER COVER	UC250CVR	UC500CVR	UC1000CVR

Case Pack: 1 Colors: Navy Blue (186), Slate Blue (401), Coffee Beige (157), Dark Brown (131), Brick Red (402), Green (519), Black (110), Granite Grey (191), Granite Green (192), Granite Sand (194). Cover Color: Black (110). Venting plug is covered by US Patent D 553,717 S.

Camtainers®

The standard for many caterers, choose from four sizes for beverage service and one model without a spigot for soup service. Four sturdy plastic latches on each unit open and close easily and will never rust.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

250LCD, 350LCD, 500LCD: (157), (401) **100LCD**: (401)











CODE	100LCD	250LCD	500LCD	1000LCD	350LCD (SOUP)
CAPACITY	5,7 L	9,5 L	17,9 L	44,5 L	12,7 L
210 ML. CUPS	27	45	85	214	60
SPIGOT	YES	YES	YES	YES	_
EXTERIOR DIMENSIONS D x W x H	29 x 26,5 x 44 cm	42 x 23 x 47 cm	42 x 23 x 62 cm	53 x 41,5 x 63 cm	42 x 23 x 47 cm
FITS CAMDOLLY	CD1420	CD100H, CD1826H, CD300H, CD2020H, CD100HB, CD300HB, CD1826HB, CD2020HB, CD100, CD2020	CD100H, CD1826H, CD300H, CD2020H, CD100HB, CD300HB, CD1826HB, CD2020HB, CD100, CD2020	CD300H, CD1826H, CD2020H, CD100HB, CD300HB, CD1826MTCHB, CD300, CD2020	CD100H, CD1826H, CD300H, CD2020H, CD100HB, CD300HB, CD1826HB, CD2020HB, CD100, CD2020
CAMTAINER COVER	_	250LCDCVR	500LCDCVR	1000LCDCVR	_

Case Pack: 1 Colors: Navy Blue (186), Slate Blue (401), Coffee Beige (157), Dark Brown (131), Brick Red (402), Green (519), Black (110), Hot Red (158). Cover Color: Black (110). Venting plug is covered by US Patent D 553,717 S.

Camserver[®] — Holds The Heat for Hours.

- A front-of-house beverage server for hot or cold beverages that does not require canned heating.
- Double-wall polyethylene shell with thick foam insulation retains temperatures for hours.



Convenient top-fill opening for fast replenishment without removing lid.

Colors: Black (110), Dark Taupe (417), Granite Grey (191).











CSR3 Shown in Dark Taupe Height is approximate 18 cm from counter to spigot.



CSR5 Shown in Black

CODE	EXTERNAL DIMENSIONS H x W x D	CAPACITY	210 ML CUPS	CASE PACK
CSR3	60 x 34 x 46,5 cm	11,5 L	54	1
CSR5	71 x 34 x 46,5 cm	19 L	91	1

Handwash Accessory — For Camtainers[®] and Ultra Camtainers[®]





Shown with 500LCD Camtainer®.

- Set up a Handwashing Station quickly and easily on or off premise.
- Convenient and economical way to meet health department hand washing requirements.
- Attaches to Camtainers® 250LCD, 500LCD or Ultra Camtainers® UC250, UC500.
- Includes four Handwash Only labels and an Easy Serve Dispenser lever.

Handwash Accessory Stocking Colors: Dark Brown (131), Black (110).

Easy Serve Dispenser Color: Black (110).

Riser Colors: See optional accessories with Camtainers.

Pail with Bail Color: White (148).

Handwash Accessory is covered by the following U.S. Patent D 506,634 S & D 506,899 S.









CODE	HWAPR	HWATD
DESCRIPTION	With paper towel roll holder	With Multi-Fold Paper Towel Dispenser

250LCD, 500LCD, UC250, UC500

Optional Accessories

FITS

CODE	DESCRIPTION
R500LCD	Riser
PWB22	Pail with Bail
LCDES	Easy Serve

Optional Accessories









250LCD, 500LCD, UC250, UC500



CODE	R500LCD	R1000LCD	LCDCH	LCDCH10	LCDES
DESCRIPTION	Riser	Riser	Condiment Holder	Condiment Holder	Easy Serve Dispenser
EXTERIOR DIMENSIONS D x W x H	41,5 x 23 x 12 cm	49,5 x 39 x 11,5 cm	42 x 22 x 13 cm	51 x 41 x 12 cm	_
FITS	250LCD, 500LCD, UC250, UC500	1000LCD, UC1000	250LCD, 500LCD UC250, UC500	1000LCD, UC1000	LCD Spigots UC Spigots

 $\textbf{Case Pack: 1} \qquad \textbf{Colors: Coffee Beige (157), Dark Brown (131), Black (110)}. \qquad \textbf{Easy Serve Color: Black (110)}$

Hydration Station

Cart with two 19 L beverage servers with covers can be used at full height with three shelves or at lower height with two shelves.



CODE	HYDRASTATIONPKG**
DESCRIPTION	1- KD Utility Cart, 2- 500LCD Beverage Servers, 2- Easy Serve Dispensers and 2- Black Personalized Beverage Server Covers stating "WATER"
DIMENSIONS* W x D x H	101,6 x 53,96 x 147,32 cm

Case Pack: 1 Camtainer and Cover Color: Black (110).

- *Dimensions based on 3 shelf cart with Camtainers on top shelf.
- **Ships in 7 separate cartons.

With 2-shelf set-up, approximate distance from floor to spigot is 60 cm; with 3-shelf set-up: 94 cm.

Beverage Service Carts

StoreSafe

- Ideal for breakfast, coffee or snack service
- Use top counter to hold Cambro Beverage Servers, Versa Organizer Bins or Display Trays with Covers for food.
- Store drinkware, additional food items or other supplies in open compartment.
- Insulated cabinets hold hot or cold food in full, ½ or ⅓ size food pans or on Cambro Metric Camtrays® (3253).

Beverage Service Cart is designed to hold Beverage Containers at point of service only. A dolly or hand truck with safety strap is recommended for moving Beverage Containers over longer distances or uneven surfaces. **Colors:** Slate Blue (401), Granite Grey (191), Granite Green (192).

See Organizer section for more information on Organizer Bins.

See Camtainer section for more information on Camtainers.

Wire Rack Color: Silver (000).

See Cold Pack section for more information on Cold Packs.

15,2 cm Casters: 2 fixed, 2 swivel, 1 with brake.

For complete specifications, call or write Cambro.









STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

5412CBP: (131), (480) **100LCD:** (401) **CP1220:** (159)

CODE	EXTERIOR Dimensions L x W x H	CASE Pack
MDC24	113 x 76 x 112 cm	1
MDC24F	113 x 76 x 112 cm	1
OPTIONAL ACCESSORIES		
Organizer Bin		
5412CBP	30,5 x 13 x 11 cm	12
Camtainer®		
100LCD	26,5 x 30 x 44 cm	1
Wire Rack		
MDC24R	58,4 x 43,2 x 35,5 cm	1
Camchiller®		
CP1220	53 x 33 x 3,8 cm	1

The use of racks in the MDC24 and MDC24F carts will allow the following configuration of pans or trays, per compartment:

DESCRIPTION	GN (½)	GN (½)	GN (1/3)
6,5 cm Pans	(4) 12CW	(8) 22CW	(12) 32CW
10 cm Pans	(3) 14CW	(6) 24CW	(9) 34CW
15 cm Pans	(2) 16CW	(4) 26CW	(6) 36CW
20 cm Pans	(1) 18CW**	(2) 28CW**	(3) 38CW**

^{**}With room for 6,5 cm or 10 cm pan above 15 cm pan. 10 each 3253 Metric Camtrays®.

Compartment Dimensions

Shelf Compartment	W 96,5 cm	D 64 cm	H 25,4 cm
Holding Compartments	W 44,5 cm	D 60,3 cm	H 36 cm

Venting plug is covered by US Patent D 553,717 S.



MDC24R Wire Rack

Wire Rack (sold separately) to organize pans and trays in the cart. Rack holds Full, ½ and ½ size Food Pans and 3253 trays. When placed in cart's core area, the rack allows room on either side of pan positions for Cambro's CP1220 Camchillers® one on each side.

Rack with 3253 trays.



Insulated Top Loading Camcarriers® to Transport Gastronorm Food Pans

- Top-loading food pan carriers hold, transport and serve a single fullsize pan of hot or cold food.
- Sturdy and durable, seamless polyethylene or polypropylene with thick foam insulation.
- Molded-in handles on all four sides for easy carrying and handling.
- · Use with divider bars to hold multiple fractional pans.
- · Pans are easy to remove using finger notches.
- · Carriers interlock and stack for transporting and storing.

UPCS Colors: Dark Brown (131), Speckled Grey (480), Coffee Beige (157), Black (110).

MPC and MPCHL Colors: Navy Blue (186), Slate Blue (401), Coffee Beige (157), Dark Brown (131), Brick Red (402), Green (519), Black (110), Hot Red (158).

* Polypropylene dough boxes are safe for use in high temperature dishwashers.

UPC Colors: Slate Blue (401), Dark Brown (131), Black (110), Granite Grey (191), Granite Green (192).

Camdolly® Colors: Coffee Beige (157), Dark Brown (131), Black (110), Slate Blue (401), Grey (180).

Divider Bar Colors: White (148), Clear (135).

See Food Pan Section for pricing and ordering information.

Note: Place food pans on rails. Pans should not be placed on the floor of a Camcart or Camcarrier® cavity.

Note: Best results will be achieved by loading food pans between 82° to 88°C. Loading metal food pans over 121°C may result in damage to the carrier or cart.

















Hot

UPC160	87°C	85°C	83°C	81°C	79°C
UPCS160	87°C	85°C	83°C	81°C	79°C
UPCSS160	87°C	85°C	83°C	81°C	79°C
•	_				_
	Starting Temperature	1 hr.	2 hrs.	3 hrs.	4 hrs.
Cold					

UPC160	0°C	1°C	2°C	2°C	2,5°C
UPCS160	0°C	1°C	2°C	2°C	2,5°C
UPCSS160	0°C	1°C	2°C	2°C	2,5°C
	_				
	Starting Temperature	1 hr.	2 hrs.	3 hrs.	4 hrs.



One-piece, seamless polyethylene construction, airtight removable gasket and sturdy plastic latches.



CODE	240MPC
COMPARTMENT CAPACITY	$1 \text{ GN}\frac{1}{2}$ - 10 cm deep pan
EXTERIOR DIMENSIONS W x D x H	42 x 35 x 19 cm
Coop Book 1 240MBC No Dividor Bor	

Case Pack: 1 240MPC No Divider Bar.





S-Series

Durable polypropylene construction, built in seal and wide, nylon latches. Contemporary appearance and superior holding performance at an economical price.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

UPCS140, UPCS160, UPCS180: (480)









CODE	UPCS140	UPCS160**	UPCS180	UPCSS160*
COMPARTMENT CAPACITY	1 GN⅓ - 10 cm deep pan	1 GN⅓ - 15 cm deep pan	1 GN ½ - 20 cm deep pan	1 full size 15 cm deep pan
EXTERIOR DIMENSIONS W x D x H	64 x 43,5 x 22 cm	64 x 43,5 x 26 cm	64 x 43,5 x 30,5 cm	62,5 x 42 x 28 cm
FITS CAMDOLLY®	CD160	CD160	CD160	CD160

Case Pack: 1 *UPCSS160 available in Dark Brown (131) and Coffee Beige (157). **UPCS160 Cannot be used with Camchiller.

Temperature Maintenance Tool for UPCSS160 Only: CP1220 and CP1210 Camchiller®

Ultra Pan

One-piece, seamless polyethylene construction, airtight removable gasket and wide, nylon latches.







CODE	UPC140	UPC160	UPC180
COMPARTMENT CAPACITY	1 GN½ - 10 cm deep pan	1 GN¼ - 15 cm deep pan	$1~\mathrm{GN}^{1}$ ı - 20 cm deep pan
EXTERIOR DIMENSIONS W x D x H	63 x 44 x 21 cm	63 x 44 x 26 cm	63 x 44 x 30,5 cm
FITS CAMDOLLY	CD100H, CD1826HB, CD160	CD100H, CD1826HB, CD160	CD100H, CD1826HB, CD160

Case Pack: 1

100 Series

Store and stack food pans or place food directly in compartment. The 100MPCHL model has a hinged serving lid.







CODE	100MPC	100MPCHL	UPC100
COMPARTMENT CAPACITY	3 GN½ - 6,5 cm deep pan or 2 GN½ - 10 cm deep pans or 1 GN½ - 15 or 20 cm deep pan	$1~\mathrm{GN}\%$ - $20~\mathrm{cm}$ deep pan	3 GN $\frac{1}{1}$ - 6,5 cm deep pans or 2 GN $\frac{1}{1}$ - 10 cm deep pans or 1 GN $\frac{1}{1}$ - 15 cm or 20 cm deep pan
EXTERIOR DIMENSIONS INTERIOR DIMENSIONS W x D x H	68 x 45 x 38 cm 55 x 35 x 20,5 cm	68 x 45 x 39,5 cm 55 x 35 x 20,5 cm	68 x 46 x 40 cm 56,5 x 33 x 20,5 cm
BULK CAPACITY*	38 L	38 L	38 L
FITS CAMDOLLY	CD100H, CD1826MTC, CD100HB, CD1826MTCHB, CD100, CD2028	CD100, CD100H, CD100HB	CD100H, CD1826MTC, CD100HB, CD1826MTCHB, CD100, CD2028

 $\textbf{Case Pack:} \ 1 \quad \text{``Without using food pans.} \quad 100 \text{MPC, } 100 \text{MPCHL and UPC} 100 \text{ No Divider Bar.}$

Accessories

*Not for use in UPCSS1600.

CODE	OVERALL EXTERIOR DIMENSIONS	CASE Pack		
Divider Bars for Food Pans				
DIV12	32,38 cm Length	3		
DIV20	53,02 cm Length	3		





ENG MET MS / Insulated Transport

Camchiller®, Thermobarrier® and Camwarmer®



Camchiller

- An easy-to-use, cold food holding temperature tool.
- Extend cold holding time or enhance safe holding below 5°C when frequent access is required.
- Freeze first then use to pre-chill cabinet before loading.



STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN WAREHOUSE**

CP1220: (159)









CODE	CP1220 (GN FULL SIZE)	CP1210 (GN HALF SIZE)	CP814 (20 x 36 CAMCHILLER)
FITS INTO	UPCSS160, 300MPC, 1318MTC, UPC400, UPC400SP, UPCS400, UPC600, UPC800, UPC800SP, UPC1200, UPC1600, CVC72, CVC724, all Combo Cart® Plus and CamKiosk®*	300MPC, 1318MTC, UPC400, UPCS400, UPC400SP, UPC600, UPC800, UPC800SP, UPCS140, UPCS160, UPCS180, CVC724*, CVC72* and all CamKiosks*	12186CW, 12186P, 12189CW, 12189P, CVC724, CVC72, CVC55, and all CamKiosks*
DIMENSIONS L x W x H	53 x 33 x 3,8 cm	32,4 x 26,4 x 3,8 cm	35,56 x 20,32 x 3,8 cm
QUANTITY PER CAVITY	1 (*2 per cavity)	1 (*2 per top wells)	1

Case Pack: 1 Color: Cold Blue (159). *Top wells only.

ThermoBarrier

- A highly valuable yet economical temperature maintenance tool for caterers.
- Use to minimize empty space and food temperature loss within a partially loaded compartment.















STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN WAREHOUSE**

400DIV: (180)

CODE	300DIV	400DIV	1200DIV	1600DIV
FITS INTO	300MPC, UPC600, 1318MTC	UPC400, UPC800, UPC400SP, UPCS400, UPC800SP	UPC1200, CVC72, CVC724	UPC1600, CamKiosk UPC1600SP
QUANTITY PER COMPARTMENT	1	1	2	2
DIM. L x W x H	53 x 33 x 2,5 cm	54 x 33 x 3,8 cm	53 x 33,5 x 3,5 cm	53 x 33,5 x 3,8 cm
COLOR	Coffee Beige (157)	Grey (180)	Dark Brown (131)	Slate Blue (401)
CASE PACK	1	1	2	2

Camwarmer

- Use for added insurance to keep hot foods hot during holding and transporting.
- Keep in cabinet with hot foods to extend holding time or enhance safe holding above 65°C when frequent access is required.










STOCK PRODUCTS & COLORS

1210PW: (191)

AVAILABLE IN OUR EUROPEAN WAREHOUSE



Color: Granite Grey (191).




UPC400 with Camwarmer. Two Camwarmers recommended per cavity.

Temperature Maintenance — Optimize Food Holding Performance

Camchiller® - GN1/4 Size and GN1/2 Size

- Use to:
 - Pre-chill cabinet cavity.
 - Hold package food in food pan wells. (Half Size Only)
 - Maximize cold food holding.
 - Minimize open cavity space.
- Easy to use:
 - 1. Freeze 8 hours.
 - 2. Slide one or two on top rails and pre-chill cavity 15-20 minutes.
 - 3. Load in pans of pre-chilled food below Camchiller. (A)
 - 4. Move pans and Camchiller down as food is removed. (B)


COLD HOLDING



ThermoBarrier® - GN1/4 Size

- Use to:
 - Hold hot and cold food in same cabinet cavity.
 - Minimize open cavity space.
- Easy to use:
 - 1. Slide between hot food on top and cold food on bottom. (A)
 - 2. Slide under hot food loaded in upper cavity space. (B)
 - 3. Slide above cold food loaded into lower cavity space. (C)


HOT AND COLD HOLDING



Camwarmer® - GN½ Size

- Use to:
 - Pre-heat cabinet cavity.
 - Maximize hot food holding.
 - Minimize open cavity space.
- Easy to use:
 - 1. Heat in 180°C oven for 45 minutes.
 - 2. Slide two Camwarmers on bottom rails and pre-heat cavity 15-20 minutes. (or place on high heat food pan lid or sheet pan)
 - 3. Load in pans of pre-heated food above Camwarmers. (A)
 - 4. Move pans and Camwarmers up as food is removed. (B)

HOT HOLDING



Insulated Front Loading 300MPC and UPC400 to Transport Gastronorm Food Pans



- Durable and dependable front-loading food pan carriers.
- Hold multiple pans of hot or cold food at safe temperatures for hours.
- Seamless polyethylene with thick foam insulation.
- Airtight removable gasket provides a secure seal.

300MPC Colors: Navy Blue (186), Slate Blue (401), Coffee Beige (157), Dark Brown (131), Brick Red (402), Kentucky Green (519), Black (110), Hot Red (158).

UPC400 Colors: Navy Blue (186), Slate Blue (401), Coffee Beige (157), Dark Brown (131), Black (110), Granite Grey (191), Granite Green (192), Granite Sand (194).

▲ Camdolly Colors: Slate Blue (401), Coffee Beige (157), Dark Brown (131), Black (110).

Note: Place food pans on rails. Pans should not be placed on the floor of a Camcarrier® cavity. Please use specified food pan sizes.

Note: Best results will be achieved by loading food pans between 82° to 88°C. Loading metal food pans over 121°C may result in damage to the carrier or cart.

See Food Pan section for pricing and ordering information.

UPC400 is covered by US Patent D 392,158. Venting plug is covered by US Patent D 553,717 S.





CD400



STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN** WAREHOUSE


UPC400, CD400, 300MPC: (401) CP1220: (159) 1210PW: (191)

400DIV: (180)













	_		
CODE	300MPC	UPC400 / UPC400SP**	
EXTERIOR DIM. W x D x H	42,5 x 62 x 57 cm	46 x 63,3 x 62 cm	_
INTERIOR DIM. W* x D x H	34 x 53,5 x 36 cm	33,5 x 53,3 x 49 cm	

Case Pack: 1 * Rail to Rail ** Security Package (SP).

HOLDING CAPACITY:

Number of GN 300MPC	l ⅓ pans UPC400
4	6
3	4
2	3
1 + 1 each 6.5 c	2 m
	300MPC 4 3 2

Also holds GN 1/2 and 1/3 size pans.

Optional Accessories















CODE	1210PW	300DIV	400DIV	CP1220	CD300*	CD400	400STP
DESCRIPTION	Camwarmer®	ThermoBarrier®	ThermoBarrier	Camchiller®	Camdolly®	Camdolly	Strap
EXTERIOR DIM. (CM)	34,9 x 27,6 x 4	53 x 33 x 2,5	54 x 33 x 3,8	53 x 33 x 3,8	49 x 65 x 26,5	71 x 53 x 23	500 Long
INTERIOR DIM. (CM)	_	_	_	_	43 x 59	63,5 x 46	_
COLOR	Granite Grey (191)	Coffee Beige (157)	Grey (180)	Cold Blue (159)	A	A	Beige (000)

* Also available CD300H and CD300HB. See Camdolly section.

UPCS400 Ultra Pan Carrier® S-Series to Transport Gastronorm Food Pans

- Ultra dependable, ultra durable front-loading pan carrier.
- Holds multiple pans of hot or cold food for hours.
- · Durable polyethylene shell and thick, polyurethane foam insulation.

♦ UPCS400 Colors: Slate Blue (401), Speckled Grey (480), Dark Brown (131).

▲ CD400 Colors: Coffee Beige (157), Dark Brown (131), Black (110), Slate Blue (401).

Casters: 12,7 cm 2 fixed, 2 swivel, 1 with brake.

Note: Best results will be achieved by loading food pans between 82° to 88°C. Loading metal food pans over 121°C may result in damage to the carrier or cart.











STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

UPCS400: (480), (401) CD400: (401) CP1220: (159) 1210PW: (191) 400DIV: (180)



Stacks with both UPCS400. Fits on CD400 Camdolly, or optional casters may be added for smooth ground transport.

HOLDING CAPACITY:

Pan Depth	Number of GN ¹ / ₁ pans
6,5 cm	6
10 cm	4
15 cm	3
20 cm	2

Also holds GN 1/2 and 1/3 size pans.



Menu clip reduces need to open door.



CONVENIENT Integrated pan-staging area eases service

(not for use during transport).



Door removes for easy cleaning.

PRESSURE CONTROL

releases steam.

Built-in vent equalizes pressure and



ERGONOMIC DESIGN

Unbreakable, ergonomic, molded-in handles for comfortable two-person carrying.

TEMPERATURE RETENTION

Polyurethane insulation keeps hot food hot and cold food cold.



QUICK ACCESS


Single, 23 cm nylon latch for quick and secure opening and closing.




Built-in seal eliminates need for removable gasket.



Hot 87,8°C 85,6°C 84,5°C 82,8°C 81,7°C 2 hrs. 3 hrs. 4 hrs.



















CODE	UPCS400	UPCS400CK	1210PW	400DIV	CP1220	CD400	400STP
DESCRIPTION	Insulated Carrier	Caster Kit*	Camwarmer®	ThermoBarrier	Camchiller	Camdolly®	Strap
EXTERIOR DIM. (CM)	63,5 x 46 x 63	ø 12,7	34,9 x 27,6 x 4	54 x 33 x 3,8	53 x 33 x 3,8	71 x 53 x 23	500 cm Long
INTERIOR DIM. (CM)	53,5 x 33,5 x 48,6	_	_	_	_	63,5 x 46	_
COLOR	\$	_	Granite Grey (191)	Grey (180)	Cold Blue (159)	A	Beige (000)

Case Pack: 1 *Optional Caster Kit: 2 fixed, 2 swivel, 1 w/ brake.

Ultra Camcarts® to Transport Gastronorm Food Pans



- Double-compartment, high-capacity carts hold and transport hot or cold food.
- Tough, polyethylene shell and thick foam insulation throughout cabinet and between compartments.
- Airtight removable gaskets maintain safe food temperatures for hours.
- Easy to maintain and won't dent, crack, rust, chip or break.
- Durable nylon door latches open easily and close securely.
- Full-swing doors open to the side of the cart for easy loading and unloading.
- Molded-in handles ensure easy maneuvering.
- Molded-in bumpers minimize damage to walls, furniture and other equipment.

Colors: Navy Blue (186), Slate Blue (401), Coffee Beige (157), Dark Brown (131), Brick Red (402), Green (519), Black (110), Hot Red (158), Granite Grey (191), Granite Green (192), Granite Sand (194).

Note: Place food pans on rails. Pans should not be placed on the floor of a Camcart cavity. Please use specified food pan sizes.


Note: Best results will be achieved by loading food pans between 82° to 88°C. Loading metal food pans over 121°C may result in damage to the carrier or cart.

Venting plug is covered by US Patent D 553.717 S.









Polyurethane insulation keeps hot food hot and cold food cold.





Shown with optional

Security Package (SP)

Specially designed for operations where safety and security are a top priority.

- Tamper resistant fasteners.
- · Non-removable doors.
- Lockable hasp on each door (padlocks not included).
- Heavy duty (HD) casters with chassis plates mounted with tamper resistant bolts.



Marine rail is designed for use during service, not transport.

TOTAL CART Holding Capacity	UPC600	UPC800	UPC1200	UPC1600
Full Size Food Pans				
6,5 cm deep	8 pans	12 pans	16 pans	24 pans
10 cm deep	6 pans	8 pans	12 pans	16 pans
15 cm deep	4 pans	6 pans	8 pans	12 pans
20 cm deep	2 pans + 2 each 10 cm pans	4 pans	4 pans	8 pans
Camtray®*				
3253	12 trays	24 trays	24 trays	48 trays
2632	24 trays	48 trays	_	_
2025	_	_	12 trays	24 trays

See Food Pan and Camtray Section for ordering information.


UPC600	86,8°C	84,3°C	82,5°C	80,8°C	79,3°C
UPC800	87,7°C	85,5°C	84,2°C	82,9°C	81,7°C
UPC1200	85,6°C	82,1°C	80,1°C	78,3°C	77,2°C
UPC1600	87,1°C	85,9°C	85,1°C	84,3°C	83,7°C
•					_
	Starting Temperature	1 hr.	2 hrs.	3 hrs.	4 hrs.
Cold UPC600	0,6°C	1,1°C	1,4°C	1,8°C	2,1°C
UPC800	0,3°C	0,8°C	0,9°C	1,2°C	1,4°C
UPC1200	0,5°C	0,9°C	1,1°C	1,3°C	1,4°C
UPC1600	0,6°C	1,0°C	1,2°C	1,5°C	1,5°C
1					
	Starting Temperature	1 hr.	2 hrs.	3 hrs.	4 hrs.

^{*}Based on 3,8 cm spacing between trays.



UPC600

CODE	UPC600
DESCRIPTION	Base Model
EXTERIOR DIM. W x D x H	52 x 69 x 114,5 cm
COMPARTMENT DIMENSIONS	34 x 54 x 35,5 cm





UPC800

CODE	UPC800	UPC800SP
DESCRIPTION	Base Model	Security Package
EXTERIOR DIM. W x D x H	52 x 69 x 137 cm	52 x 69 x 137 cm
COMPARTMENT DIMENSIONS	33 x 54,5 x 48,5 cm	33 x 54,5 x 48,5 cm

Case Pack: 1 Casters: 15,2 cm, 2 fixed, 2 swivel, 1 with brake. Heavy Duty (HD) Casters: 15,2 x 3,8 cm, 2 fixed, 2 swivel with brake casters.



UPC1200

CODE	UPC1200
DESCRIPTION	Base Model
EXTERIOR DIM. W x D x H	72,5 x 82 x 116 cm
COMPARTMENT DIMENSIONS	54 x 66,5 x 34,5 cm
Case Pack: 1 Casters: 15,2	cm, 2 fixed, 2 swivel, 1 with brake.



AVAILABLE IN OUR EUROPEAN WAREHOUSE

1210PW: (191) UPC1200, UPC600: (401) **UPC800, UPC1600:** (401), (192), (194) CP1220: (159) **400DIV**: (180)



UPC1600

CODE	UPC1600	UPC1600HD	*UPC1600SP	UPCGL1600SP
DESCRIPTION	Base Model	Base Model with HD Casters	Security Package	Security Package, Gasketless
EXTERIOR DIM. W x D x H	71,5 x 82 x 135 cm	73 x 84,7 x 138,4 cm	71,5 x 82 x 135 cm	71,5 x 82 x 135 cm
COMPARTMENT DIMENSIONS	53,5 x 66,5 x 53,5 cm	53,5 x 66,5 x 53,5 cm	53,5 x 66,5 x 53,5 cm	53,5 x 66,5 x 53,5 cm

Case Pack: 1 Casters: 15,2 cm, 2 fixed, 2 swivel, 1 with brake. Heavy Duty (HD) Casters: 15,2 x 5,08 cm 2 fixed, 2 swivel with brake casters. *Security Package (SP) have lock-in hinge pins and latches and wheels are attached with tamper resistant screws.

Optional Accessories














CODE	300DIV	400DIV	1200DIV	1600DIV	CP1220	1210PW
DESCRIPTION	ThermoBarrier®	ThermoBarrier	ThermoBarrier	ThermoBarrier	Camchiller®	Camwarmer®
EXTERIOR	LxWxH	LxWxH	LxWxH	LxWxH	LxWxH	LxWxH
DIMENSIONS	53 x 33 x 2,5 cm	54 x 33 x 2,5 cm	53 x 33,5 x 3,5 cm	53 x 33,5 x 3,8 cm	53 x 33 x 3,8 cm	34 x 27,5 x 4 cm
FITS	UPC600	UPC800, UPC800SP	UPC1200	UPC1600	UPC600, UPC800, UPC800SP, UPC1200, UPC1600, UPC1600SP	UPC600, UPC800 UPC800SP
COLOR	Coffee Beige (157)	Grey (180)	Dark Brown (131)	Slate Blue (401)	Cold Blue (159)	Granite Grey (191)

Case Pack: 1 1200DIV / 1600DIV Case Pack: 2

Transporter Capacity Guide

Loading Examples for Cambro® Insulated Transporters



Depth in Centimeters

Ultra Pan Carrier® and Ultra Camcart® H-Series

- Designed for both electric hot holding and non-electric transport.
- Gentle, 65° to 74°C non-radiant heat will not cook food and maintains food moisture.
- Holds a wide variety of foods such as pasta, bone-in fried chicken, and double-crusted pies.
- One hour preheat time from room temperature and three minute recovery.
- Energy consumption is substantially less than comparable metal cabinets.
- Will not rust or dent like metal cabinets, is more economical, and is easy to maneuver.
- All UPCH models have been tested to maintain safe, hot food temperatures, for up to 4 hours when unplugged.
- Models with only the top heated door offer unique versatility with an electric hot holding cabinet on top and passive hot or cold food holding on the bottom.
- Heated door kits also sold separately to retrofit UPC400, UPC800 and UPC1600.

Colors: Granite Gray (191), Black (110), Granite Green (192), Slate Blue (401), Dark Brown (131).

Casters: 15,2 cm 2 fixed, 2 swivel, 1 with brake.













Power On and **Heat on Indicators**

Communicate the Power and Heating status of the UPCH1600 unit. Know instantly when the compartment has reached target temperature.




Vents

Consistent heating throughout the compartment is generated by vents that constantly circulate heat from front to back.



Tough Exterior

All UPCH units are made of tough, polyethylene with polyurethane foam insulation to keep heat in while keeping the exterior cool to the touch. Will not crack, dent, chip, rust or break.



Insulation

CFC-free, foamed-in place polyurethane foam insulation will hold temperature above 64°C for up to 4 hours when used unplugged.

Ultra Pan Carrier® and Ultra Camcart® H-Series


Marine rail is designed for use during service, not transport.







MODEL	UPCH4002	UPCH8002	UPCH16002
Electrical Specifications			_
Required Voltage	200 - 230 VAC	200 - 230 VAC	200 - 230 VAC
Maximum Amp.	1,2a	1,2a	2,3a
Watts	265w	265w	506w
Hertz	50/60	50/60	50/60
Plug Type	Euro plug, CEE7	Euro plug, CEE7	CEE7/7 to C15RA
Power Cord Length	2,7 m	2,7 m	2,7 m




HOT HOLDING	65° — 74°C
WARM UP TIME (from ambient to temperature)	1 hour
RECOVERY TIME* (time to recover to temperature after door is held open for 30 seconds)	3 minutes
TRANSPORT TIME* (after reaching temperature, amount of time unit can be held passively/unplugged until contents reach 65°C.)	4 hours+

^{*}Based on test with 6 each, 15,24 cm deep H-pans with GripLids® filled with approx 14,2 L of 87,7°C water. (Temperatures are of the water not the air in the cart).

Capacity Guide

UPCH4002 UPCH8002 (x2) UPCH16002 (x4)



Food Pan Portion Guide

GN ¼ Food Pan				
Depth:	20 cm	15 cm	10 cm	6,5 cm
Serving Portions Per Pan (1 cup):	80	60	40	30

Ultra Pan Carrier® and Ultra Camcarts® H-Series

- Enables HACCP compliance by maintaining safe, hot food temperatures.
- UPCH400(2) models stack for storage or transporting on a Camdolly® with securing strap.

Colors: Granite Grey (191), Granite Green (192), Slate Blue (401), Black (110), Dark Brown (131).

CD400 Colors: Coffee Beige (157), Dark Brown (131), Black (110), Slate Blue (401), Grey (180).

Casters: 15,2 cm 2 fixed, 2 swivel, 1 with brake.

Note: If using metal food pans, cool to 120°C before placing onto rails.

Note: Place food pans on rails. Pans should not be placed on the floor of a Camcart cavity. Please use specified food pan sizes.

Vent Cap Patent Pending.











STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN** WAREHOUSE

UPCH4002, UPCH8002, UPCHT8002, UPCH16002, CD400: (401)

Security Package (SP)

Specially designed for operations where safety and security are a top priority.

- Tamper-resistant fasteners.
- Non-removable doors.
- Lockable hasp on each door (padlocks not included).
- Heavy duty (HD) casters with chassis plates mounted with tamper-resistant bolts.

CODE	DESCRIPTION	EXTERIOR Dimensions W x D x H	COMPARTMENT Dimensions W x D x H
UPCH1600SP	110V, Both doors heated	73 x 84,7 x 138,4 cm	53,5 x 66,5 x 53,5 cm
UPCH16002SP	220V, Both doors heated	73 x 84,7 x 138,4 cm	53,5 x 66,5 x 53,5 cm

CODE	DESCRIPTION	EXTERIOR Dimensions W x D x H	COMPARTMENT Dimensions W x D x H
1-Compartment Ultra Pan Carriers 110V			
UPCH400	No casters	46 x 67 x 63 cm	33,5 x 53,3 x 48,6 cm
UPCHW400	With casters	46 x 67 x 79,4 cm	33,5 x 53,3 x 48,6 cm
220V			
UPCH4002	No casters	46 x 67 x 63 cm	33,5 x 53,3 x 48,6 cm
UPCHW4002	With casters	46 x 67 x 79,4 cm	33,5 x 53,3 x 48,6 cm
2-Compartment Ultra Camcarts 110V			
UPCH800	Both doors heated	52 x 69 x 137,2 cm	33 x 54,5 x 48,5 cm
UPCHT800	Top door heated only	52 x 69 x 137,2 cm	33 x 54,5 x 48,5 cm
UPCH1600	Both doors heated	73 x 84,7 x 137,5 cm	53,5 x 66,5 x 53,5 cm
UPCH1600HD	Both doors heated, HD casters	73 x 84,7 x 138,4 cm	53,5 x 66,5 x 53,5 cm
UPCHT1600	Top door heated only	73 x 84,7 x 137,5 cm	53,5 x 66,5 x 53,5 cm
UPCHT1600HD	Top door heated only, HD casters	73 x 84,7 x 138,4 cm	53,5 x 66,5 x 53,5 cm
220V			
UPCH8002	Both doors heated	52 x 69 x 137,2 cm	33 x 54,5 x 48,5 cm
UPCHT8002	Top door heated only	52 x 69 x 137,2 cm	33 x 54,5 x 48,5 cm
UPCH16002	Both doors heated	73 x 84,7 x 137,5 cm	53,5 x 66,5 x 53,5 cm
UPCH16002HD	Both doors heated, HD casters	73 x 84,7 x 138,4 cm	53,5 x 66,5 x 53,5 cm
UPCHT16002	Top door heated only	73 x 84,7 x 137,5 cm	53,5 x 66,5 x 53,5 cm
UPCHT16002HD	Top door heated only, HD casters	73 x 84,7 x 138,4 cm	53,5 x 66,5 x 53,5 cm
Accessories			
CD400	Camdolly [®]	53 x 70 x 23 cm	_
400STP	Strap	5 m long	_

Also Available: Top and Bottom Replacement/Retrofit Doors for 110V and 220V (non-interchangeable).

Standard Casters: $15.2 \times 3.2 \text{ cm} - 2 \text{ fixed}$, 2 swivel, 1 with brake. **Heavy Duty (HD) Casters:** $15,2 \times 5 \text{ cm} - 2 \text{ fixed}$, 2 swivel with brake.

Combo Cart® Plus (Non-Electric)

StoreSafe

- The most versatile insulated transporter on the market! Holds food pans, sheet pans, trays and even large pizza boxes.
- Two separate compartments offer the flexibility of holding either hot or cold food.
- Tough, durable polyethylene exterior will not dent, rust or chip—a great alternative to metal holding carts!
- Thick, CFC-free polyurethane insulation throughout the cabinet ensures excellent food quality and temperature retention for 4 or more hours.

• Ideal for caterers, schools, hotels and large institutions.

Color: Charcoal Gray (615).

Note: Place food pans on rails. Pans should not be placed on the floor of the compartment. All food should be cooled to 121,11°C before placing into cart to avoid damage to the body.

Tall Combo Cart Plus Non-Electric covered by U.S. Patent D 679,468 S.





STAINLESS STEEL UNIVERSAL RAILS*

Holds sheet pans, food pans, pizza boxes and trays (or limitless combinations of these!)

*7 pairs/compartment



MARINE RAILING Creates a bonus staging area for food pans.



ERGONOMIC VERTICAL MOLDED-IN HANDLES Will never break; great for maneuvering by operators of all heights.



Worry free door! Swings open completely to the side.



Allows for easy product ID with either an index card or by writing directly onto smooth surface with a grease pencil.



PERIMETER BUMPER
Protects cart and walls.


CASTERS**

All swivel with brakes for smooth positioning and navigation; non-marking.

**Standard or Heavy Duty (HD) casters available.

WIDE PADDLE LATCHES

For easy opening and closing.



INSULATION

CFC-free, polyurethane insulation throughout the body and doors maximizes heat or cold retention for 4 hours or

Combo Cart® Plus (Non-Electric)

CODE	CASTER TYPE	UNIT WEIGHT (KG)
Low		
CMBPL	Standard Casters	52,6
CMBPLHD	HD Casters	56,9
Tall		
CMBP	Standard Casters	95,3
CMBPHD	HD Casters	99,6
Security Package		
CMBPLSP	Low, Standard Casters	53,0
CMBPLSPHD	Low, HD Casters	57,3
CMBPSP	Tall, Standard Casters	95,7
CMBPSPHD	Tall, HD Casters	100,0

Case Pack: 1 Color: Charcoal Gray (615).

Standard Caster: 15 x 3,2 cm (all swivel, with brakes) Heavy Duty Caster (HD): 15 x 5 cm (all swivel, with brakes) Exterior Dimensions (Low) **W x D x H:** 70,2 x 85,1 x 104,5 cm **Exterior Dimensions (Tall) W x D x H:** 70,2 x 85,1 x 167,3 cm **Compartment Dimensions with column** rails (W x D x H): 53,7 x 66,7 x 64,8 cm

Security Package (SP)

Specially designed for operations where safety and security are a top priority.

- Tamper-resistant fasteners secure latches and rail columns.
- Cross-locking wires behind columns lock rails in place.
- Non-removable doors.
- Lockable hasp on each door. (padlocks not included)
- Heavy duty (HD) casters mounted with tamper resistant bolts.

Optional Accessories

DESCRIPTION
1 Pair of Rails
7 Pairs of Rails

Case Pack: 1 Color: (000).



Holding Capacity Reference

TYPE OF CONTAINER	STANDARD Capacity	RAIL Spacing	MAXIMUM Capacity	RAIL Spacing
45,7 x 66 CM FULL SIZE SHEET PANS	14	8,6 cm	32*	3,8 cm
33 x 5,7 CM FULL SIZE SHEET PANS	28	8,6 cm	64*	3,8 cm
GN ½ 6,5 CM DEEP HOTEL PANS	28	8,6 cm	28	8,6 cm
GN ½ 10 CM DEEP HOTEL PANS	20**	12,7 cm	20	12,7 cm
40 x 60 CM TRAYS	14	8,6 cm	32*	3,8 cm
32,5 x 53 CM TRAYS	28	8,6 cm	52*	4,8 cm
40,6 x 40,6 x 5,1 CM PIZZA BOXES	14	8,6 cm	22	5,7 cm

^{*}Additional rails required. **Only requires 5 pairs of rails.

Combo Cart® Plus (Electric)

StoreSafe

- The most versatile insulated transporter on the market! Holds food pans, sheet pans, trays and even large pizza boxes.
- Two separate compartments offer the flexibility of holding either hot or cold food by simply keeping it unplugged.
- Tough, durable polyethylene exterior will not dent, rust or chip and remains cool to the touch during operation—a great alternative to metal holding carts!
- Thick, CFC-free polyurethane insulation throughout the cabinet ensures excellent food quality and
- temperature retention for 4 hours or more, even when unplugged.
- Over 55% more energy-efficient, on average, than leading metal carts.
- Ideal for caterers, schools, hotels and large institutions.

MARINE RAILING

Creates a bonus

staging area for food pans.

Color: Charcoal Gray (615).

Note: Place food pans on rails. Pans should not be placed on the floor of the compartment. All food should be cooled to 121,11°C before placing into cart to avoid damage to the body.

Tall Combo Cart Plus Electric covered by U.S. Patent D 679,468 S.









GASKET-FREE DOOR Worry free door! Swings open

completely to the side.



STAINLESS STEEL UNIVERSAL RAILS*

Holds sheet pans, food pans, pizza boxes and trays (or limitless combinations of these!)

*7 pairs/compartment

ENERGY-SAVING HEATER

Tall cart - over 55% more energy efficient compared to leading metal carts, low carts - over 180%! Gentle, noradiant heat circulates consistently from front to back of the cabinet.







ERGONOMIC VERTICAL MOLDED-IN HANDLES

Will never break; great for maneuvering by operators of all heights.





Communicate the power and heating status of the unit. Know instantly when the compartment has reached target temperature. Turn on and off without unplugging the cord.



CASTERS**

All swivel with brakes for smooth positioning and navigation; non-marking.

**Standard or Heavy Duty (HD) casters available.



Stores 2,7 m power cord neatly and safely.



MENU POCKET

Allows for easy product ID with either an index card or by writing directly onto smooth surface with a grease pencil.





INSULATION

CFC-free, polyurethane insulation throughout the body and doors maximizes heat or cold retention for 4 hours or more.

Combo Cart® Plus (Electric)

CODE	DESCRIPTION	UNIT Weight (Kg)
Low		
CMBPLH / CMBPLH2	Standard casters, 110V/220V	58,3
CMBPLHHD / CMBPLH2HD	HD casters, 110V/220V	62,6
Tall		
CMBPH / CMBPH2	Standard casters, 110V/220V	105,2
CMBPHHD / CMBPH2HD	HD casters, 110V/220V	109,5
Top Door Heated Only		
CMBPTH / CMBPTH2	Top Door Heated only, Standard casters, 110V/220V	104,6
CMBPTHHD / CMBPTH2HD	Top Door Heated only, HD casters, 110V/220V	108,9
Security Package		
CMBPLHSP	Low, Standard casters, 110V	58,6
CMBPLHSPHD	Low, HD casters, 110V	63
CMBPHSP	Tall, Standard casters, 110V	105,7
CMBPHSPHD	Tall, HD casters, 110V	110
CMBPTHSP	Top Door Heated only, Standard casters, 110V	105
CMBPTHSPHD	Top Door Heated only, HD casters, 110V	109,3
00 B I I 0 I 0 I 10 (01)	-,	

SCase Pack: 1	Color: Charcoal	Grav (615).
---------------	-----------------	-------------

Standard Caster: 15 x 3,2 cm (all swivel, with brakes) Heavy Duty Caster (HD): 15 x 5 cm (all swivel, with brakes) Exterior Dimensions (Low) W x D x H: 70,2 x 85,1 x 104,5 cm Exterior Dimensions (Tall) W x D x H: 70,2 x 85,1 x 167,3 cm Compartment Dimensions with column rails (W x D x H): 53,7 x 66,7 x 64,8 cm

55% more energy efficient than leading metal cabines

Security Package (SP)

Specially designed for operations where safety and security are a top priority.

- Tamper-resistant fasteners secure latches and rail columns.
- Cross-locking wires behind columns lock rails in place.
- Non-removable doors.
- Lockable hasp on each door. (padlocks not included)
- Heavy duty (HD) casters mounted with tamper resistant bolts.

Optional Accessories

CODE	DESCRIPTION
CMBPR1	1 Pair of Rails
CMBPR7	7 Pairs of Rails

Case Pack: 1 Color: (000).

Electrical Specifications (Per Compartment)

	110V MODELS	220V MODELS
REQUIRED VOLTAGE	100-125 VAC	200-230 VAC
MAXIMUM AMP	4,6a	2,3a
WATTS	529w	506w
HERTZ	50/60	50/60
PHASE	Single	Single
PLUG TYPES	5-15 to C15RA	CEE7/7 to C15RA
ALTERNATE PLUG TYPES FOR INTERNATIONAL	JIS8303 to C15RA (Japan)	BS1363 to C15RA (UK / Ireland+more)
POWER CORD LENGTH	2,7 m	2,7 m

Holding Capacity Reference

TYPE OF CONTAINER	STANDARD CAPACITY	RAIL Spacing	MAXIMUM Capacity	RAIL Spacing
45,7 x 66 CM FULL SIZE SHEET PANS	14	8,6 cm	32*	3,8 cm
33 x 5,7 CM FULL SIZE SHEET PANS	28	8,6 cm	64*	3,8 cm
GN ¼ 6,5 CM DEEP HOTEL PANS	28	8,6 cm	28	8,6 cm
GN 1/10 CM DEEP HOTEL PANS	20**	12,7 cm	20	12,7 cm
40 x 60 CM TRAYS	14	8,6 cm	32*	3,8 cm
32,5 x 53 CM TRAYS	28	8,6 cm	52*	4,8 cm
40,6 x 40,6 x 5,1 CM PIZZA BOXES	14	8,6 cm	22	5,7 cm

*Additional rails required. **Only requires 5 pairs of rails.

Camtherm® Electric Food Holding Cabinets

Camtherm Food Holding Cabinets hold and transport hot or cold food within the kitchen, on the truck, or at the point of delivery or service. Expand your kitchen capacity, maximize productivity, and hold food

safely for hours. Enjoy the confidence of knowing moist food will stay moist and crisp food will stay crisp.

Discover how one cabinet can do the work of two: with the flip of a switch, go from hot to cold or cold to hot to increase your storage capabilities and menu flexibility.

Each cabinet combines extreme durability and excellent insulated holding performance with simple, energy-efficient thermoelectric

heating and cooling with:

- NO COMPRESSOR
- NO HEATING COIL
- NO HUMIDIFIER





Features & benefits available in both LOW and TALL profile Camtherm carts.

Top marine rail on all units holds 2 full-size food pans, one sheet pan or one cutting board (CB1220).

Solar powered, digital display thermometer monitors internal cabinet temperature.

Self-ventilating cap on each cabinet door automatically releases steam and equalizes pressure, maintaining food quality.

Menu clip holds routing directions or list of cabinet contents.

Non-marking, high modulus, rubber casters are strong and extremely durable providing smooth transport of full cabinets from kitchen to serving location.

Ergonomic molded-in handles are at a safe height on both low and tall profile units for easy transporting, even when fully loaded.

Heavy-duty, 14 gauge electrical cord is 274 cm long. Wrapping hook is located on back of each cabinet for safe cord storage.

Wide, nylon door latches and magnetic door gaskets lock doors securely and create a tight seal to retain safe hot or cold food temperatures.

See caster information on following page.

Cabinet exterior stays cool during operation.

Doors swing open 270° for easy loading.

Aluminum louvers gently and evenly direct hot or cold air around the entire cabinet and contents, eliminating hot or cold spots and maintaining food quality.

Knuckle door hinges are built to withstand the rigors of numerous door openings. Doors lift up and off the hinges easily for cleaning.

Easy-to-use control panel is located on back of each unit. Includes on/off switch, hot/cold switch for hot/cold units only and a temperature control dial for hot only. Cold performing units are factory set to chill cabinet down to 2.8°C.

Molded-in bumpers protect walls and furniture and will never dent, chip or rust.



Tough, one-piece, seamless double-wall polyethylene exterior is easy to clean and won't dent, crack, rust, chip or break.







Polyurethane insulation keeps hot food hot and cold food cold during transport when unit is unplugged.

Anodized aluminum uprights and removable, adjustable chrome plated steel slide rails hold full-size food pans or sheet pans.

Energy efficient heating and/or cooling unit located on back of each cabinet. Low volt, low amp, low watt system maintains consistent hot or cold temperature and balanced humidity throughout the single cavity cabinet.

Color: Granite Grev (191). Granite Green (192), Granite Sand (194).

Cutting Board Color: White (148).

Assembly is covered by U.S. Patent D 442,756 S & D 6,344,630. Venting plug is covered by US Patent D 553,717 S.

HOLDING CAPACITY LOW PROFILE

Includes 6 rail sets

46 x 66 cm Requires five additional rail sets.

Full-Size GN 1/2 Food Pan - 32,5 x 53 cm

20 cm Deep

12 GN 1/ 6,5 cm Deep GN ½ 10 cm Deep GN ⅓ 15 cm Deep

GN 1/

HOI DING CAPACITY TALL PROFILE

Includes 12 rail sets



Sheet Pan 22 Each 46 x 66 cm Requires ten additional rail sets.

Full-Size GN 1/2 Food Pan - 32,5 x 53 cm

GN 1/4 6,5 cm Deep 24 16 GN 1/ 10 cm Deep

12 15 cm Deep

20 cm Deep

Camtherm® Electric Food Holding Cabinets





50% more energy efficient than leading metal cabinets

	Total Energy Consumption
Model	Over 8 Hours
Camtherm	2,06 kilowatt hours
Metal Cabinet	3,95 kilowatt hours

Set of Slide Rails

Cutting Board

Product Specs CAD Drawings, Cut Sheets and User Manual Available at www.cambro.com.

	LOW PROFILE	TALL PROFILE
Volts	110V	110V
Plug Type	Nema 5-15P	Nema 5-15P
Maximum amp draw	9,1 A	13,7 A
Amps run on	8,5 A	13,2 A
Watts	1100	1800
Hertz	50/60	50/60
Power input of heating unit	120 VAC	125 VAC

1 set of 2 Rails

1 each

ELECTRICAL SPECS

	CODE	THERMOMETER	CASTERS	UNIT WEIGHT KG		
LOW PROFILE	EXTERIOR dimensions: W 78 x D 107 x H 108 cm					
	Hot Only					
and the last of	CMBH1826LC	Celsius	2 front 15,2 cm swivel w/brake, 2 rear 25,4 cm rigid	75 kg		
157.1 (B)	Hot/Cold					
200	CMBHC1826LC	Celsius	2 front 15,2 cm swivel w/brake, 2 rear 25,4 cm rigid	101 kg		
	Correctional security p	ackage (SP) available, please o	contact Cambro for information			
TALL PROFILE	EXTERIOR dimensions: W	78 x D 107 x H 165 cm				
	Hot Only					
Section 200	CMBH1826TSC	Celsius	2 front 15,2 cm swivel w/brake, 2 rear 15,2 cm rigid	114 kg		
	CMBH1826TBC	Celsius	2 front 15,2 cm swivel w/brake, 2 rear 25,4 cm rigid	116 kg		
	Hot/Cold					
1	CMBHC1826TSC	Celsius	2 front 15,2 cm swivel w/brake, 2 rear 15,2 cm rigid	148 kg		
	CMBHC1826TBC	Celsius	2 front 15,2 cm swivel w/brake, 2 rear 25,4 cm rigid	150 kg		
	Cabinet Colors: Granite (Grey (191), Granite Green (192), G	Granite Sand (194).			
	Correctional security package (SP) available, please contact Cambro for information					
	CODE	DESCRIPTION	DIMENSIONS H x L x W CASE PACK			

51 x 12,2 cm

53,5 x 33,5 x 1,3 cm

Time & Temperature Performance

Cutting Board Color: White (148).

CMBR

CB1220

ACCESSORIES

НОТ		WARM UP TIME From ambient to hot.		RECOVERY TIME Time to recover to hot temperature after door is held open for 30 seconds.		TRANSPORT TIME After reaching hot temperature, amount of time unit can be held passively / unplugged until temperature reaches (65°C).	
		(65°C)	(74°C)	(65°C)	(74°C)	(65°C)	(74°C)
To the last of	LOW						
(718)	Hot Unit	33 minutes	45 minutes	2 minutes	4 minutes	5 hours	8 hours
200	Hot/Cold Unit	33 minutes	45 minutes	2 minutes	4 minutes	5 hours	8 hours
100	TALL						
	Hot Unit	30 minutes	60 minutes	1 minute	3 minutes	4 hours	8 hours
4 4	Hot/Cold Unit	45 minutes	75 minutes	1 minute	3 minutes	6 hours	8 hours

Cold		WARM UP TIME From ambient to cold.	RECOVERY TIME Time to recover to hot temperature after door is held open for 30 seconds.	TRANSPORT TIME After reaching cold temperature, amount of time unit can be held passively / unplugged until temperature reaches (65°C).
		(2,8°C)	(2,8°C)	(2,8°C)
	LOW			<u> </u>
	Hot/Cold Unit	50 minutes	4 minutes	2 Hours
	TALL			
4	Hot/Cold Unit	75 minutes	4 minutes	1 Hour
	All results based on tests with 6 full-size GN ½ 15 cm deep Polycarbonate Food Pans filled with 1,1°C cold water, covered and placed inside upper cabinet only.			

All results based on tests with 6 full-size 15 cm deep H-Pans™ filled with 87,7°C hot water, covered and placed inside upper cabinet only.

Vent Cap Patent Pending.

Insulated Bakery Container - 60 X 40 cm



- Designed for the baking industry in Europe.
- Ideal for transporting products at safe cold temperatures to satellite locations
- Perfect for baked items with cream fillings or frozen dough.
- Made with a durable polyethylene outer shell and thick polyurethane foam insulation.
- Holds sheet pans:

60 x 40 cm

58 x 40 cm

58 x 20 cm

58 x 10 cm

or fiberglass tray: 60 x 40 cm

Choose between wire racks with 6 rails, 10 cm apart, or 7 rails, 8,7 cm apart.

CP6040 color: Cold Blue (159).

Wire rack color: Silver (000).

Fiberglass Tray colors:

Speckled Smoke (A20), Speckled Mocha (A21), Sahara (A22), Light Grey (A27), Pearl White (A33), Terrazzo (A86).

Note: Place sheet pans on rails. Pans should not be placed on the floor of a Container cavity. Please use specified sheet pan sizes.

Vent Cap Patent Pending.









STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

BK60406: (186)

Camdolly® CD300 makes it easy to transport BK60406 or BK60407.



CODE	BK60406*	BK60407*
DESCRIPTION	Container with 6 rails	Container with 7 rails
EXT. DIM.	57 x 76,5 x 82 cm	57 x 76,5 x 82 cm
INT. DIM.	42 x 63,5 x 67,5 cm	42 x 63,5 x 67,5 cm
Case Pack: 1	Color: Navy Blue (186) * Includes 2 wirera	cks and 1 chiller.

Accessories

CODE	CD300	CP6040	WR60406	WR60407	GL4060**
DESCRIPTION	Camdolly	Camchiller	Wireracks w/6 rails	Wireracks w/7 rails	Market display tray
EXT. DIM.	49 x 65 x 26,5 cm	60 x 40 x 4 cm	66 x 40,5 x 5,8 cm	66 x 40,5 x 5,8 cm	60 x 40 cm
INT. DIM.	43 x 59 cm	_	_	_	_
CASE PACK	1	1	1	1	12

^{**} Not sold in USA, Canada, Mexico, Central America and Caribbean. Vent Cap Patent Pending.

Camcarts® - 46 X 66 cm Trays, Sheet Pans and Food Boxes

- Use to hold hot or cold bulk food stored on trays, sheet pans or in food boxes.
- Durable polyethylene and thick foam insulation retain safe food temperatures.
- Sturdy plastic, rust-proof latches are secured into molded-in mounting plates.
- Molded-in handle on the back for easy maneuvering.



1826DTC Double Cavity Cart for Trays and Sheet Pans

Capacity: 24 tray support rails on 4,92 cm centers (12 per cavity). Holds up to 24 each 46 x 66 cm trays or sheet/bun pans.



1826DBC Double Cavity Cart for Food Storage Boxes

Capacity: 26 support rails on 4,92 cm centers (13 per cavity). Holds 46 x 66 cm Food Storage Boxes.



Camcart with Security Package Specially designed for high security applications, with tamper-resistant hardware: metal hinges with nonremoveable pins, metal latches with welded bails, lockable hasp and chassis plate.

Colors: Slate Blue (401), Coffee Beige (157), Dark Brown (131), Charcoal Gray (615).

15,2 cm Casters: 2 fixed, 2 swivel, 1 with brake.

Note: Cool metal sheet pans to 121°C before placing onto tray supports.


Venting plug is covered by US Patent D 553,717 S.

Only 1826DBC and 1826DBCSP are NSF Listed.









Case Pack: 1 *Exterior Depth measurement includes handle.

Camcarriers® – 32,5 X 53 cm Trays, Sheet Pans and Food Boxes **Camcarts**® – 46 X 66 cm Trays, Sheet Pans and Food Boxes





Camcarrier for Full-size Food Pans, Trays and Half-size Sheet Pans

- Holds up to 8 each 33 x 46 cm sheet pans or 3 each full-size 10 cm deep food pans.
- Molded-in handles.
- Stackable for storage and transport.
- Fits CD300 Camdolly.



Camcart for Food Storage Boxes

- Holds 46 x 66 cm Food Storage Boxes.
- Capacity: 13 supports on 4.45 cm centers.
- Includes removable cutting board on top.

Camcart for Trays and

Holds up to 7 each 46 x 66 cm

trays or sheet pans.

• Seven tray supports on 9,5 cm

Sheet Pans



Camcarrier for Trays and Sheet Pans

- Holds up to 6 each
 46 x 66 cm sheet pans.
- Six tray supports on 5,4 cm centers.
- · Molded-in handles.
- Fits CD1826MTC Camdolly.



1826LTC3

centers for 7,62 cm clearance between trays.

 Includes removable cutting board on top.



Camcart with Security Package (SP)

- Specially designed for high security applications.
- Features tamper-resistant hardware to protect both cart and contents.
- Includes removable cutting board on top.
- Includes chassis plates with 15.2 x 3.8 cm HD Casters.



Camcart for Trays and Sheet Pans

- Holds up to 13 each 46 x 66 cm trays or sheet pans.
- Thirteen tray supports on 4,45 cm centers.
- Includes removable cutting board on top.

Colors: Slate Blue (401),Charcoal Gray (615), Coffee Beige (157), Dark Brown (131), Navy Blue (186). 1826MTC and 1318MTC are available in Black (110)

Strap Color: Beige (000).

Camdolly® Colors: Slate Blue (401), Coffee Beige (157), Dark Brown (131), Black (110).

CD1826MTC: 12,7 cm Casters: 2 fixed, 2 swivel, 1 with brake.
CD1826MTCHB: 12,7 cm Casters: 2 swivel, 1 with brake and 2 25,4 cm Easy Wheels.

Standard Casters: 15,2 x 3,2 cm, 2 fixed, 2 swivel, 1 with brake. **Heavy Duty (HD) Casters:** 15,2 x 5 cm, 2 fixed, 2 swivel, no brake.

Note: Cool metal sheet pans to 121°C before placing onto tray supports.

Only 1826LBC and 1826LBCSP are NSF Listed.







CODE	DESCRIPTION	EXTERIOR DIMENSIONS W x D*x H	INTERIOR DIMENSIONS W x D*x H
1318MTC	For trays, sheet pans & GN Food Pans	42,5 x 62 x 57 cm	33,3 x 54 x 36 cm
1826MTC	For trays & sheet pans	55 x 74,5 x 57 cm	46,7 x 66,4 x 35,9 cm
Camdolly			
CD300	Camdolly for 1318MTC	53 x 70 x 23 cm	46 x 63,5 cm
CD1826MTC	Camdolly for 1826MTC	61 x 89 x 91 cm	55,9 x 72,4 cm
CD1826MTCHB	Camdolly with Easy Wheels for 1826MTC	70 x 89 x 93,5 cm	55,6 x 72,5 cm
Camcarts			
1826LTC	For trays & sheet pans	55 x 81,5 x 95,5 cm	46 x 66,4 x 65,7 cm
1826LTC3	For trays & sheet pans	55 x 81,5 x 95,5 cm	46 x 66,4 x 65,7 cm
1826LBC	For Food Storage Boxes	55 x 81,5 x 95,5 cm	46 x 66,4 x 65,7 cm
Camcarts with Sec	curity Package** (Includes Chassis Plat, 15,2 x 5 c	m HD casters)	
1826LTCSP	For trays & sheet pans	55 x 81,5 x 95,5 cm	46 x 66,4 x 65,7 cm
1826LBCSP	For Food Storage Boxes	55 x 81,5 x 95,5 cm	46 x 66,4 x 65,7 cm
Securing Strap			
1826STP	Securing Strap	_	_
Casa Baak 1 Va	ation along is second by H.C. Detail D. FF2 717F.C.	*W:41	


Case Pack: 1 Venting plug is covered by U.S. Patent D 553,7175 S *With handle.

Tablotherm Insulated Trays

Only available from Cambro European Logistics (CEL), Germany.

SPECIFICATIONS

Material	Polypropylene + Foam Insulation
Characteristic	Insulated Tray
Performance	Excellent
Heat Retention	Approximately 60 Minutes*
Dishwasher Safe	Yes
Stackable	Yes
Minimum Food & Plate Temperature before Plating	85°C - 90°C
Individual Dish Cover	Yes — Prevent Spilling of Soup and Sauces









ITPD3253 - Gastronorm size

*With heated pellet. Not for use in heated carts.





ITPD3753T - Euronorm size

Light gray polypropylene lid with

integrated rubber seal. Lid cannot be used in microwave oven.

RECOMMENDED USE

Moderate Use		
- Hospital Meal Delivery /		
Nursing Homes		
— Hotel Room Service		
- Catering		
— Home Meal Delivery		

STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN** WAREHOUSE

IT3253, IT3753T, ITPD3253, ITPD3753T, 112 430 000, 122 400 050, 122 450 050, 122 500 050, 122 600 050, 122 650 050, 122 700 050, 122 201 050, 122 200 050, 122 260 050: (000) 165PW: (A42)

For a complete guide to maximizing heat retention, contact your Cambro representative.

CODE	DESCRIPTION	DIMENSIONS W x L x H (CM)
Tablotherm – Insulate	ed Tray with Porcelain Dishes, seal covers and pellet	
ITPD3753T	Euronorm insulated tray including: 1 ea. two-compartment plate (122 400 050), 1 ea. reusable cover (122 600 050), 1 ea. Pellet (165PW), 3 ea. multi-purpose bowls: 2 ea. 400 mL (122 500 050), 1 ea. 500 mL (122 450 050) and 3 ea. reusable covers: 2 ea. (122 700 050) and 1 ea. (122 650 050)	37,0 x 53,0 x 10,5
ITPD3253	Gastronorm insulated tray including: 1 ea. two-compartment plate (122 400 050), 1 ea. reusable cover (122 600 050), 1 ea. pellet (165PW) 2 ea. multi-purpose bowl (122 500 050) and 2 ea. reusable cover (122 700 050)	32,5 x 48,0 x 10,5
Tablotherm – Insulate	ed Tray without porcelain dishes, seal covers and pellet	
IT3753T	Euronorm insulated tray — Empty	37,0 x 53,0 x 10,5
IT3253	Gastronorm insulated tray — Empty	32,5 x 48,0 x 10,5
Porcelain dishes		
122 400 050	Two compartment plate. Outside ø 254 mm Capacity 750 mL (White)	
122 450 050	Multi-purpose bowl. Outside ø 142,2 mm Capacity 500 mL (White)	
122 500 050	Multi-purpose bowl. Outside ø 120 mm Capacity 400 mL (White)	
Reusable polypropyle	ne covers, light gray with integrated rubber seal	
122 600 050	For two compartment plate	
122 650 050	For multi-purpose bowl — 500 mL	
122 700 050	For multi-purpose bowl — 400mL	
Pellet System		
165PW	SMC pellet ø 16,5 cm	
Menu card		
112 430 000	Yellow menu cards 100 x 70 mm	
Latches		
122 201 050	Latches with menu card holder (IT3253, ITPD3253)	
122 200 050	Latches without menu card holder (IT3253, ITPD3253)	
122 260 050	Latches and screw kit: 1 ea. latch, 4 ea. screws (IT3753T, ITPD3753T)	
ITPD3753T, IT3753T C	olor: Gray and Blue. ITPD3253, IT3253 Color: Two Tone Gray. 165PW Color: A42 165PW Case Pack: 1 Each.	



Merchandising Equipment

Versa Food Service System

Versa Food Bar® and Versa Work Table Ultra Series

Food Bar Accessories

Table Top Food Bars, Buffet Bars & Sneeze Guards

Sample Food Bar Set-ups

CamKiosk® System

Hand Sink Cart

Camcruiser® Vending Carts

Booster Seats & Versa Organizers

Portable CamBars®

SlidingLid™ Ice Caddies



Versa Food Service System



The Versa Food Service System provides custom design without the custom price. This non electric, versatile, portable system keeps food cold for hours with either ColdFest® pans or Buffet Camchillers®. The system is made of durable all-weather material and is easy to clean. The Versa Food Service System offers countless configurations to fit any foodservice need.

- Ergonomic, molded-in handles on both sides ensure easy maneuvering.
- Versa Food Bar and Work Table both include a drain faucet that can be connected to a hose for drainage and easy cleaning.
- Add an end table to a Food Bar or Work Table to hold trays, condiments, or paper goods.

Versa Cart

- Join a Versa Cart with a Food Bar or Work Table for fast check-out and improved traffic flow.
- The Versa Cart includes an adjustable shelf, standard lockable drawer and convenient electrical access through the top of the cart and front design panel.
- Optional Tray rails easily adjust to a lower height.
- Optional pull-out keyboard tray fits inside the drawer.










Versa Straight Connector and Versa Corner Connector

Easily and safely attach multiple components together to create a contiguous system and maximize space and merchandising options.



Versa Food Bar® Lighting Kit

Enhance your foodservice presentation with the LED lighting accessory. The light uses a 12 volt long-lasting battery, that charges with an universal charger.





Buffet Camchillers®

Extend safe, cold holding time without ice. Dual-sided Buffet Camchillers hold 6,5 cm and 10 cm pans. Fits in the Versa Food Bar, Versa Work Table and Table Top Food Bars.

Versa Food Service System

Whether you're looking to maximize space, improve traffic flow, add merchandising space or create an upscale salad bar, the Versa Food Service System has you covered.







- Perfect for a prep table, display, self-serve station or back bar.
- Attach a Work Table to a Food Bar to merchandise snacks and beverages.
- Matching well covers are included with each Versa Work Table.



83 cm Wide



Standard height model.

Versa Food Service System – Ultra Series

Versa Food Bar® Ultra Series

 Now available with two secure storage cabinets that can hold up to 22,7 kg per compartment of non-perishable items.







Versa Food Service System

CODE	DESCRIPTION	OVERALL EXTERIOR Dimensions L x W x H	FULL PAN Size Capacity	WELL INTERIOR Dimensions L x W x H
Versa Food Bars® – St	andard Height			
VBR5	152 cm with Standard Casters	175,3 x 108 x 159,4 cm	4	132,8 x 53,3 x 18 cm
VBRHD5	152 cm with Heavy Duty Casters	175,3 x 108 x 159,4 cm	4	132,8 x 53,3 x 18 cm
VBR6	183 cm with Standard Casters	208,3 x 108 x 159,4 cm	5	165,4 x 53,3 x 18 cm
VBRHD6	183 cm with Heavy Duty Casters	208,3 x 108 x 159,4 cm	5	165,4 x 53,3 x 18 cm
Versa Food Bars® Ultra	a Series – Standard Height			
VBRU5	152 cm with Standard Casters and Storage	175,3 x 108 x 159,4 cm	4	132,8 x 53,3 x 18 cm
VBRUHD5	152 cm with Heavy Duty Casters and Storage	175,3 x 108 x 159,4 cm	4	132,8 x 53,3 x 18 cm
VBRU6	183 cm with Standard Casters and Storage	208,3 x 108 x 159,4 cm	5	165,4 x 53,3 x 18 cm
VBRUHD6	183 cm with Heavy Duty Casters and Storage	208,3 x 108 x 159,4 cm	5	165,4 x 53,3 x 18 cm
Versa Food Bars – Lov	v Height			
VBRL5	152 cm with Standard Casters	175,3 x 108 x 141,6 cm	4	132,8 x 53,3 x 18 cm
VBRLHD5	152 cm with Heavy Duty Casters	175,3 x 108 x 141,6 cm	4	132,8 x 53,3 x 18 cm
VBRL6	183 cm with Standard Casters	208,3 x 108 x 141,6 cm	5	165,4 x 53,3 x 18 cm
VBRLHD6	183 cm with Heavy Duty Casters	208,3 x 108 x 141,6 cm	5	165,4 x 53,3 x 18 cm
Versa Work Tables – S	Standard Height			
VBRT5	152 cm with Standard Casters	175,3 x 68,6 x 99,06 cm	4	132,8 x 53,3 x 18 cm
VBRTHD5	152 cm with Heavy Duty Casters	175,3 x 68,6 x 99,06 cm	4	132,8 x 53,3 x 18 cm
VBRT6	183 cm with Standard Casters	208,3 x 68,6 x 99,06 cm	5	165,4 x 53,3 x 18 cm
VBRTHD6	183 cm with Heavy Duty Casters	208,3 x 68,6 x 99,06 cm	5	165,4 x 53,3 x 18 cm
Versa Work Tables Ult	ra Series – Standard Height			
VBRUT5	152 cm with Standard Casters and Storage	175,3 x 68,6 x 99,06 cm	4	132,8 x 53,3 x 18 cm
VBRUTHD5	152 cm with Heavy Duty Casters and Storage	175,3 x 68,6 x 99,06 cm	4	132,8 x 53,3 x 18 cm
VBRUT6	183 cm with Standard Casters and Storage	208,3 x 68,6 x 99,06 cm	5	165,4 x 53,3 x 18 cm
VBRUTHD6	183 cm with Heavy Duty Casters and Storage	208,3 x 68,6 x 99,06 cm	5	165,4 x 53,3 x 18 cm
Versa Work Tables – L	ow Height			
VBRTL5	152 cm with Standard Casters	175,3 x 68,6 x 74,3 cm	4	132,8 x 53,3 x 18 cm
VBRTLHD5	152 cm with Heavy Duty Casters	175,3 x 68,6 x 74,3 cm	4	132,8 x 53,3 x 18 cm
VBRTL6	183 cm with Standard Casters	208,3 x 68,6 x 74,3 cm	5	165,4 x 53,3 x 18 cm
VBRTLHD6	183 cm with Heavy Duty Casters	208,3 x 68,6 x 74,3 cm	5	165,4 x 53,3 x 18 cm
Case Pack: 1				

CODE	DESCRIPTION	OVERALL EXTERIOR Dimensions L x W x H
Versa Cart		
VCSWR	With Dual Tray Rails and Standard Casters	$134 \times 81,9 \times 109,2$ cm (with tray rails up)
VCSWRHD	With Dual Tray Rails and Heavy Duty Casters	134 x 81,9 x 109,2 cm (with tray rails up)
VCS	With Standard Casters and no Tray Rails	81,3 x 81,9 x 109,2 cm
VCSHD	With Heavy Duty Casters and no Tray Rails	81,3 x 81,9 x 109,2 cm
Connectors		
VBRC	Straight Connector - Food Bar to Food Bar	68,6 x 48,3 x 10,8 cm
VBRC90	Corner Connector - Food Bar to Food Bar	91,4 x 91,4 x 10,8 cm
VCS32CNT	Straight Connector - Cart to Standard Height Food Bar / Work Table	68,6 x 51,75 x 8,26 cm
VCSCNL	Straight Connector - Cart to Low Height Food Bar / Work Table	68,6 x 51,75 x 21,59 cm

Case Pack: 1 Versa Food Bar, Versa Work Table, Versa Cart, Connectors, Well Cover Colors: Black (110), *Hot Red (158), *Navy Blue (186), *Kentucky Green (519). Tray Rail and End Table Colors Only: Granite Gray (191), **Black (110).

^{*} Made to order colors for Versa Food Bar, Versa Work Table, Versa Cart, Connectors, Well Cover, Tray Rail and End Table.

^{**} Made to order color for Tray Rail and End Table only. Made to order items not carried in stock, non-returnable.

Food Bar Accessories

Every Accessory You Need

- Crock and Salad Bowl Holders highlight and organize salads, condiments and dressings.
- · Tray Rails offer convenience for your patrons.

See Polycarbonate Food Pans and Crocks section for more information.

Versa Cart with Dual Tray Rails (VCSWR & VCSWRHD): All orders receive the tray rails in Granite Gray (191). To choose a different color tray rail you must order the Versa Cart Without Rails (VCS or VCSHD) and the tray rails (VCS32R) separately.

Connector Colors: Black (110), Hot Red (158), Navy Blue (186), Kentucky Green (519).

Vinyl Cover Color: Opaque (000).

Sign Holder Color: Clear (152).

Buffet Camchiller® Color:

Cold Blue (159).

Divider Bar Colors: White (148), Clear (152).

Well Cover Colors: Black (110), Hot Red (158), Navy Blue (186), Kentucky Green (519).

Keyboard Tray Color: Black (110).

Crock. Salad Bowl Holders Colors: White (148), Granite Gray (191).


Versa Food Bar is covered under U.S. Patent D 615,323 S and D 620,730. Versa Food Bar Ultra Series is covered under U.S. Patent D702,066 S. Versa Cart is covered under U.S. Patent D 653,830 S. Buffet Camchiller is covered under U.S. Patent D 618,4765 S. All other parts patent pending.

* Items are not NSF Listed.







COMPONENT




- 183 cm models hold 5 full size Pans with Divider Bars.
- 152 cm models hold 4 full size Pans with Divider Bars.



- Fractional Size Pans can be used in many variations with Divider Bars. Mix and match sizes to fit your needs. Two Salad Bowl Holder models available, SBH18 and SBH15. Crock Holder, CPH3, holds 1,4 and 2,6 L crocks.





- 183 cm models hold a Salad Bowl Holder and 3 ea. Crock Holders.
- $-152\,\mathrm{cm}$ models hold a Salad Bowl Holder and 2 ea. Crock Holders.

CODE	DESCRIPTION	OVERALL EXTERIOR Dimensions L x W x H	CASE Pack
VBRR5	Tray Rail for 152 cm - Versa Food Bar / Versa Work Table	134,6 x 29,2 x 11,6 cm	1
VBRR6	Tray Rail for 183 cm - Versa Food Bar / Versa Work Table	167,6 x 29,2 x 11,6 cm	1
VCS32R	Tray Rail for - Versa Cart	71,12 x 29,7 x 12,7 cm	1
VBRTBL	End Table For Versa Food Bar and Work Table	68,6 x 55,88 x 11,43 cm	1
LED54LIGHTPKG*	LED Light Strip 137 cm Long with brackets, battery and wall charger	137 cm	1
VBRCVR5*	Vinyl Cover for 152 cm Versa Food Bar	185,4 x 110,5 x 116,8 cm	1
VBRCVR6*	Vinyl Cover for 183 cm Versa Food Bar	210,8 x 110,5 x 116,8 cm	1
VBRTCVR5*	Vinyl Cover for 152 cm Versa Work Table	177,8 x 85,1 x 53,3 cm	1
VBRTCVR6*	Vinyl Cover for 183 Versa Work Table	210,8 x 85,1 x 53,3 cm	1
VCSCVR*	Vinyl Cover for Versa Cart	106,7 x 83,8 x 91,4 cm	1
VBRSHTS*	Versa Food Bar Sign Holder	91,4 x 15,2 x 23,5 cm	1
DIV12	30,5 cm Divider Bars	32,39 cm	3
DIV20	51 cm Divider Bars	53,02 cm	3
СРН3	Crock Holder Holds 1,4 & 2,6 L	33 L x 53 W cm	1
SBH15	Salad Bowl Holder Holds a 38,1 cm Bowl and 3 Crocks	65,5 L x 53 W cm	1
SBH18	Salad Bowl Holder Holds an 45,7 cm Bowl	65,5 L x 53 W cm	1
CPB1220	Buffet Camchiller for Versa Food Bars, Work Tables and Table Top Food Bars.	46,99 x 32,07 x 10,16 cm	1
VBRWC	Versa Well Cover for Versa Food Bar/Work Table	53,02 x 33,02 x 5,08 cm	1
VCS32KEYT	Versa Cart Keyboard Tray	52,4 x 25,71 x 5,08 cm	1

Versa Food Bar includes Versa Food Bar with and without cabinet.

Table Top Food Bars, Buffet Bars & Sneeze Guards



Table Top Food Bars

- Turn a 122-183 cm table into a double-sided self service buffet or beverage station.
- Thick, foam-insulated well keeps food cold for hours with Buffet Camchillers or ice.
- Drain plug allows for quick and easy clean-up.

Buffet Bars

- Ideal for holding snacks and cold beverages.
- The Buffet Bar with Sneeze Guard is perfect for single-sided, self-serve buffets.

Food Bar Colors: Black (110), Navy Blue (186), Kentucky Green (519), Hot Red (158).

Crock Holder and Salad Bowl Holders available in White (148), Granite Gray (191), Sandstone (614).

BUF48 and BUF72 are NSF listed.

*NSF listed for non-direct food contact only.











4FBRTT Table Top Food Bar Buffet Camchiller® available.



FSG480 Sneeze Guard
The Free Standing Sneeze Guard is the perfect showcase for salad or dessert items.



BUF48 Buffet Bar BaseMerchandises soft drinks on ice to increase beverage sales.



BBR480 Buffet Bar with Sneeze Guard

CODE	OVERALL EXTERIOR DIMENSIONS	FULL SIZE Pan Capacity	WELL INTERIOR Dimensions
Table Top Food Bars	LxWxH		LxWxD
6FBRTT	181,6 x 84,5 x 68,6 cm	5	159,7 x 51,1 x 16,5 cm
5FBRTT	161,3 x 84,5 x 68,6 cm	4	127,2 x 51,1 x 16,5 cm
4FBRTT	129,5 x 84,5 x 68,6 cm	3	94,6 x 51,1 x 16,5 cm
Buffet Bars	LxWxH		LxWxD
BUF72	171,5 x 61 x 17,8 cm	5	159,7 x 51,1 x 12,7 cm
BUF48	106,2 x 61 x 17,8 cm	3	94,6 x 51,1 x 12,7 cm
Free Standing Sneeze Guards	LxWxH		LxW
FSG720	187,6 x 41,9 x 62,2 cm	_	171,5 x 38,7 cm
FSG480	121,9 x 41,9 x 62,2 cm	_	106,7 x 38,7 cm
Buffet Bars w/Sneeze Guard	LxWxH		LxWxD
BBR720	187,6 x 61,3 x 62,2 cm	5	159,7 x 51,1 x 12,7 cm
BBR480	121,9 x 61,3 x 62,2 cm	3	94,8 x 51,1 x 12,7 cm

Sample Food Bar Set-ups

Visit www.cambro.com/schools for food bar resources, best practices and free posters.




152 cm model



183 cm model

Fresh Food Bars Pre-packaged Breakfast




Rainbow Theme




Fresh Food Bars Pre-packaged Lunch




Taco Theme



Chili Theme



Burger Theme



CamKiosk® System — Every Event or Location is an Opportunity for Profits



- Build sales off premise and in non-traditional locations.
- Two insulated food storage cabinets maintain safe hot or cold food and/or beverage temperatures for hours.
- Use optional well covers to cover food pan wells and increase countertop space.
- Durable, all-weather polyethylene exterior with foam insulation will not crack, dent, bubble, chip, rust or break.
- Heavy duty 15,2 cm casters roll smoothly from kitchen to location then lock in place.

CamKiosk® Carts





Telescoping poles enable canopy to lower 30,5 cm for quick and easy storage.





Conveniently located, lockable cash box (included) can also be kept in dry storage compartment.



Camchillers® keep cold packaged foods cold during transport and service when placed directly on top of food pan wells or at the top of the CamKiosk's insulated holding cabinet.



4 well top



6 well top

Cart Colors

Canopy Color



Navy Blue



Beige



Hot Red

Cart Colors

Canopy Colors



Granite



Kentucky Green



Granite Green



Kentucky Green



Black Base with **Granite Grey Top** & Doors

Personalize your CamKiosk Cart to promote your brand.

CANOPY TRIM AND TOP PANEL

(Charges per side)

One Color **Two Color Three Color**

FRONT DISPLAY PANEL

(Cruising Café® panel standard) Set Up Charge per Panel **

Charge per Color

** Contact your Cambro representative for pricing.

CODE	FULL SIZE Pan Wells	OVERALL Dimensions L x W x H
CamKiosk Carts		
KVC854	4	216 x 85 x 179 cm
KVC854C	4	216 x 85 x 239 cm
KVC856	6	216 x 85 x 179 cm
KVC856C	6	216 x 85 x 239 cm
C: Canopy		

Holding Capacity Per Compartment

Two holding cabinets store hot or cold food in Gastronorm Food Pans with

12 GN½ full size 6,5 cm deep pans or 8 GN $\frac{1}{2}$ full size 10 cm deep pans or 6 GN½ full size 15 cm deep pans or 4 GN½ full size 20 cm deep pans. 4 each 2025 Camtrays or 8 each 3253 Camtrays.

Well Cover Colors: Black (110), Hot Red (158), Navy Blue (186), Kentucky Green (519), Granite Grey (191), Granite Green (192).

15,24 cm Casters: 2 fixed, 2 swivel, 2 with brake.

Cutting Board Color: White (148). Camchiller Color: Cold Blue (159) ThermoBarrier Color: Slate Blue (401).







Camchiller & ThermoBarrier

STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN** WAREHOUSE

CP1220: (159)

CODE	DESCRIPTION	DIMENSIONS L x W x H	CASE Pack
Optional Accessories			
CB1220	Cutting Board	53,5 x 33,5 x 1,3 cm	1
CP814	20,32 x 35,56 cm Camchiller®	3,81 x 20,32 x 35,56 cm	1
CP1220	Camchiller	53 x 33 x 3,8 cm	1
WCR1220	Well Cover	53,5 x 33 x 5 cm	1
1600DIV	ThermoBarrier® Insulated Shelf	53 x 33,5 x 3,8 cm	2
C: Canopy			

CamKiosk® Hand Sink Cart, Work Station & Equipment Stand

Hand Sink Cart

- Self-contained, electric hand washing system can be used alone or with CamKiosk Cart.
- Run hot and cold water for up to 70 hand washings.
- Includes: double sink, two 19 L fresh water tanks, two 28,5 L waste-water bins, hand soap dispenser and paper towel roll holder
- Durable polyethylene will not crack, dent, bubble, chip or break.
- Hand Sink Cart is designed for hand washing. It contains no filter for purifying water for drinking.
- Faucet is compliant with lead-free regulations.

Colors: Granite Grey (191), Granite Green (192), Navy Blue (186), Hot Red (158), Kentucky Green (519), Black Base with Granite Grey Top & Doors (426).

15,2 cm Casters: 2 fixed, 2 swivel, 2 with brake.

Hand Sink Cart is covered by U.S. Patent 6.173.458 B1.













Water heater and water pump draw a maximum of 11,25 amps and 0,7 amps, respectively. Hand Sink Cart electrical system runs on an average 10 amps.

ADA faucet available. Contact Cambro Customer Service for information.

Hand Sink Cart is designed for hand washing. It contains no filter for purifying water for drinking.

CODE	VOLTAGE	DIMENSIONS L x W x H
KSC402	110	103 x 84 x 116 cm

Case Pack: 1

Work Station

- Use to merchandise menu items, additional work space or to complete sales transactions.
- Large dry storage cabinet below is perfect for holding supplies.
- Extremely durable all-weather polyethylene will not crack, dent, bubble, chip, rust or break.

Colors: Granite Grey (191), Granite Green (192), Navy Blue (186), Hot Red (158), Kentucky Green (519), Black Base with Granite Grey Top & Doors (426).

15,2 cm Casters: 2 fixed, 2 swivel, 2 with brake.

Top work area dimensions: 57,2 x 66 cm









Shown with optional cutting board and paper towel roll dispenser.

CODE	DESCRIPTION	DIMENSIONS L x W x H
KWS40	Work Station	103 x 84 x 116 cm
CB1220	Cutting Board	53,5 x 33,5 x 1,3 cm

Case Pack: 1

Equipment Stand

- Perfect for self-serve stations, prep areas or cash register service.
- Counter and side openings for electrical cords and cables.
- Durable, lightweight polyethylene will not crack, dent, bubble, chip, rust or break.
- No assembly required.

Color: Black (110).

12,7 Casters: 2 fixed, 2 swivel with brake.

* Special order item not carried in stock — non-returnable.











CODE	DESCRIPTION	OVERALL DIMENSIONS W (W/TRAY RAILS) x D x H
ES28	Stand only	71 x 71 x 99 cm
ES28RL*	Stand w/Rails on right and left sides of drawer	112 x 71 x 99 cm

Camcruiser® Vending Carts

- Add revenue opportunities away from the kitchen or cafeteria and reduce wait times.
- Durable polyethylene will not crack, dent, bubble, chip, rust or break.
- Display panel can be personalized with a custom logo or message.
- Larger models CVC724 & CVC72 have insulated food storage compartments and full-size food pan wells.
- Compact model CVC55 has two open storage compartments, a single food pan well, cutting board and umbrella.

Cart Color	Umbrella Color
Black (110)	
Hot Red (158)	
Kentucky Green (519)	
Granite Grey (191)	
Granite Green (192)	



CVC72 & CVC724



CVC724 Four full size food pan wells. Replace with cutting boards or well covers to create additional work space.



CODE	CVC724	CVC72	CVC55
OVERALL DIMENSION*	L 189 x W 81 x H 239 cm	L 189 x W 81 x H 239 cm	L 140 x W 80 x H 238 cm
WORK COUNTER HEIGHT	93 cm	93 cm	101 cm
COUNTER WELLS HOLD	4 GN ¹ / ₁	Center well, 1 GN½ 2 outer wells, L 56 x W 39 x D 15 cm	1 GN½
CLOSED COMPARTMENT CAPACITY (EACH)	2 GN½-20 cm + 2 GN½-6,5 cm deep pans or 4 GN½-15 cm deep pans or 6 GN½-10 cm deep pans or 8 GN½-6,5 cm deep pans or 4 each 2025 Camtrays or 8 each 3253 Camtrays	2 full size 20 cm + 2 GN½-6,5 cm deep pans or 4 GN½-15 cm deep pans or 6 GN½-10 cm deep pans or 8 GN½-6,5 cm deep pans or 4 each 2025 Camtrays or 8 each 3253 Camtrays	_
OPEN COMPARTMENT CAPACITY	1 cash drawer and 1 GN½-15 cm deep pan or 2 GN½-10 cm deep pans or 3 GN½-6,5 cm deep pans	1 cash drawer and 1 GN½-15 cm deep pan or 2 GN½-10 cm deep pans or 3 GN½-6,5 cm deep pans	_
UMBRELLA DIAMETER	183 cm	183 cm	152 cm
CASTERS	20,3 cm - 4 swivel with brake	20,3 cm - 4 swivel with brake	15,2 cm - 2 fixed, 2 swivel with brake
CASH DRAWER	Yes	Yes	_
MENU BOARD	Yes	Yes	_
DISPLAY PANEL	Yes	Yes	Yes
MOLDED IN HANDLES	2	2	1



CVC72 One full size food pan well and 2 larger merchandising wells.



Open holding compartment conveniently stores cash box and tray.

^{*} Includes Umbrella. Serving counter height is 130 cm.

Camcruiser® Vending Carts







Pizza Camcruiser





Hot Dog Camcruiser



Soft Drink Camcruiser

Sandwich Camcruiser

Allow for three week production lead time once final proofs are approved.

Set up charge of ** net per design,

Display Panel Personalization Provide complete, finished, camera-ready artwork and indicate positioning on display panel. Ink colors must be specified. Choose 1-4 colors. Size of imprinting area:

CVC72 and CVC724 W 53,5 x H 74,5 cm CVC55 W 112,5 x H 74,5 cm. Artist's fee of ** net/hour will be charged to any order submitted without camera-ready artwork. Cambro will contact you prior to completing any work if this fee will

be charged.

plus ** net per color.

* CVC72 and CVC724 - Campus Cuisine display panel standard with all orders unless custom personalization requested.

** Contact your Cambro representative for pricing.

STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN** WAREHOUSE

CP1220: (159)

CVC55

Cutting Board Color: White (148). Camchiller Color: Cold Blue (159). Divider Bar Colors: White (148),

Clear (135).

Retainer Strap Color: Black (110). ThermoBarrier® Color: Slate Blue (401).

Well Cover Color matches cart. CVC55 is covered by U.S. Patent D 362,102.








Camchiller, and Divider Bar



Left Compartment Dimensions: W 61,5 x D 72,5 x H 70 cm **Right Compartment Dimensions: W** 54,5 x **D** 72,5 x **H** 70 cm



Set up with full and fractional size food pans and divider bars to increase product offerings.



DIV12 Case Pack: 3 - 1200DIV Case Pack: 2 - All Others Case Pack: 1

Camchiller, ThermoBarrier & Divider Bar are NSF listed.



Electrical or soda line conveniently drops through 10 x 17 cm opening in counter. Cover is standard with cart.

Booster Seats & Versa Organizers

Booster Seats

- Contoured seat, high sides, wide square base and non-skid surface for toddler comfort and safety.
- Choose from dual or single seat models, with or without strap.
- Durable polyethylene will not crack, dent, bubble, chip, rust or break.

Colors: Black (110), Dark Brown (131), Coffee Beige (157), Navy Blue (186), Kentucky Green (519) , Hot Red (158).

No broken cartons on 4 pack.









Single Seat DESCRIPTION

CASE PACK





Booster seats are available with or without straps.

DIMENSIONS	WxDxH
Overall	29,5 x 28,6 x 20,6 cm
Seat Base	22,2 x 24,7 cm
Inside Seat	24,1 x 24,7 x 10,2 cm

DIMENSIONS	WxDxH	COD
Overall	31,6 x 31,1 x 23,8 cm	Doul
Seat Base A	31,6 x 31,1 cm	DESC
Seat Base B	32,1 x 30,8 cm	CASE

21 x 24,4 x 8,3 cm

27,3 x 27,3 x 12,1 cm

CODE	200BC	200BC1	200BCS
Double Seat			
DESCRIPTION	no strap	no strap	with strap
CASE PACK	4	1	4

no strap

no strap

Versa Organizers

- Use to store non-perishable condiments, disposable ware and napkins.
- Hold bins in 2 x 3, 2 x 4, 3 x 3, or 3 x 4 arrangements.
- Made of seamless, one-piece polyethylene.
- Set on flat surface or wall mount each bin holds up to 4,5 kg.
- Easy to assemble and easy to clean.

Bins Only Colors: Coffee Beige (157), Dark Brown (131), Black (110), Slate Blue (401), Speckled Grey (480).

Versa Line Combined Pack Bins & Racks.

Colors: Dark Brown (131), Black (110), Speckled Grey (480).





Inside Seat A

Inside Seat B







12RS12 Versa Organizer shown mounted on wall.



Bins sold separately (5412CBP) or as combined packs.



with strap

4



5412CBP: (131), (480) **6RS6:** (480)

CODE	DESCRIPTION	PRODUCT DIMENSIONS	CASE Pack
Bins		WxDxH	
5412CBP		13 x 30,5 x 11 cm	12
Versa Line (Combined Pack	L x D x H (complete unit)	
12RS12	Rack w/12 bins	64,8 x 54,3 x 36,2 cm	1
9RS9	Rack w/9 bins	51,1 x 54,3 x 36,2 cm	1
8RS8	Rack w/8 bins	64,8 x 48,8 x 24,1 cm	1
6RS6	Rack w/6 bins	51,1 x 48,8 x 24,1 cm	1









Portable CamBars®

- Stylish, portable beverage bars for hosting in any environment.
- Select from three systems:
 economy for bottle and can
 service, partial or complete soda
 gun set up systems for pre-mix
 (canisters) or post-mix (bag-in box).
- Available in three sizes:
 - Large BAR730 is perfect for banquets and cocktail events.
 - Mid-size BAR650 fits into standard elevators and is ideal for small to mid-size functions.
 - Small BAR540 is ultra portable for off-premise use and events with limited space.

- All models include speed rail and 36,3 kg capacity ice sink with cover. BAR540 sink comes uncovered.
- Impact-resistant, waterproof polyethylene will not crack, dent, bubble, chip, rust or break.
- Lightweight and portable.
- Easy to take apart and clean, easy to set up.





BAR650 Shown in Standard Decor Granite Sand (194).



BAR650DS Shown in Designer Decor Sedona (668).

THREE SIZES

ECONOMY SYSTEM

- For Bottle, Can, or Mixer Service.
- Includes Ice Bin & Speed Rail.
- Standard or Designer Decor.

THREE SYSTEMS

- Partially Equipped for Post or Pre-Mix Soda Service.
- Operator Completes Installation.
- Standard or Designer Decor.

COMPLETE SYSTEM

- Completely Factory Equipped for Post or Pre-Mix Soda Service.
- Standard or Designer Decor.

Large BAR730 Models



Standard Decor BAR730

Designer Decor BAR730DS Standard Decor BAR730CP

Designer Decor BAR730DSCP **Standard Decor**

BAR730PM, BAR730PMT, BAR730PMT220, BAR730DX

Designer Decor

BAR730DSPM, BAR730DSPMT, BAR730DSPMT2, BAR730DSDX

Mid-Size BAR650 Models



Standard Decor BAR650

Designer Decor BAR650DS Standard Decor BAR650CP

Designer Decor BAR650DSCP **Standard Decor**

BAR650PM, BAR650PMT, BAR650PMT220, BAR650DX

Designer Decor

BAR650DSPM, BAR650DSPMT, BAR650DSPMT2, BAR650DSDX

Small BAR540 Models



Standard Decor BAR540

Designer Decor BAR540DS



Portable Cambars® Packages & Accessories

Standard Equipment, Soda Guns, Standard and Designer Decor Packages

		ECONOMY		BASIC	SYSTEM			E SYSTEM Bag in Box)			E SYSTEM Canisters)
STANDARD DECOR EQUIPMENT	BAR540	BAR650	BAR730	BAR650CP	BAR730CP	BAR650PM	BAR650PMT	BAR730PM	BAR730PMT	BAR650DX	BAR730DX
DESIGNER DECOR EQUIPMENT	BAR540DS	BAR650DS	BAR730DS	BAR650DSCP	BAR730DSCP	BAR650DSPM	BAR650DSPMT	BAR730DSPM	BAR730DSPMT	BAR650DSDX	BAR730DSDX
Bag In Box Syrup Pumps						3 ea	3 ea	6 ea	6 ea		
Bag In Box Rack (Holds 3ea Boxes)						1	1	2	2		
Carbonator						YES	YES	YES	YES		
CO ₂ Regulator						YES	YES	YES	YES	YES	YES
CO ₂ Clamp & Chain				YES	YES	YES	YES	YES	YES	YES	YES
Ice Sink 8 - Circuit Cold Plate				YES	YES	YES	YES	YES	YES	YES	YES
Ice Sink Cover	Sink only	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Retainer Strap		1	2	1	2	1	1	2	2	1	2
Soda Gun (5, 6 or 8 buttons)						5	5	8	8	5	6
Speed Rail (5 or 7 bottle)	5	7	7	7	7	7	7	7	7	7	7
Water Pump							YES		YES		
Water Tank							YES		YES		
Water Line Hook Up (city source)						YES		YES			
Waste Water Bin		YES	YES	YES	YES	YES	YES	YES	YES	YES	YES
Vinyl Cover	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES	YES

Casters: All BAR540 Models - Four 12,7 cm swivel, two with brake. All BAR650 and BAR730 Models - Four 15,24 cm swivel, two with brake.

Soda Guns by Wunder-Bar®

- Fast, low foaming delivery.
- Two year warranty from Wunder-Bar.
- Includes holster with overflow drain.
- Available with complete systems only.



Post-Mix 8 Button (BAR730 Complete System)



Post-Mix 5 Button (BAR650 Complete System)



Pre-Mix 6 Button (BAR730 Complete System)



Pre-Mix 5 Button (BAR650 Complete System)

Standard Decor Colors BAR540, BAR650, BAR730



Granite Gray



Granite Sand

BAR650, BAR730 Only









w/ Black Base

Granite Green w/ Black Base

BAR540 Only

Mahogany









Designer Decor BAR650, BAR730 Only









Carmel

BAR540 Designer Decor color options are listed with BAR540 details.

Exclusive Cold Plate

- Patented "roof top" design allows for melted ice water to drain into the bottom of the ice sink and into the waste-water bin.
- Circuit exposure through cold plate chills liquids dispensed from the soda gun.



Cold Plate is covered under U.S. Patent 5,743,602.

Optional Accessories for CamBars

CODE	DESCRIPTION
650WS	Wire Shelf for BAR650's
730WS	Wire Shelf for BAR730's
730SR	7 Bottle Speed Rail
BAR54SR	5 Bottle Speed Rail

Case Pack: 1

730SR Speed Rail Colors: Black (110), Dark Brown (131), Granite Gray (191). BAR54SR Speed Rail Colors: Black (110), Dark Brown (131), Coffee Beige (157), Granite Gray (191), Granite Sand (194), Slate Blue (401).

Large CamBars[®] — Complete Systems BAR730

Post-mix System for 18,9 L, Bag-in-box Syrups Holds up to 6 syrup boxes and 1 CO_2 tank.

BAR730PM and BAR730DSPM

Includes the standard equipment from the Basic System plus:

- Post-mix soda gun with 8 buttons.
- Carbonator.
- 2 stainless steel bag-in-box wire racks.
- 6 bag-in-box pumps.
- CO₂ regulator gauge & tubing, hose & lines.
- Line for city water hook-up.

BAR730PMT, BAR730DSPMT, BAR730PMT220 and BAR730DSPMT2

Includes all of the above plus 1, 64,3 L water tank and 1 water pump. Line for city water hook-up is not included.

CODE	VOLTS	WATER Tank	DIMENSIONS L x W x H	UNIT WEIGHT
Standard Decor				
BAR730PM	110	No	184,8 x 66 x 121,9 cm	152 kg
BAR730PMT	110	Yes	184,8 x 66 x 121,9 cm	157 kg
BAR730PMT220	220	Yes	184,8 x 66 x 121,9 cm	157 kg
Designer Decor				
BAR730DSPM	110	No	197,2 x 72,4 x 120,7 cm	176 kg
BAR730DSPMT	110	Yes	197,2 x 72,4 x 120,7 cm	181 kg
BAR730DSPMT2	220	Yes	197,2 x 72,4 x 120,7 cm	181 kg





Vinyl cover included with all CamBars. Cover not NSF listed.

Pre-mix System for 18,9 L Soda Canisters Holds up to 7 canisters and 1 CO_2 tank.

BAR730DX & BAR730DSDX

Includes the standard equipment from the Basic System plus:

• Pre-mix soda gun with 6 buttons.

CODE	WATER Tank	DIMENSIONS L x W x H	UNIT WEIGHT
Standard Decor			
BAR730DX	No	184,8 x 66 x 121,2 cm	133 kg
Designer Decor			
BAR730DSDX	Yes	197,2 x 72,4 x 120,7 cm	151 kg



Large CamBars® — Economy and Basic Systems BAR730

Basic System BAR730 Partially Equipped for Soda Service

Requires customer installation of pre-mix or post-mix soda gun system.

Includes:

- Sealed-in cold plate w/8 circuits.
- CO₂ chain.
- 7-bottle speed rail.
- 36,3 kg capacity ice sink.
- · Ice sink cover.
- Waste-water bin.
- 2 retainer straps.
- 4, 15,2 cm swivel casters, 2 with brake.
- Vinyl cover.

CODE	DIMENSIONS L x W x H	UNIT Weight
Standard Decor		_
BAR730CP	184,8 x 66 x 121,9 cm	132 kg
Designer Decor		
BAR730DSCP	197,2 x 72,4 x 120,7 cm	146 kg



Economy System BAR730 For Bottle, Can or Mixer Service

Includes:

- 7-bottle speed rail.
- 36,3 kg capacity ice sink.
- · Ice sink cover.
- Waste-water bin.
- 2 retainer straps.
- 4, 15,2 cm swivel casters, 2 with brake.
- Vinyl cover.

CODE	DIMENSIONS L x W x H	UNIT WEIGHT
Standard Decor		_
BAR730	184,8 x 66 x 121,9 cm	90 kg
Designer Decor		
BAR730DS	197,2 x 72,4 x 120,7 cm	111,2 kg




Mid-Size CamBars® — Complete Systems BAR650

Post-mix System for 18,9 L Bag-in-box Syrups Holds up to 3 syrup boxes and 1 CO₂ tank.

BAR650PM and BAR650DSPM

Includes the standard equipment from the Basic System plus:

- Post-mix soda gun with 5 buttons.
- Carbonator.
- Stainless steel bag-in-box wire rack.
- 3 bag-in-box pumps.
- CO₂ regulator gauge & tubing, hose & lines.
- Line for city water hook-up.



Includes all of the above plus $1,64,3\,\mathrm{L}$ water tank and 1 water pump. Line for city water hook-up is not included.

CODE	VOLTS	WATER Tank	DIMENSIONS L x W x H	UNIT WEIGHT
Standard Decor				
BAR650PM	110	No	171,5 x 72,4 x 120,7 cm	137 kg
BAR650PMT	110	Yes	171,5 x 72,4 x 120,7 cm	142 kg
BAR650PMT220	220	Yes	171,5 x 72,4 x 120,7 cm	142 kg
Designer Decor				
BAR650DSPM	110	No	171,5 x 72,4 x 120,7 cm	158 kg
BAR650DSPMT	110	Yes	171,5 x 72,4 x 120,7 cm	163 kg
BAR650DSPMT2	220	Yes	171,5 x 72,4 x 120,7 cm	163 kg



Pre-mix System for 18,9 L Soda Canisters Holds up to 5 canisters and 1 CO_2 tank.

BAR650DX and BAR650DSDX

Includes the standard equipment from the Basic System plus:

• Pre-mix soda gun with 5 buttons.

CODE	DIMENSIONS L x W x H	UNIT Weight
Standard Decor		
BAR650DX	171,5 x 72,4 x 120,7 cm	120,3 kg
Designer Decor		
BAR650DSDX	171,5 x 72,4 x 120,7 cm	142 kg



Mid Size and Small CamBars® — Economy and Basic Systems

Basic System BAR650 – Mid-Size Model Partially Equipped for Soda Service

Requires customer installation of pre-mix or post-mix soda gun system.

Includes:

- Sealed-in cold plate with 8 circuits.
- CO₂ chain.
- 7-bottle speed rail.
- 36,3 kg capacity ice sink.
- · Ice sink cover.
- Waste-water bin.
- Retainer strap.
- 4, 15,2 cm swivel casters, 2 with brake.
- Vinyl cover.

CODE	DIMENSIONS L x W x H	UNIT Weight
Standard Decor		
BAR650CP	171,5 x 72,4 x 120,7 cm	129,3 kg
Designer Decor		
BAR650DSCP	171,5 x 72,4 x 120,7 cm	137 kg



Economy System BAR650 – Mid-Size Model For Bottle, Can or Mixer Service

Includes:

- 7-bottle speed rail.
- 36,3 kg capacity ice sink.
- · Ice sink cover.
- · Waste-water bin.
- Retainer strap.
- 4, 15,2 cm swivel casters, 2 with brake.
- · Vinyl cover.

CODE	DIMENSIONS L x W x H	UNIT WEIGHT
Standard Decor		
BAR650	171,5 x 72,4 x 120,7 cm	78,5 kg
Designer Decor		
BAR650DS	171,5 x 72,4 x 120,7 cm	100 kg



Economy System BAR540 – Small Model For Bottle, Can, or Mixer Service

Includes:

- 5-bottle speed rail.
- 36,3 kg capacity ice sink.
- 4, 12,7 cm swivel casters, 2 with brake.
- Vinyl cover.

CODE	DIMENSIONS L x W x H	UNIT Weight
Standard Decor		
BAR540	137,2 x 65,7 x 117,2 cm	53,1 kg
Designer Decor		
BAR540DS	137,2 x 65,7 x 117,2 cm	56 kg



Designer Decor Colors

BAR540 Only



Black Base w/ Coal Counter



Granite Gray Base w/ Slate Gray Counter



Granite Sand Base w/ Cocoa Counter

Slidinglid™ Ice Caddies

- Polyethylene body and thick foam insulation hold ice for days.
- Rugged, all-weather exterior will not crack, dent, bubble, chip, rust or break.
- Unique sliding lid slides back and under during use, reducing risk of cross-contamination.
- Recessed well and drain shelf keep ice out of water, extending holding times.
- Recessed, molded-in handles ease lifting and maneuvering.
- Slant top sliding lid units fit under prep/catering tables and counters.

Colors: Black (110), Slate Blue (401), Dark Brown (131), Coffee Beige (157), Granite Grey (191).

SlidingLid Ice Caddies ICS125L, ICS125L4S, ICS125LB are covered by US Patent D 468,071 S. SlidingLid Ice Caddies ICS100L and ICS100L4S are covered by US Patent D 424,883.









(Short) Shown with Rear Easy Wheels.



ICS100L, ICS125L, ICS125LB: (191)

Caster Descriptions

Refers to caster type in chart. All casters are 12,7 cm.

Α:	2	fixed	2	swivel,	1	with	brake

A1: 2 swivel	, 2	with	brakes
--------------	-----	------	--------

B: 4 swivel, 1 with brake

C: 2 swivel, 1 with brake, 2 20,3 cm Easy Wheels

D: 2 swivel, 1 with brake, 2 25,4 cm Easy Wheels

E: 2 swivel, 1 with brake, 2 25,4 cm Wide Easy Wheels









ICS200TB (Tall) Shown with Rear Wide Easy Wheels.







CODE	CAPACITY	EXTERIOR DIMENSIONS W x D x H	CASTER Type
Short			
ICS100L	46 kg	57 x 77 x 73 cm	A1
ICS100L4S	46	57 x 77 x 73 cm	В
ICS125L	57	58,5 x 80 x 74,5 cm	А
ICS125LB	57	58,5 x 80 x 74,5 cm	С
ICS175L	80	61 x 95,5 x 74,5 cm	А
ICS175LB	80	61 x 95,5 x 74,5 cm	D
Tall			
ICS125T	57 kg	58,5 x 80 x 88 cm	А
ICS175T	80	58,5 x 86,5 x 95,5 cm	А
ICS175TB	80	58,5 x 86,5 x 95,5 cm	D
ICS200TB	91	58,5 x 86,5 x 100,5 cm	E
		· · · · · · · · · · · · · · · · · · ·	

Warewashing, Handling & Storage

Camrack® 4-in-1 Warewashing System
Camdollies®
Utility Trucks
Tray & Dish Cart / Tray & Silverware Cart
S-Series Adjustable Dish Caddy
ADC33 Adjustable Dish Caddy
Dish Caddies, Adjustable Tray & Dish Cart
Cambox® Bus Boxes
KD Service Cart and KD Utility Cart
Service Carts






Camrack® 4-in-1 Warewashing System

The Camrack System will protect glassware and keep it clean until the next event, eliminating the need for rewashing.

Efficient Washing



Open inside compartments provide thorough circulation of water and cleaning solutions and promote quick and thorough drying.

Long-lasting polypropylene Camracks are built to withstand chemicals and high temperatures up to 200°F (93°C).

Sanitary Storage



Closed outer walls keep fingers and contaminants out and reduce risk of breakage and injury. The Camrack cover and Camdolly make this system completely enclosed. Glassware stays clean when in storage, so operators will only have to wash items once.

Inventory Control




A variety in base rack colors help identify at a glance both contents and quantity per rack. Available in 10 colors.

Safe, Sanitary **Transportation**



Camracks can be transported across large campuses or to off-site locations in one single unit.

Easy to grip handles and smooth overlapping sides facilitate safe handling.





Content labeling options include one-color custom hot stamping or pre-printed clips.














Camracks are covered by one or more of the following patents: Full Base Dish Rack D 412,607. Half Base Dish Rack D 404,176. Half Dish Rack Extender D 400,321. Enlarged Dish Rack Extender D 399,614. Dish Rack with Extender 5,934,486 Utility Patent. Pronged Base Dish Rack D 403,472.

Full Size Camracks® for Stemware & Tumblers

These racks offer complete protection for all your delicate and valuable stemware and tumblers, from washing and handling to stacking, storing and transporting.

Choose the correct dishrack:

- 1. Measure the maximum diameter of your glass (stemware or tumbler) to determine the number of compartments.
- 2. Measure the maximum height of your glass (stemware or tumbler) to the top edge of the rim to determine the compartment height.






ALL CAMRACKS: (110), (119), (151), (163), (167), (168), (184), (186), (414), (416)

WAREHOUSE

Camrack Sizing Guides are available at www.cambro.com/mycamracks and on the Cambro App.

14,9 cm MAXIMUM DIAMETER



9	COMPARTMENT	

MAXIMUM HEIGHT	9,2 cm	13,3 cm	17,4 cm	21,5 cm	25,7 cm	29,8 cm
CODE	9S318	9S434	9S638	9\$800	9S958	9S1114
CASE PACK	5	4	3	2	2	2
EXT. RACK HEIGHT	14,3 cm	18,4 cm	22,5 cm	26,7 cm	30,8 cm	34,9 cm

11,11 cm MAXIMUM DIAMETER



16 COMPARTMENT

MAXIMUM Height	9,2 cm	11,4 cm	13,3 cm	15,5 cm	17,4 cm	19,6 cm
CODE	16S318	16S418**	16S434	16S534**	16S638	16S738**
CASE PACK	5	5	4	4	3	3
EXT. RACK HEIGHT	14,3 cm	14,3 cm	18,4 cm	18,4 cm	22,5 cm	22,5 cm
MAXIMUM Height	21,5 cm	23,8 cm	25,7 cm	27,9 cm	29,8 cm	32 cm
CODE	16S800	16S900**	16S958	16S1058**	16S1114	16S1214**
CASE PACK	2	2	2	2	2	2
EXT. RACK HEIGHT	26,7 cm	26,7 cm	30,8 cm	30,8 cm	34,9 cm	34,9 cm

Base Rack Colors:





















Green

Soft Gray

Red

Beige

Navy Blue


Cranberry

Extender Color: Soft Grey (151). ** Compartment Extenders cannot be added. Personalization available. See Camrack personalization and color coding page. For a more accurate color representation, call your sales rep for actual color chips. Contact Customer Service for all special orders.

Full Size Camracks® for Stemware & Tumblers

Match a glass to a rack at www.cambro.com/Reference_Guides.

9,84 cm



20 COMPARTMENT

MAXIMUM Height	9,2 cm	11,4 cm	13,3 cm	15,5 cm	17,4 cm	19,6 cm
CODE	20\$318	20S418**	20\$434	20\$534**	20\$638	20S738**
CASE PACK	5	5	4	4	3	3
EXT. RACK HEIGHT	14,3 cm	14,3 cm	18,4 cm	18,4 cm	22,5 cm	22,5 cm
MAXIMUM HEIGHT	21,5 cm	23,8 cm	25,7 cm	27,9 cm	29,8 cm	32 cm
CODE	20\$800	20S900**	20\$958	20\$1058**	20S1114	20S1214**
CASE PACK	2	2	2	2	2	2
EXT. RACK HEIGHT	26,7 cm	26,7 cm	30,8 cm	30,8 cm	34,9 cm	34,9 cm

^{**} Compartment Extenders cannot be added.

8,7 cm MAXIMUM DIAMETER



25 COMPARTMENT

MAXIMUM HEIGHT	9,2 cm	11,4 cm	13,3 cm	15,5 cm	17,4 cm	19,6 cm
CODE	25S318	25\$418**	25\$434	25\$534**	25\$638	25\$738**
CASE PACK	5	5	4	4	3	3
EXT. RACK HEIGHT	14,3 cm	14,3 cm	18,4 cm	18,4 cm	22,5 cm	22,5 cm
MAXIMUM Height	21,5 cm	23,8 cm	25,7 cm	27,9 cm	29,8 cm	32 cm
CODE	25\$800	25\$900**	25S958	25S1058**	25S1114	25\$1214**
CASE PACK	2	2	2	2	2	2
EXT. RACK HEIGHT	26,7 cm	26,7 cm	30,8 cm	30,8 cm	34,9 cm	34,9 cm

^{**} Compartment Extenders cannot be added.

7,94 cm



30 COMPARTMENT

MAXIMUM HEIGHT	9,2 cm	13,3 cm	17,4 cm	21,5 cm	25,7 cm	29,8 cm
CODE	30S318	30\$434	30S638	30\$800	30\$958	30S1114
CASE PACK	5	4	3	2	2	2
EXT. RACK HEIGHT	14,3 cm	18,4 cm	22,5 cm	6,7 cm	30,8 cm	4,9 cm

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

ALL CAMRACKS: (110), (119), (151), (163), (167), (168), (184), (186), (414), (416)

Full Size Camracks® for Stemware & Tumblers

7,3 cm MAXIMUM DIAMETER



36 COMPARTMENT

MAXIMUM Height	9,2 cm	11,4 cm	13,3 cm	15,5 cm	17,4 cm	19,6 cm
CODE	36S318	36S418**	36S434	36S534**	36S638	36S738**
CASE PACK	5	5	4	4	3	3
EXT. RACK HEIGHT	14,3 cm	14,3 cm	18,4 cm	18,4 cm	22,5 cm	22,5 cm
MAXIMUM HEIGHT	21,5 cm	23,8 cm	25,7 cm	27,9 cm	29,8 cm	32 cm
CODE	36S800	36S900**	36S958	36S1058**	36S1114	36S1214**
CASE PACK	2	2	2	2	2	2
EXT. RACK HEIGHT	26,7 cm	26,7 cm	30,8 cm	30,8 cm	34,9 cm	34,9 cm

6,2 cm MAXIMUM DIAMETER



49 COMPARTMENT

MAXIMUM HEIGHT	9,2 cm	13,3 cm	17,4 cm	21,5 cm	25,7 cm	29,8 cm
CODE	49S318	49\$434	49S638	49\$800	49S958	49S1114
CASE PACK	5	4	3	2	2	2
EXT. RACK HEIGHT	14,3 cm	18,4 cm	22,5 cm	26,7 cm	30,8 cm	34,9 cm

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

ALL CAMRACKS: (110), (119), (151), (163), (167), (168), (184), (186), (414), (416)



Base Rack Colors:





















Black

Sherwood Green

Soft Gray

Red

167 Brown

Blue

Beige

Nav

Navy Blue


Cran

Cranberry

Extender Color: Soft Grey (151). ** Compartment Extenders cannot be added. Personalization available. See Camrack personalization and color coding page. For a more accurate color representation, call your sales rep for actual color chips. Contact Customer Service for all special orders.

Half Size Camracks® For Stemware & Tumblers

- Very effective for carrying less weight and for storing drinkware in space-restricted locations.
- Ideal for small under-counter glasswashers.





Match a glass to a rack at www.cambro.com/Reference_Guides.

8 COMPARTMENT

10,3 cm MAXIMUM DIAMETER



MAXIMUM HEIGHT	9,2 cm	13,3 cm	17,4 cm	21,5 cm	25,7 cm	29,8 cm
CODE	8HS318	8HS434	8HS638	8HS800	8HS958	8HS1114
CASE PACK	5	4	3	2	2	2
EXT. RACK HEIGHT	14,3 cm	18,4 cm	22,5 cm	26,7 cm	30,8 cm	34,9 cm

10 COMPARTMENT

MAXIMUM HEIGHT	9,2 cm	13,3 cm	17,4 cm	21,5 cm	25,7 cm	29,8 cm
CODE	10HS318	10HS434	10HS638	10HS800	10HS958	10HS1114
CASE PACK	5	4	3	2	2	2
EXT. RACK HEIGHT	14,3 cm	18,4 cm	22,5 cm	26,7 cm	30,8 cm	34,9 cm

8,7 cm MAXIMUM DIAMETER



7,3 cm MAXIMUM DIAMETER



17 COMPARTMENT

MAXIMUM HEIGHT	9,2 cm	13,3 cm	17,4 cm	21,5 cm	25,7 cm	29,8 cm
CODE	17HS318	17HS434	17HS638	17HS800	17HS958	17HS1114
CASE PACK	5	4	3	2	2	2
EXT. RACK HEIGHT	14,3 cm	18,4 cm	22,5 cm	26,7 cm	30,8 cm	34,9 cm

Base Rack Colors:













Sherwood Green

Soft Grey

Brown

Beige


Navy Blue

Cranberry

Extender Color: Soft Grey (151). Personalization available. See Camrack personalization and color coding page. For a more accurate color representation, call your sales rep for actual color chips. Contact Customer Service for all special orders.

Camrack® Full & Half Size Cup Racks

 Tilt feature drains water from mug or cup bases for quick and sanitary drying.



16 COMPARTMENT

 $11,1 \times 10,95 \text{ cm}$ COMPARTMENT



MAXIMUM HEIGHT	6,6 cm	10,7 cm	14,9 cm	
CODE	16C258	16C414	16C578	
CASE PACK	6	5	4	
EXT. RACK HEIGHT	10,1 cm	14,3 cm	18,4 cm	

16C414

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

16C258, 16C414, 16C578, 20C258, 20C414: (151)



20 COMPARTMENT

11,1 x 8,73 cm COMPARTMENT



MAXIMUM HEIGHT	6,6 cm	10,7cm
CODE	20C258	20C414
CASE PACK	6	5
EXT. RACK HEIGHT	10,1 cm	14,3 cm

8 COMPARTMENT

10,4 x 11,1 cm

COMPARTMENT DIMENSIONS



6,6 cm	10,7cm			
8HC258	8HC414			
6	5			
10,1 cm	14,3 cm			
	6			

Glass and Cup Keepers Raised ribs for easy draining

• Raised ribs for easy draining and drying.

• Holds 20 glasses or 12 cups per layer.

Color: Beige (133).













Max. Cup Inside Rim Diameter: KK1200: 7,4 cm

CODE	SIZE	CASE Pack
Glass Keepers		
GK2000 (Regal)	35,6 x 45,7 cm	12
Cup Keepers		
KK1200 (Regal)	35,4 x 45,4 cm	12

10 COMPARTMENT

 $10,4\times8,73\,\text{cm}$



1	MAXIMUM HEIGHT	6,6 cm	10,7 cm
	CODE	10HC258	10HC414
	CASE PACK	6	5
	EXT. RACK HEIGHT	10,1 cm	14,3 cm

Base Cup Rack Color: Soft Grey (151). Extender Color: Soft Grey (151). Personalization available. See Camrack personalization and color coding page. Contact Customer Service for all special orders.

Store and Transport Glasses & Dishes

Camrack® Cover & Camdolly®

- Use to cover and protect full size Camrack dishracks filled with clean dishware.
- When used with a Camdolly, creates a portable sanitary storage system that protects contents between uses.
- Eliminates the use of messy, wasteful plastic wrap or vinyl covers.



FULL	RACK	COVER
-------------	-------------	-------

CODE	DRC2020
EXTERIOR DIMENSIONS	50 x 50 x 2,4 cm

Case Pack: 1 Color: Grey (180).

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

DRC2020: (180) CDR2020, CDR2020H: (151)





	CAMDOLLY	WITH HANDLE
CODE	CDR2020	CDR2020H
INTERIOR DIMENSIONS	53 x 53 cm	53 x 53 cm
EXTERIOR DIMENSIONS	54,5 x 54,5 x 20,5 cm	54,5 x 59,5 x 94 cm
LOAD CAPACITY	159 kg	159 kg

Case Pack: 1 Color: Soft Grey (151). Casters: 10 cm casters, 4 swivel, no brakes.

Camrack IceExpress Glass Filler

- Dramatically reduces banquet set-up time.
- Fills 25 glasses with ice all at once.
- Reduces breakage and risk of contamination.
- Ice falls directly into glasses with no spills or drips.

CODE	EXTERIOR Dimensions W x D x H
25SWGF	50,8 x 50,8 x 3,18 cm

Case Pack: 1 Color: Black (110).



Selecting The Right Camrack

Selecting the Right Camrack

Cambro offers multiple ways to help you quickly find the right Camrack:

1. www.cambro.com/mycamracks

To quickly find the correct Camrack, please visit www.cambro.com/mycamracks. Select the item your are sizing, enter the measurements and quantity of the item , and the right Camrack will appear on the page.

2. Cambro Catalog

Flip to the back of this section for a convenient stemware and glass sizing reference guide.

3. Cambro Sales Representatives

Contact your local Cambro representative and he or she will walk through your current ware

handling system with you and specify Camracks®, dollies and covers that will fit your glasses and dishware. To find your local representative refer to the back section of this catalog, visit www.cambro.com and click on "Find a Sales Rep" on the lower left of your screen or call the Cambro Customer Service line: 31-168-707-210.

4. Send a Sample to Cambro

C.E.L. Customer Service. Kelterstrasse 51 72669 Unterensingen, Germany.


Please be sure to include complete contact information and specify if you need full-size or half-size Camracks.

Choose the correct Camrack:

- Measure the maximum diameter of the glass (stemware or tumbler) to determine the number of compartments.
- Measure the maximum height of the glass (stemware or tumbler) to the top edge of the rim to determine the compartment height.

Download the Cambro App:

Find the right Camrack® for your Glassware by entering the height and maximum diameter of your glass.







Camrack® Base Racks

- For pots, pans, bowls and large prep, service and display items.
- Half racks work well for storing items at a wait station.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

BR258, BR414, BR578, BR712: (110), (119), (151), (163), (184), (167), (168), (186), (414), (416) CRPHDG2878: (000)



FULL SIZE BASE RACKS









	FULL BASE RACK	WITH 1 EXTENDER	WITH 2 EXTENDERS	WITH 3 EXTENDERS
CODE	BR258	BR414	BR578	BR712
INSIDE RACK HEIGHT	8,3 cm	12,4 cm	16,5 cm	20,6 cm
OUTSIDE RACK HEIGHT	10,1 cm	14,3 cm	18,4 cm	22,5 cm
CASE PACK	6	5	4	3

HALF SIZE BASE RACKS









	HALF BASE RACK	WITH 1 EXTENDER	WITH 2 EXTENDERS	WITH 3 EXTENDERS
CODE	HBR258	HBR414	HBR578	HBR712
INSIDE RACK HEIGHT	8,3 cm	12,4 cm	16,5 cm	20,6 cm
OUTSIDE RACK HEIGHT	10,1 cm	14,3 cm	18,4 cm	22,5 cm
CASE PACK	6	5	4	3

Hold Down Grid

Keeps lightweight smallwares in place during wash cycle. Use on full size Camrack base rack.



FULL SIZE HOLD DOWN GRID CRPHDG2878

CODE CRPHDG2878

Case Pack: 6 Color: Gray (000).

Base Rack Colors:





















^{*}Full size only. Extender Color: Soft Grey (151). Personalization available. See Camrack personalization and color coding page. For a more accurate color representation, call your sales rep for actual color chips. Contact Customer Service for all special orders.

Camrack® Full Size Peg Racks & Tray Rack

Standard 9 x 9 Peg Rack

- Designed to wash varying sized plates, bowls, trays and plate covers.
- Standard peg racks hold:
 - Eighteen 25,4 cm plates
 - Twelve 30,5 cm plates
 - Twenty-seven 19 cm plates or
 - Nine 36 x 46 cm trays

5 x 9 Peg Rack

- Holds standard plates in one direction or deep plates, bowls and plate covers in the other direction.
- 5 spacing configuration holds up to ten 25,4 cm bowls, deep plates, platters or plate covers.
- 9 spacing configuration holds up to:
 - Eighteen 25,4 cm plates
 - Twelve 30,5 cm plates
 - Twenty-seven 19 cm plates or
 - Nine 36 x 46 cm trays

Open End Tray Rack

- Holds cafeteria trays or full-size sheet pans.
- Open-ended on one side for easy placement and removal of trays of all lengths.
- Holds up to nine trays upright.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

PR59314, PR59500, 0ETR314: (151)











	9 X 9 Peg rack	9 X 9 PEG RACK With 1 Extender	5 X 9 Peg rack	5 X 9 PEG RACK With 1 extender	OPEN END Tray rack
CODE	PR314	PR500	PR59314	PR59500	0ETR314*
INSIDE RACK HEIGHT	8,3 cm	12,4 cm	8,3 cm	12,4 cm	8,3 cm
OUTSIDE RACK HEIGHT	10,1 cm	14,3 cm	10,1 cm	14,3 cm	10,1 cm
CASE PACK	6	5	6	5	6

Color: Soft Gray (151). Extender Color: Soft Gray (151). InStock Color: Soft Gray (151). Personalization available. See Camrack personalization and color coding page. Contact Customer Service for all special orders. *Extenders may be added to all Peg Racks except the OETR314.

Camrack Full & Half Size Flatware Racks & Cylinder

- 8 Compartment Basket fits into a Full or Half Size Base Rack.
 Wire handles slide down for easy storage.
- Flatware Cylinder fits into
 9-Compartment Full Size Camrack and the Cambro Tray and Dish Cart, model TDCR12.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

FR258, 8FB434, 8FBNH434: (151)











	FULL FLATWARE Rack	HALF FLATWARE Rack	8 COMPARTMENT HALF Flatware Basket	8 COMPARTMENT HALF Flatware basket	FLATWARE Cylinder
CODE	FR258	HFR258	8FB434* With Handles	8FBNH434* No Handles	FWC56
INSIDE RACK HEIGHT	6,7 cm	6,7 cm	12 cm	12 cm	Wide 11,4 cm
OUTSIDE RACK HEIGHT	10,1 cm	10,1 cm	18,4 cm	18,4 cm	High 14 cm
CASE PACK	6	6	6	6	12

Color: Soft Gray (151). Extender Color: Soft Gray (151). InStock Color: Soft Gray (151). Flatware Cylinder Color: White (148).

Personalization available. See Camrack personalization and color coding page. Contact Customer Service for all special orders. * Extenders cannot be added.

The Camrack® Component System

The Camrack System offers several choices for ordering the right Camracks now and as your needs change. Please consult with your sales representative or Cambro Customer Service for all special ordering and assembly directions.

Choose Between:

- 1. A complete selection of pre-assembled, ready to use Camracks listed in our catalog; or
- 2. Custom built special order Camracks for specific needs; or
- **3.** Individual Camrack components for distributors to stock and build racks as needed.

Base Rack Colors:

Sherwood Green (119), Soft Grey (151), Brown (167), Beige (184), Navy Blue (186), Cranberry (416), Black (110)*, Red (163)*, Blue (168)*, Teal (414)*.

Base Cup Rack Color: Soft Grey (151). Extender Color: Soft Grey (151).

Personalization available.

Full Base Racks are covered by U.S. Patent D 412,607. Half Base Racks are covered by U.S. Patent D 404,176.

* Full size only.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

9E1, 9E2, 16E1, 16E2, 16E4, 16E5, 20E2, 20GE1, 20GE2, 20GE4, 20GE5, 25E1, 25E2, 25E4, 25E5, 30GE1, 30GE2, 36E1, 36E2, 36E4, 36E5, 49E1, 49E2, 16C258, 20C258: (151) BR258: (110), (119), (151), (163), (184), (167), (168), (186), (414), (416) E3: (151)







HBR = Half Size Base Rack



E1 = Full Size Full Drop Compartment Extender



HE1 = Half Size Full Drop Compartment Extender



E2 = Full Size Half Drop Compartment Extender



HE2 = Half Size Half Drop Compartment Extender



E3 = Full Size Open Extender



HE3 = Half Size Open Extender



E4 = Full Size Full Drop Stemware Extender



E5 = Full Size Half Drop Stemware Extender

Only E3 extenders may be added to E4's and E5's.

Camracks Components

CODE	DESCRIPTION	EXTERIOR DIMENSIONS	COMPARTMENT	INSIDE Rack Height	CASE Pack
Full Size Base	Racks				
BR258*	Full Base Rack	500 x 500 x 101 mm	457 x 457 mm	67 mm	6
Half Size Base	e Racks				
HBR258	Half Base Rack	500 x 250 x 101 mm	464 x 213 mm	67 mm	6
Full Size Base	e Cup Racks				
16C258	16-Compartment Full Cup Rack	500 x 500 x 101 mm	111 x 111 mm	67 mm	6
20C258	20-Compartment Full Cup Rack	500 x 500 x 101 mm	111 x 89 mm	67 mm	6
Half Size Bas	e Cup Racks				
8HC258	8-Compartment Half Cup Rack	500 x 250 x 101 mm	105 x 113 mm	67 mm	6
10HC258	10-Compartment Half Cup Rack	500 x 250 x 101 mm	105 x 89 mm	67 mm	6
Full Size Full	Drop Extenders – E1 and GE1				
9E1	9-Compartment Full Drop Extender	499 x 499 x 51 mm	150 x 150 mm	41 mm	12
16E1	16-Compartment Full Drop Extender	499 x 499 x 51 mm	111 x 111 mm	41 mm	12
20GE1	20-Compartment Full Drop Extender	499 x 499 x 51 mm	98 x 98 mm	41 mm	12
25E1	25-Compartment Full Drop Extender	499 x 499 x 51 mm	89 x 89 mm	41 mm	12
30GE1	30-Compartment Full Drop Extender	499 x 499 x 51 mm	79 x 79 mm	41 mm	12
36E1	36-Compartment Full Drop Extender	499 x 499 x 51 mm	73 x 73 mm	41 mm	12
49E1	49-Compartment Full Drop Extender	499 x 499 x 51 mm	62 x 62 mm	41 mm	12

The Camrack® Component System

CODE	DESCRIPTION	EXTERIOR DIMENSIONS	COMPARTMENT	INSIDE Rack Height	CASE Pack
Full Size Ha	If Drop Extenders – E2 and GE2				
9E2	9-Compartment Half Drop Extender	499 x 499 x 51 mm	150 x 150 mm	41 mm	12
16E2	16-Compartment Half Drop Extender	499 x 499 x 51 mm	111 x 111 mm	41 mm	12
20E2	20-Compartment Half Drop Extender (for cups only)	499 x 499 x 51 mm	111 x 89 mm	41 mm	12
20GE2	20-Compartment Half Drop Extender	499 x 499 x 51 mm	98 x 98 mm	41 mm	12
25E2	25-Compartment Half Drop Extender	499 x 499 x 51 mm	89 x 89 mm	41 mm	12
30GE2	30-Compartment Half Drop Extender	499 x 499 x 51 mm	79 x 79 mm	41 mm	12
36E2	36-Compartment Half Drop Extender	499 x 499 x 51 mm	73 x 73 mm	41 mm	12
49E2	49-Compartment Half Drop Extender	499 x 499 x 51 mm	62 x 62 mm	41 mm	12
Full Size Op	en Extender – E3				
E3	Open Extender	499 x 499 x 51 mm	457 x 457 mm	41 mm	12
Full Size Fu	II Drop Extenders – E4				
16E4	16-Compartment Full Drop Extender	499 x 499 x 51 mm	111 x 111 mm	41 mm	12
20GE4	20-Compartment Full Drop Extender	499 x 499 x 51 mm	98 x 98 mm	41 mm	12
25E4	25-Compartment Full Drop Extender	499 x 499 x 51 mm	89 x 89 mm	41 mm	12
36E4	36-Compartment Full Drop Extender	499 x 499 x 51 mm	73 x 73 mm	41 mm	12
Full Size Ha	If Drop Extenders – E5				
16E5	16-Compartment Half Drop Extender	499 x 499 x 51 mm	111 x 111 mm	41 mm	12
20GE5	20-Compartment Half Drop Extender	499 x 499 x 51 mm	98 x 98 mm	41 mm	12
25E5	25-Compartment Half Drop Extender	499 x 499 x 51 mm	89 x 89 mm	41 mm	12
36E5	36-Compartment Half Drop Extender	499 x 499 x 51 mm	73 x 73 mm	41 mm	12
Half Size Fu	II Drop Extenders – HE1				
8HE1	8-Compartment Full Drop Extender	502 x 252 x 51 mm	105 x 113 mm	41 mm	12
10HE1	10-Compartment Full Drop Extender	502 x 252 x 51 mm	105 x 89 mm	41 mm	12
17HE1	17-Compartment Full Drop Extender	502 x 252 x 51 mm	74 mm diameter	41 mm	12
Half Size Ha	lf Drop Extenders – HE2				
8HE2	8-Compartment Half Drop Extender	502 x 252 x 51 mm	105 x 113 mm	41 mm	12
10HE2	10-Compartment Half Drop Extender	502 x 252 x 51 mm	105 x 89 mm	41 mm	12
17HE2	17-Compartment Half Drop Extender	502 x 252 x 51 mm	74 mm diameter	41 mm	12
Half Size Op	en Extender – HE3				
HE3	Open Extender	502 x 252 x 51 mm	464 x 213 mm	41 mm	12
Rase Rack I	Colors: Sherwood Green (119) Soft Gray (151) Brown	1 (167) Reige (184) Navy Blue (18	6) Cranberry (/16) Black (110)* B	ad (163)* Blue (168)* Teal (414	1)*

Base Rack Colors: Sherwood Green (119), Soft Gray (151), Brown (167), Beige (184), Navy Blue (186), Cranberry (416), Black (110)*, Red (163)*, Blue (168)*, Teal (414)*.

Base Cup Rack Color: Soft Gray (151).

Extender Color: Soft Gray (151). * Color available in full size only. All extenders are available in Soft Gray (151). All pre-assembled racks ship with Soft Gray (151) extenders.

PlateSafe Grid Color: Gray (000).



STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

9E1, 9E2, 16E1, 16E2, 16E4, 16E5, 20E2, 20E61, 20E62, 20GE4, 20GE5, 25E1, 25E2, 25E4, 25E5, 30GE1, 30GE2, 36E1, 36E2, 36E4, 36E5, 49E1, 49E2, 16C258, (210), (119), (151), (163), (184), (167), (168), (186), (414), (416)

Let's Get Personal – Personalized Camracks®

Personalize Camracks to identify contents at a glance for accurate inventory control and selection.

Hot stamp a custom logo, information or standard content symbols, and/ or descriptions on two opposite, diagonal sides of any rack.

Or request the addition of pre-printed clips. Up to 4 Camrack or PlateSafe clips can be added only at time of assembly and require the addition of at least one extender.



IMPRINT COLOR-WHITE

HOW TO ORDER A SAMPLE

- 1. Contact your local Cambro rep to complete and submit a sample request form to Cambro.
- 2. Select rack size, code and color. Imprint color - white only.
- 3. Choose process A) Hot Stamp or B) Camrack Clips
- 4. Indicate location of hot stamp and or clip on rack. Maximum hot stamp imprint size is 102 mm W x 31,7 mm H. Maximum hot stamp imprinting thickness per solid letter or logo should be no more than 102 mm wide.
- 5. If selecting process A with a custom hot stamp, provide ready to use artwork, digital format only. Sample request form must be submitted to Cambro PRIOR to artwork being sent. If artwork is incomplete, graphic support services are available for ** per hour.

6. Submit Artwork

E-mail artwork to your Cambro Rep or direct to Cambro at letsgetpersonal@cambro.com. Title e-mail subject with logo name and provide contact info. File dimensions: 100% reproduction size, 300dpi resolution.

File type:

Adobe® Illustrator®, Photoshop®. File format: ipeg. tiff. and eps. Or mail digital artwork to: CEL - Attn: C.E.L. Customer Service. Kelterstrasse 51 72669 Unterensingen, Germany.

7. Questions regarding artwork? Tel: (49)7022-90-100-0: Ireland Tel: 1800 509 046: for UK Tel: 0800 587 0057 or Fax: (49)7022-90-100-19.

8. Sample Approval

A signed sample approval form must be faxed to Cambro customer service prior to processing any purchase orders. This form is included with each sample.

PERSONALIZATION CHARGES

** for custom hot stamp only **One Time Plate Charge**

Set-Up Charge Sample Charge

Imprint Charge ** per side, 2 sides max.


FOR CLIPS

Drinkware or PlateSafe®, pre-printed ** each

** Contact your Cambro representative for pricing.

Standard Hot Stamp Symbols and/or Descriptions

Step 1. Choose a symbol and corresponding letter that best fits your glassware.



Choose the verbiage and corresponding number that best describes your glassware. Available in English Only.

1.	Beer	13. Flatware	25. Rocks (Tumbler Style)
2.	Beer Mug	14. Goblet	26. Sherry
3.	Pilsner	15. Grande	27. Shot Glass
4.	Brandy	16. Hi-Ball	28. Sorbet
5.	Champagne	17. Hurricane	29. Water (Footed Style)
6.	Champagne Flute	18. Iced Tea	30. Water (Tumbler Style)
7.	Coffee Mug	19. Irish Coffee	31. White Wine
8.	Collins	20. Juice	32. Wine
9.	Cordial	21. Margarita	33. Red Wine
10	. Creamer	22. Martini	34. Port
11.	. Cup	23. Old Fashion	
12	. Decanter	24. Rocks (Footed Style)	

PERSONALIZATION OPTIONS HOT STAMPING






CUSTOM LOGO AND/OR TEXT



STANDARD SYMBOL AND DESCRIPTION







STANDARD DESCRIPTION ONLY

Camrack® Extender ID Clip

- The industry's only 4-in-1 glassware management system just got even better!
- Made of ABS, these new clips are virtually unbreakable, and designed to withstand the high heat of commercial dishwashers.
- An economical and sustainable solution to discarding existing racks or labeling with markers, tape or wall placards.



PRE-PRINTED CLIPS (Available in 6-packs) Contact your Cambro representative for pricing.

		CODE			CODE			CODE
\square	Beer	CECBE6000	\bigcirc	Goblet	CECG06000		Rocks (Footed Style)	CECRF6000
	Beer Mug	CECBM6000	Y	Grande	CECGR6000		Rocks (Tumbler Style)	CECRT6000
\bigcirc	Brandy	CECBR6000		Hi-Ball	CECHB6000	$\overline{\gamma}$	Sherry	CECSH6000
Y	Champagne	CECCH6000	Ţ	Hurricane	CECHU6000		Shot Glass	CECSG6000
7	Champagne Flute	CECCF6000		Iced Tea	CECIT6000	\overline{Y}	Sorbet	CECSB6000
_	Coffee Mug	CECCM6000		Irish Coffee	CECIC6000	\Box	Water (Footed Style)	CECWF6000
	Collins	CECCL6000		Juice	CECJU6000		Water (Tumbler Style)	CECWT6000
Ţ	Cordial	CECC06000	Y	Margarita	CECMG6000	\Box	White Wine	CECWW6000
	Creamer	CECCR6000	Y	Martini	CECMT6000	∇	Wine	CECWI6000
	Cup	CECCP6000		Old Fashion	CECOF6000	9	Port	CECP06000
	Decanter	CECDC6000		Pilsner	CECPI6000			CECBL6000 Blank Clip
	Flatware	CECFL6000	\overline{Q}	Red Wine	CECRW6000	OUR EURO	ODUCTS & COLORS A PEAN WAREHOUSE CECJU6000, CECMG6000, (

(Available in English Only)

CECCF6000, CECBL6000

Camdollies®



- Use to transport anything from stacks of sheet pans to catering equipment.
- · Reduce employee lifting and carrying, reducing possible injury.
- Made of extremely durable plastic that will not dent, crack, rust or
- · Heavy-duty casters maneuver easily over all types of terrain.
- For heavy transport needs, select models with handles and rear Big Wheels.

Colors: Coffee Beige (157), Dark Brown (131), Black (110), Slate Blue (401). CDR2020, CDR2020H Color: Soft Gray (151).

Caster Type

- A: 12,7 cm Casters: 2 fixed, 2 swivel, 1 with brake.
- B: 7,6 cm Casters: 4 swivel, no brakes.
- C: 25,4 cm Rear Big Wheels, 2 front 12,7 cm swivel casters, 1 with brake.
- **D:** 8,9 cm Casters: 4 swivel, no brakes.

Available Parcel Carrier Delivery: CDR2020, CDR2020H, CD2020,

CD1420, CD2028, CD1313, CD1327, CD100, CD160, CD200, CD300, CD400, CD1826PDB, 2030UT & 400STP.

Camdollies Case Pack: 1

*CDR2020H Not NSF Listed.

STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN** WAREHOUSE

CDR2020, CDR2020H: (151)

For Dish Racks

54.5 x 53 x 18.7 cm EXTERNAL DIM. W x D x H INTERIOR DIM. W x D 53 x 53 cm



CAPACITY CASTER TYPE	159 kg	D
	CAPACITY	CASTER TYPE



EXTERNAL DIM. W x D x H	53 x 64,1 x 92,7 cm
INTERIOR DIM. W x D	53 x 53 cm



159 kg	D
CAPACITY	CASTER TYPE





For 46 x 66 cm Trays and Sheet Pans





57 x 57 x 21 cm EXTERNAL DIM. W x D x H INTERIOR DIM. W x D 51,1 x 51,1 cm

Also Holds: 500LCD, 350LCD, 250LCD, 1000LCD, UC1000



136 kg	В
CAPACITY	CASTER TYPE

EXTERNAL DIM. W x D x H





56,5 x 65,7 x 93,7 cm

EXTERNAL	DIM.	W	X	D	х	١

59,7 x 82,6 x 93 cm INTERIOR DIM. W x D 47 x 66 cm

Α

CASTER TYPE



Holds: UPC101

Holds: UPC101

136 kg

CAPACITY

136 kg	C
CAPACITY	CASTER TYPE







CD1826HB

51,5 x 51,5 cm INTERIOR DIM. W x D

Also Holds: 250LCD, 350LCD, 500LCD, 1000LCD





For Pizza Dough Boxes Also See Pizza Dough Boxes page 146

EXTERNAL DIM. W x D x H 50,5 x 71 x 26 cm 44,5 x 64,5 cm INTERIOR DIM. W x D



CD1826PDB (Optional Strap Available)

EXTERNAL DIM. W x D x H 66,7 x 67,3 x 93 cm 52 x 52,5 cm INTERIOR DIM. W x D

Also Holds: 250LCD, 350LCD, 500LCD







Holds: DB18263CW, DB18266CW, DB18263P











Camdollies®

For Camcarriers® and Camtainers®

EXTERNAL DIM. W x D x H 50 x 73 x 27 cm INTERIOR DIM. W x D 44 x 66,5 cm



Holds: 100MPC, UPC100, UC250, UC500, 250LCD,

350LCD, 500LCD





50 x 84 x 92 cm EXTERNAL DIM. W x D x H 45 x 67,5 cm INTERIOR DIM. W x D

Holds: 100MPC, UC250, UC500, 250LCD, 350LCD, 500LCD







CD100H

CD100HB

CD160

CD300



60 x 83,5 x 93 cm EXTERNAL DIM. W x D x H 44,5 x 68 cm INTERIOR DIM. W x D

Holds: 100MPC, UPC100, UC250, UC500, 250LCD, 350LCD, 500LCD

159 kg	C
CAPACITY	CASTER TYPE





42 x 62 x 26.5 cm EXTERNAL DIM. W x D x H INTERIOR DIM. W x D 36 x 56 cm

Holds: UPC140, UPC160, UPC180, UPCS140, UPCS160, UPCS180, UPCS160

136 kg	Α
CAPACITY	CASTER TYPE







EXTERNAL DIM. W x D x H 49 x 65 x 26,5 cm 43 x 59 cm INTERIOR DIM. W x D

Holds: 300MPC, 1318MTC, UC1000, 1000LCD









Holds: 1826MTC







EXTERNAL DIM. W x D x H 70 x 88,5 x 93,5 cm 55,5 x 72,5 cm INTERIOR DIM. W x D

Holds: 1826MTC







EXTERNAL DIM. W x D x H 48,5 x 76,5 x 92 cm INTERIOR DIM. W x D 43 x 59 cm

Holds: 300MPC, 1318MTC, UC1000, 1000LCD







EXTERNAL DIM. W x D x H 60 x 76 x 92 cm INTERIOR DIM. W x D 44 x 60 cm

Holds: 300MPC, 1318MTC, UC1000, 1000LCD







53 x 70 x 23 cm EXTERNAL DIM. W x D x H 46 x 63,5 cm INTERIOR DIM. W x D

Holds: UPC400, UPCS400, UPCH400

136 kg Α CAPACITY CASTER TYPE















STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

CD400: (401)

Camdollies®

for Milk Crates and #10 Can Cases

41,28 x 55,25 x 21,11 cm EXTERNAL DIM. W x D x H 35.24 x 49.05 cm INTERIOR DIM. W x D



Holds: 35,6 x 48,3 cm Milk Crates and #10 Can Cases

159 kg	В
CAPACITY	CASTER TYPE











Holds: 35,6 x 48,3 cm Milk Crates, #10 Can Cases and UPC101, 300MPC, UPC400, 100MPC, UPC100

159 kg	В
CAPACITY	CASTER TYPE












Holds: 30 x 30 cm Milk Crates

114 kg	В
CAPACITY	CASTER TYPE











Holds: 30 x 30 cm Milk Crates and #10 Can Cases

136 kg	В
CAPACITY	CASTER TYPE









Utility Trucks


- Use for transporting loads of up to 272 kg.
- Large platforms for convenient loading and built-in handles for easy maneuvering.
- All models feature 12,7 cm heavy-duty casters bolted into molded-in metal backing plates.

Colors: Coffee Beige (157), Dark Brown (131), Black (110), Slate Blue (401).

Casters: 12,7 cm, 2 fixed, 2 swivel, 1 with brake.

Utility Trucks Case Pack: 1







272 kg

CAPACITY









UTHSTP

508 cm Long Strap





272 kg CAPACITY



2436UTHS (Includes two straps)

Camdolly® Strap for CD400 and CD1826PDB Camdollies

CODE	DESCRIPTION	EXTERNAL DIM.
400STP	Strap	500 cm Long
Case Pack:	:1	





Tray & Dish Cart / Tray & Silverware Cart

Tray & Dish Cart

- Open storage compartment holds a wide variety of plates and trays.
- Use with or without detachable cutlery station.
- Made of easy-to-clean polyethylene that won't rust, peel or corrode.
- Rounded, molded-in corners protect furniture and walls.
- Molded-in handles and heavy-duty 15,2 cm swivel casters ease maneuvering.

Colors: Slate Blue (401), Coffee Beige (157), Dark Brown (131), Granite Grey (191), Granite Green (192).

15,2 cm Casters: All swivel, 2 with brake.

Vinyl cover is not NSF listed.









Vinyl cover included for sanitary storage. TDCR12 only.

CODE	DESCRIPTION	DIMENSIONS L x W x H
TDCR12	Cart & Rack Combination	97 x 58 x 105 cm
TDC2029*	Cart only	97 x 56,5 x 87 cm
CR12	Cutlery Rack only	84 x 58 x 23 cm
FWC56	Flatware Cylinder	11,4 W x 14 H cm

Case Pack: 1 FWC56 Case Pack: 12 *TDC2029 is not available in Black (110).

Tray & Silverware Cart

- Use to neatly organize trays and accessories for self-service.
- Includes eight clear polycarbonate food pans to hold flatware, napkins and non-perishable condiments.
- Protective vinyl cover included.

Colors: Black (110), Slate Blue (401), Coffee Beige (157), Dark Brown (131), Granite Grey (191), Granite Green (192).

15,2 cm Casters: All swivel, 2 with brake.

Vinyl cover is not NSF listed.





STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

TC1418: (401)

CODE	DESCRIPTION	CASE Pack
TC1418	Cart w/Pans & Vinyl Cover	1

CODE	EXTERIOR	WEIGHT	MAXIMUM	TRAY
	Dimensions L x W x H	Capacity	TRAY SIZE	Capacity
TC1418	82 x 54 x 116 cm	227 kg	36 x 46 cm	180-200 in two stacks

Polycarbonate Pans for self-serve top:

PAN QUANTITY, SIZE	CAPACITY	
4 each, ⅓ size x 10 cm deep	Holds 100 knives, 100 spoons, 80 forks	
4 each, 1/6 size x 10 cm deep	Holds variety of condiments	







S-Series Adjustable Dish Caddy

- Series Aujustable Disil Gaudy
- combination of different sizes in a single caddy.
- Features easy-to-adjust column towers.

• Store one size dish or a

ADCS Colors: Black (110), Slate Blue (401), Speckled Grey (480), Dark Brown (131).

Casters: Two 12,7 cm, swivel with brakes and two 25,4 cm easy wheels.

Vinyl cover included. Not NSF listed.

STOCK PRODUCTS & COLORS
AVAILABLE IN OUR EUROPEAN

WAREHOUSE ADCS: (110), (401), (480)





Holds plates and bowls from 11,7 to 33 cm



Plate sizes: Ø 23,5 cm to 33 cm 4 Columns (60 each) Total Capacity: 240



Plate sizes: Ø 18,42 cm to 23,5 cm 6 Columns (60 each) Total Capacity: 360




Plate sizes: Ø 14,6 cm to 18,42 cm 6 Columns (45 each) Total Capacity: 270



2 Columns: Ø 23,5 cm to 33 cm (60 each) 5 Columns: Ø 12,6 cm (45 each) Total Capacity: 345




3 Columns: Ø 18,42 cm to 23,5 cm (60 each) 5 Columns: Ø 11,75 cm (45 each) Total Capacity: 405



2 Columns: ø 18,42 cm to 23,5 cm (60 each) 2 Columns: ø 14,6 cm to 18,42 cm (45 each) 4 Columns: ø 12,6 cm (45 each) Total Capacity: 390

STABLE & SECURE 1,27 cm rod from top to bottom of divider.



EASY TO MANEUVER

Ergonomic molded-in handles on both ends.

HOLDING CAPACITY

49,5 cm storage columns hold 45-60 plates per stack.

EXTREMELY DURABLE

Heavy duty polyethylene construction protects china from chipping. Won't chip, crack or rust.

REAR WHEELS

25,4 cm non-marking Easy Wheels.



A 2 cm plated steel rear axle allows for 227 kg load capacity.

FRONT CASTERS 12,7 cm swivel with brake.



Vinyl cover included with every dolly for sanitary storage.

CODE	ADCS
NUMBER OF DIVIDERS	6
PLATES PER COLUMN	Approximately 45-60
OVERALL DIMENSIONS W x L x H	73 x 96 x 81 cm

Case Pack: 1 Plate size range from 11,7 to 33 cm.

ADC33 Adjustable Dish Caddy

- Unlimited versatility with fully adjustable tower dividers.
- Safely store plates, bowls, platters and trays of assorted shapes and sizes.
- Ergonomic, durable and easy to maneuver.

ADC33 Colors: Dark Brown (131), Slate Blue (401).

15 cm Casters: 4 swivel with brake and 1 center rigid.

Sanitary vinyl cover included. Cover not NSF listed.



CODE	ADC33
NUMBER OF DIVIDERS	6
PLATES PER COLUMN	Approximately 45-60
OVERALL DIMENSIONS W x L x H	76,2 x 98,43 x 90,17 cm

Case Pack: 1

ADC33 is not available from City of Industry, California U.S.A.



Holds dinnerware from 11 to 33 cm

Ergonomic handles built flush into either side wall make the ADC33 compact and comfortable to handle.




15.24 cm swivel casters with brakes at each corner.



6 Dividers: 4 stacks (11-33 cm) Rounds




6 Dividers: 4 stacks (11-33 cm) Rounds + 1 stack (17.5-30 cm) Rounds



even when fully loaded.


6 Dividers: 6 stacks (20,3-29,2 x 12,7-21,9 cm) Ovals



4 Dividers: 4 stacks (25-28,8 cm) Squares



6 Dividers: 5 stacks (24-27,9 cm) Squares



12 Dividers*: 6 stacks (15,2-20,3 cm) Squares or Rounds




4 Dividers: 1 stack (35-73,6 cm) long x up to (59,9 cm) wide Oval trays




6 Dividers: 4 stacks Ovals (29,2 x 21,9 cm); 1 stack 40,6 cm Round Tray




8 Dividers*: 6 stacks (20,3 cm) Medium Squares



6 Dividers: 2 stacks (33,7 cm) Large Rounds, 1 stack (25,4 cm) Medium Squares, 1 stack (29,2 cm) Large Squares, 1 stack (29,2 x 21,9 cm) Medium Ovals



6 Dividers: 5 stacks (29,2 x 21,9 cm) Ovals



6 Dividers: 4 stacks Custom Plates



ADC33: (131)

Versa Dish Caddies™, Dish Caddies, Adjustable Tray & Dish Cart



Versa Dish Caddies

- Secure, high-capacity storage to protect both square and round plates.
- Durable, polyethylene exterior will not rust, crack, dent or chip.
- Poker chip style offers greater access for easy plate removal.
- A 2 cm plated steel rear axle allows for 227 kg load capacity.
- Molded-in handles on both ends for easy transporting.
- 12,7 cm front swivel casters with brake and 25,4 cm non-marking rear wheels ease maneuvering.
- No assembly required.

Colors: Black (110), Slate Blue (401), Dark Brown (131), Speckled Grey (480).

Casters: 2, 12,7 cm swivel with brakes and two 25,4 cm Easy Wheels.

Vinyl cover included. Not NSF listed.

DCS950 is covered by U.S. Patent D 603,120S. DCS1125 is covered by U.S. Patent D 625,894.

STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN** WAREHOUSE

DCS950, DCS1125: (480)



DCS950 holds 5 columns of 45-60 round plates up to 24,1 cm or 4 to 5 columns of square plates up to 20,5 cm.

DCS1125 holds 4 columns of 45-60 round plates up to 28,6 cm or square plates up to 24,1 cm.

Poker Chip Style Dish Caddies

- Use to store and protect valuable dishware.
- Dividers are molded into the body in a standard poker chip design.
- Made of durable polyethylene that protects plates from chipping.
- Open access from two sides for easy loading and unloading.
- Rounded corners inside and out protect dishware, furniture and walls.

Colors: Black (110), Slate Blue (401), Dark Brown (131), Granite Grey (191).

Casters: 2, 12,7 cm swivel with brakes and two 25,4 cm Easy Wheels.

Vinyl cover included. Not NSF listed.









DC700, DC1225: (191)



DC700



Sanitary plastic cover included and recommended for protecting clean dinnerware & trays. Replacement covers are available through the Cambro Replacement Parts List at www.cambro.com.

Adjustable Trav & Dish Cart

- Use to store a wide variety of plates and trays.
- Move two adjustable dividers into position easily to secure trays and plates.
- Made of durable polyethylene that cushions plates and trays to prevent chipping.
- Easy to clean and won't dent, rust, chip or break.

Colors: Black (110), Slate Blue (401), Coffee Beige (157), Dark Brown (131), Granite Grey (191), Granite Green (192).

Casters: 15,2 cm all swivel, 2 with brake.

Maximum load capacity: 227 kg. Vinyl cover included. Not NSF listed.







STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN** WAREHOUSE

TDC30: (191)











Vinyl cover included with every dolly for sanitary storage.

Versa Dish Caddies™

CODE	DCS950	DCS1125
PLATE SIZE RANGE (ROUNDS)	21,3 - 24,1 cm	24,4 - 28,6 cm
PLATE SIZE RANGE (SQUARES)	18,4 - 20,5 cm	21,3 - 24,1 cm
COLUMNS PER CADDY	5, 45-60 plates per col.	4, 45-60 plates per col.
OVERALL DIMENSIONS W x L x H	69 x 78 x 81 cm	69 x 78 x 81 cm

Case Pack: 1







P	oke	r (Chi	ip	Sty	le
	ish					

CODE	DC575	DC700	DC825
PLATE SIZE RANGE	14,6 cm	14,9 - 17,8 cm	18,1 - 21 cm
COLUMNS PER CADDY	6, 45-60 plates per col.	6, 45-60 plates per col.	4, 45-60 plates per col.
OVERALL DIMENSIONS W x L x H	83 x 60 x 81 cm	83 x 60 x 81 cm	73 x 60,5 x 81,5 cm

Case Pack: 1



	667
CODE	DC1225
PLATE SIZE RANGE	28,9 - 31,1 cm
COLUMNS PER CADDY	4, 45-60 plates per col.
OVERALL DIMENSIONS W x L x H	83 x 70 x 81,5 cm
Case Pack: 1	

Adjustable Tray & Dish Cart

CODE	TDC30
NUMBER OF DIVIDERS	2
PLATES PER COLUMN	Approximately 45-60
TRAYS PER COLUMN	80 Trays: 36 x 46 cm
OVERALL DIMENSIONS W x L x H	59 x 99 x 88 cm
INTERNAL DIMENSIONS W x D	78,7 x 46 cm (no dividers)
0 D I I	

Case Pack: 1

Cambox® Bussing Boxes



Regal (ABS)

CODE

DESCRIPTION

DIM. L x W x H



28,9 x 52 x 9,5 cm





















CODE	1621CBR	21155CBR	21157CBR	1722CBR
DESCRIPTION	Cambox	Cambox	Cambox	Cambox
DIM. W x L x H	39,7 x 52 x 12,4 cm	38,7 x 51,4 x 12,5 cm (incl. handle)	38,6 x 51,2 x 17,6 cm	42,9 x 55,6 x 12,1 cm

Case Pack: 12 Colors: Black (110), Dark Brown (131). (NSF.)



Polyethylene				
CODE	415CBP	912CBP	1120CBP	1520CBP & 1520CBPF*
DESCRIPTION	Cutlery Box	Utility Box	Four Compartment Cutlery Box	Cambox
DIM. W x L x H	11,3 x 36 x 10,3 cm	23 x 30,6 x 13 cm	28,9 x 52 x 9,5 cm	38,9 x 50,6 x 12,5 cm

Case Pack: 12 Colors: Black (110), Dark Brown (131), Light Grey (180). * 1520CBPF is identical to our current 1520CBP except the internal surface is flat.

CODE	1621CBP	21155CBP	21157CBP	1722CBP
DESCRIPTION	Cambox	Cambox	Cambox	Cambox
DIM. L x W x H	39,7 x 52 x 12,4 cm	38,7 x 51,4 x 12,5 cm (incl. handle)	38,6 x 51,2 x 17,6 cm	42,9 x 55,6 x 12,1 cm

Case Pack: 12 Colors: Black (110), Dark Brown (131), Light Grey (180).

Box Covers				
CODE	1520CBCP	1722CBCP	2115CBCP	2115CBCR
FITS	1520CBP	1722CBR, 1722CBP	21155CBP, 21157CBP	2115CBR, 21157CBR
DIM. W x L	40,6 x 52 cm	44 x 56,8 cm	39,4 x 52 cm	39,4 x 52 cm

Case Pack: 12 Color: White (148). (NSF.)





KD Service Cart And KD Utility Cart

- · Versatile, durable and economically-priced carts.
- Marine rails and lightly-textured polypropylene shelves keep contents in place.
- Aluminum uprights ensure stability.
- Ships "knocked down" to minimize shipping costs.
- · Easy to assemble.

Cart and Shelf Panel Set Colors:

Black (110), Speckled Grey (480).

Trash Container and Silverware Holder Color: Black (110).



Each BC340KD shelf holds one full-sized dish rack or two standard bus boxes.



Marine rails keep contents in place.

Sturdy aluminum uprights.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

BC331KD, BC340KD, BC340KDP: (480), (110) BC331KDTC, BC331KDSH: (110)





		•
CODE	BC331KD	BC340KD
DESCRIPTION	Service Cart	Large Utility Cart
CASTER DIA./TYPE	10,2 cm, 4 swivel, no brake	12,7 cm, 4 swivel, no brake
OVERALL DIM. L x D x H	83,5 x 41,3 x 96,5 cm	101,5 x 54 x 95 cm
SHELF DIM. L x D x H	62 x 40 x 30 cm	80 x 52 x 29,8 cm
LOAD CAPACITY	136 kg	180 kg
Case Pack: 1		

Shown with optional shelf panels on single shelf.

Optional Accessories



Case Pack: 1

Service Carts

- All-purpose versatile, durable and dependable workhorses.
- Ideal for use on the receiving dock or setting up and bussing tables.
- Made of one-piece, polyethylene with molded-in handles and shelves.
- Choose from models with open or enclosed sides.

Colors: Black (110), Slate Blue (401), Dark Brown (131), Coffee Beige (157), Granite Grey (191).

BC225, BC2254S, BC11TC and BC1115SH can be shipped by parcel carrier.





STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

BC2354S: (191)











Open Ca	arts
---------	------

CODE	BC225	BC2254S	BC235
CASTER DIA./TYPE	7,6 cm, 2 fixed, 2 swivel, 1 w/brake	7,6 cm, 4 swivel, 1 w/brake	12,7 cm, 2 fixed, 2 swivel, 1 w/brake
OVERALL DIM. L x D x H	71 x 41 x 82 cm	71 x 41 x 82 cm	95 x 55 x 88 cm
SHELF DIM. L x D x H	56 x 39,5 x 29 cm	56 x 39,5 x 29 cm	79 x 52 x 29 cm
LOAD CAPACITY	159 kg	159 kg	227 kg

Case Pack: 1







CODE	BC2354S	BC230	BC2304S
CASTER DIA./TYPE	12,7 cm, 4 swivel, 1 w/brake	12,7 cm, 2 fixed, 2 swivel, 1 w/brake	12,7 cm, 4 swivel, 1 w/brake
OVERALL DIM. L x D x H	95 x 55 x 88 cm	84,5 x 51 x 88 cm	84,5 x 51 x 88 cm
SHELF DIM. L x D x H	79 x 52 x 29 cm	69 x 49,5 x 29 cm	69 x 49,5 x 29 cm
LOAD CAPACITY	227 kg	227 kg	227 kg

Case Pack: 1

Enclosed Carts



Case Pack: 1


Optional Accessories





CODE	BC11TC*	BC1115SH*
DESCRIPTION	42 L Trash Container	6,6 L Silverware Holder
DIMENSIONS W x D x H	35 x 20,6 x 53,7 cm	36,8 x 15,2 x 13,7 cm


Case Pack: 1 * BC11TC & BC1115SH will not fit KD Service or Utility Carts. BC11TC & BC1115SH are available in Black (110) and Dark Brown (131) only.



Shelving

Common and Key Features of Camshelving® Series **Camshelving Series Quick Reference Guide Product Code Reference Guide** Free Camshelving Design Service Camshelving Series Overall Length — **Quick Reference Guide Camshelving Premium Series Premium Series Weight Bearing Chart Premium Series Accessories High Density Storage Floor Track System Camshelving Elements Series Elements Series Weight Bearing Chart Elements Series Accessories Camshelving Basics Series Basics Series Weight Bearing Chart Basics Series Accessories** Camshelving Wall Shelves And StoreSafe® Shelf Extenders **Dunnage Racks**









Cambro storage and transportation products that help ensure food safety handling.



COMPONEN

Products that meet the NSF International criteria for sanitation and cleanability.



Certifies products approved by Technischer Überwachungs-Verein. (Technical Inspection Association)



Products that help meet HACCP guidelines.



Fit for food products



Dishwasher Safe



Cadmium-free products



Recyclable polypropylene



Antimicrobial protection permanently molded into shelf plates to inhibit the growth of mold, fungus and bacteria.

CAMSHELVING

THE COMMON AND KEY FEATURES OF ALL CAMSHELVING SERIES


Rust and Corrosion Free

Backed by a lifetime warranty against rust and corrosion, Camshelving storage systems eliminate the inconvenience and costs associated with restoring or replacing degraded shelving. Only Cambro offers Shelving for Life.



Multi Environment Use

Camshelving storage systems are designed to withstand all extreme storage applications and temperatures — impervious to moisture, chemicals, salt, food acids, and humidity. Camshelving systems can be installed anywhere and will never rust.




-38°C TO 88°C

Maximized Space Utilization

Components have been thoughtfully designed to maximize storage space, even in space-restricted areas.





PREMIUM series

ELEMENTS series

BASICS series

Easy to Clean


Cleaning shelving shouldn't be a major production. Whether daily or scheduled, cleaning can be done quickly and easily without interrupting storage space or normal, day-to-day operations.




Easy to Adjust

Each shelf can be easily and independently adjusted to accommodate a variety of storage products and packages as product and storage needs change.







Corner Shelf Space

Convert unusable space into continuous, easy-access storage areas using corner connectors.

Camshelving® Series Quick Reference Guide

Cambro offers three rust-free, non-corrosive, hygienic shelving systems that will hold up to the tough demands of commercial foodservice operations. This guide will help you choose the ideal Camshelving system for each storage area in your operation. Only Cambro offers Shelving for Life.





	PREMIUM series
Storage Areas	High-volume foodservice operations with constant loading and off-loading of heavy products. Frequent and/or multiple daily deliveries. Wet Storage - Walk-in Freezers, Coolers, Warewashing Areas Dry Storage - Bulk Foods, Catering Equipment, China/Dishware, Linen, Merchandising.
Recommended Market Segments	Hotels and Casinos, Restaurants, Quick-Serve Restaurants, Schools, Colleges and Universities, Healthcare, Military, Convention Centers/Stadiums, Cruise Ships, Caterers and Banquet Centers, Corporate Dining, Convenience and Grocery Stores.
Product Material	Posts and traverses are made from a steel core with smooth polypropylene exterior. Superior strength and durable enough to withstand the heaviest loading demands.
Assembly	Molded in dovetails means fewer parts, making it the easiest to assemble.
Weight-Bearing Capacity (based on 600 - 1200 mm length)	Stationary Unit: 200 kg per shelf, 800 kg per unit. Mobile Unit: 340 kg per unit. Corner and U-Shape Unit: 180 kg per shelf, 720 kg per unit.
Lifetime Warranty Against Rust & Corrosion	Shelf Plates, Posts and Traverses
Shelf Lengths	600, 700, 800, 900, 1000, 1100, 1200, 1300, 1400, 1500, 1600, 1700 mm
Shelf Depths	300, 400, 500, 600 mm
Post Heights	Stationary: 1700, 1800 mm Mobile: 1790 mm (includes casters)
Mobile Units	YES
High Density Storage Floor Track System	YES
Bottom Shelf Dunnage Stand	YES
Shelf Rails	YES
Vertical Drying and Storage Cradle (Trays / Cutting Boards / Lids)	YES
Dome Drying and Storage Cradle	NO
Angled Drying and Storage Cradle	YES
Shelf Divider (Narrow Item Storage)	YES
Shelf Divider Bar (for Food Pans or Food Boxes)	YES
Tray Sliding Rack	YES
Single Shelf Security Cage	YES











ELEMENTS series	BASICS series
High-volume foodservice operations with constant loading and off-loading of medium to heavy products. 5-7 deliveries per week. Wet Storage - Walk-in Freezers, Coolers, Warewashing Areas Dry Storage - Bulk Foods, Catering Equipment, China/Dishware, Linen, Merchandising.	Medium-volume foodservice operations with constant loading and off-loading of light to medium products. 2-5 deliveries per week. Wet Storage - Walk-in Freezers, Coolers, Warewashing Areas Dry Storage - Bulk Foods, Catering Equipment, China/Dishware, Linen, Merchandising, and Disposables.
Hotels and Casinos, Restaurants, Quick-Serve Restaurants, Schools, Colleges and Universities, Healthcare, Military, Convention Centers/Stadiums, Cruise Ships, Caterers and Banquet Centers, Corporate Dining, Convenience and Grocery Stores.	Hotels and Casinos, Restaurants, Quick-Serve Restaurants, Schools, Colleges and Universities, Healthcare, Convention Centers/Stadiums, Caterers and Banquet Centers, Corporate Dining, Convenience Stores, Yogurt Shops and Cafés.
Posts and traverses are made from a revolutionary composite material that is light in weight yet strong enough to withstand rigorous loading conditions.	Posts and traverses are made from the same revolutionary composite material as Elements Series. Slim design is lighter in weight, yet durable and strong enough to withstand a wide variety of storage conditions.
Easy to assemble.	Easy to assemble.
Stationary Unit: 350 kg per shelf, 1400 kg per unit. Mobile Unit: 340 kg per unit. Corner and U-Shape Unit: 180 kg per shelf, 720 kg per unit.	Stationary Unit: 300 kg per shelf, 1200 kg per unit. Corner and U-Shape Unit: 136 kg per shelf, 544 kg per unit.
Shelf Plates, Posts and Traverses	Shelf Plates, Posts and Traverses
610, 760, 910, 1070, 1220, 1380, 1530, 1830 mm	760, 910, 1070, 1220, 1380, 1530 mm
360, 460, 540, 610 mm	460, 540, 610 mm
Stationary: 1630, 1830, 2140 mm Mobile: 1778, 1980 mm (includes casters)	Stationary: 1630, 1830, 2140 mm
YES	NO
NO	NO
YES	YES
NO	NO
YES	YES
YES	NO
YES	YES
YES	YES
YES	NO
YES	YES
YES	YES

Product Code Reference Guide

Cambro's new product codes have been simplified making it easier to identify the type of unit or accessory required. Code numbers are composed of 3 parts.

- 1. **Prefix** Defines the shelving brand and type of unit being selected.
- 2. Dimensions Identifies the depth, length and height.
- 3. **Suffix** Type and quantity of shelves.

Complete Units PREFIX SUFFIX DIMENSIONS 4 Vented Shelves MΡ Camshelving® Premium Series MP**U** Stationary Starter Unit 5 Vented Shelves Stationary Add-On Unit MPA Example of a code for a **S4** 4 Solid Shelves Mobile Unit MP**MU** Camshelving Premium Starter Unit 40D x 110L x 170H cm MPHU High Density Mobile Unit 5 Solid Shelves with 4 Vented Shelves. 3 Vented Shelves + **E** Camshelving Elements Series VS4 1 Solid Shelf Stationary Starter Unit ESU 4 Vented Shelves + EA Stationary Add-On Unit 1 Solid Shelf EMU Mobile Unit Example of a code for a V4PKG* 4 Vented Shelves **Camshelving Basics Series** CB Camshelving Basics Starter Unit 18"D x 36"L x 64"H V5PKG* 5 Vented Shelves Stationary Starter Unit CBU (46D x 91L x 163H cm) with 4 Vented Shelves. Stationary Add-On Unit 4 Solid Shelves S4PKG* 3 Vented Shelves + VS4PKG* 1 Solid Shelf * Premium Series only.

Post Kits and Shelf Kits

		PKELIY	DIMENSIONS	SOLLIV		
MP	Camshelving® Premium Series		D L		V1	1 Vented Shelf
MPSK	Stationary Shelf Kit	KAADOM	40440	WZ		1 Calid Chalf
MP PK	Stationary Post Kit	EMPSK	440		<u>\$1</u>	1 Solid Shelf
MP MPK	Mobile Post Kit				V4	4 Vented Shelves
E	Camshelving Elements Series	Example of a code for one Camshelving Premium	~		V5	5 Vented Shelves
ESK	Stationary Shelf Kit	Stationary Vented Shelf Kit 40D x 110L cm in one carton.			\$4	4 Solid Shelves
E PK	Stationary Post Kit		D 1		\$5	5 Solid Shelves
EMSK	Mobile Shelf Kit		D L			3 Solid Sileives
EMPK	Mobile Post Kit	ECBSK	18 36	V ₁	VS4*	3 Vented Shelves + 1 Solid Shelf
CB	Camshelving Basics Series				VS5*	A Vantad Chalvas
CBSK	Stationary Shelf Kit	Example of a code for	•		V30	4 Vented Shelves + 1 Solid Shelf
CB PK	Stationary Post Kit	one Camshelving Basics Stationary Vented Shelf Kit 18"D x 36"L (46D x 91L cm)			* Elements a	nd Basics Series only.

DIMENSIONS

CIIFFIX

PRFFIX

Accessories

If an accessory is used by more than 1 line of shelving, the code will start with CS.

If an accessory is only used in one line of shelving, the code will start by the prefix letters of the line.

in one carton.

Example: Corner Connectors:

- a. MPCC1 = Camshelving Premium Corner Connector Set
- b. **E**CC1 = Camshelving Elements Corner Connector Set
- c. **CB**CC1 = Camshelving Basics Corner Connector Set

FREE Camshelving® Design Service

In order to select the most suitable and cost effective storage system, Cambro offers customized shelving illustrations using our proprietary shelving design program. Space allocation, operational flow and organizational challenges are quickly addressed when selecting the right product for the storage application. Usable storage space is maximized using the least number of units to help operators manage equipment costs.

Once all required information is received, our expert shelving consultants prepare a 2D and 3D recommended floor plan along with an itemized product list by room/area. Proposals are completed and emailed within 24-48 business day hours,

We look forward to designing the perfect storage solution for you. Call or email today to connect with one of our Camshelving consultants.

depending on number of rooms and complexity.

CAMBRO USA: 1(714) 230-4113 shelving@cambro.com


CAMBRO EUROPEAN LOGISTICS: (49)7022 90 100 0 cambroeurope@cambro.com

CAMBRO UK: 0800 587 0057 (Toll Free) cambrouk@cambro.com

CAMBRO IRELAND: 1 800 509 046 (Toll Free) cambroireland@cambro.com


It's Simple! To Get Started, Please Provide:

- Project Name
- Storage Room Type (freezer / cooler)
- Room(s) Dimensions (L x W x H)
- Doorway / Entryway Location & Dimension
- Obstructions (condenser / pipes)
- Additional Preferences / Requirements




Camshelving® Series Overall Length - Quick Reference Guide


Straight Unit: Starter Unit + Add-On Unit with Shared Posts







Corner Unit: Starter Unit + Add-On Unit with Corner Connectors





U-Shape Unit: Two Starter Units + Intermediate Shelves with Corner Connectors





Straight Unit: Starter Unit + Add-On Unit with Shared Posts

D	D	E	M	п	IM	C	E	D	IF	C
r	'ĸ	г	IVI	ш	HVI		г	ĸ	IF.	3

		LKEINIOM 2EKIE2					
STARTER & ADD-ON UNIT (MM)	STARTER UNIT ACT LENGTH	UAL	ADD-ON UNIT ACT LENGTH	OVERALL LENGTH			
600	680	+	635	=	1315		
700	780	+	735	=	1515		
800	880	+	835	=	1715		
900	980	+	935	=	1915		
1000	1080	+	1035	=	2115		
1100	1180	+	1135	=	2315		
1200	1280	+	1235	=	2515		
1300	1380	+	1335	=	2715		
1400	1480	+	1435	=	2915		
1500	1580	+	1535	=	3115		
1600	1680	+	1635	=	3315		
1700	1780	+	1735	=	3515		

ELEMENTS SERIES

CTARTER	STARTER		ADD ON		
STARTER & ADD-ON UNIT (MM)	UNIT ACT LENGTH	UAL	ADD-ON Unit actual Length		OVERALL Length
610	610	+	559	=	1169
760	760	+	714	=	1474
910	910	+	864	=	1774
1070	1070	+	1019	=	2089
1220	1220	+	1169	=	2389
1380	1380	+	1324	=	2704
1530	1530	+	1474	=	3004
1830	1830	+	1784	=	3614

RASICS SERIES

	DASIGS SEKIES						
STARTER Unit act Length (ADD-ON Unit act Length	TUAL	OVERALL Length			
_	+	_	=	_			
760	+	720	=	1480			
910	+	870	=	1780			
1070	+	1025	=	2095			
1220	+	1175	=	2395			
1380	+	1330	=	2710			
1530	+	1480	=	3010			

Corner Unit: Starter Unit + Add-On Unit with Corner Connectors

PREMIUM SERIES

ADD-ON UNIT (MM)	ADD-ON Unit AC Length	TUAL	STARTEI Unit Depth	R	OVERALL LENGTH
600	635	+	400	=	1035
700	735	+	400	=	1135
800	835	+	400	=	1235
900	935	+	400	=	1335
1000	1035	+	400	=	1435
1100	1135	+	400	=	1535
1200	1235	+	400	=	1635
ELEMENTS / BASICS SERIES					

610

760

910

1070

1220

INTERMEDIATE

SHELF (MM)

800

900

1000

1100

1200

585

740

890

1045

+

+

INTERMEDIATE

SHELF ACTUAL

+

+

+

LENGTH

830

930

1030

1130

1230

1655 1195 460 610 mm unit not available in Camshelving Basics Series.

=

=

=

460

460

460

460

PREMIUM SERIES

ADD-ON Unit AC Length		STARTER Unit Depth		OVERALL Length
635	+	500	=	1135
735	+	500	=	1235
835	+	500	=	1335
935	+	500	=	1435
1035	+	500	=	1535
1135	+	500	=	1635
1235	+	500	=	1735

FLEMENTS / RASICS SERIES

	ELLINERIS / DASIOS SERIES				
585	+	540	=	1125	
740	+	540	=	1280	
890	+	540	=	1430	
1045	+	540	=	1585	
1195	+	540	=	1735	

PREMIUM SERIES

ADD-ON UNIT AC LENGTH		STARTER Unit Depth		OVERALL Length
635	+	600	=	1235
735	+	600	=	1335
835	+	600	=	1435
935	+	600	=	1535
1035	+	600	=	1635
1135	+	600	=	1735
1235	+	600	=	1835
	ELEMI	ENTS / BASIC	S SER	IES
585	+	610	=	1195

	ELEM	FN12 / RA2	ICS SEKI	F2
585	+	610	=	1195
740	+	610	=	1350
890	+	610	=	1500
1045	+	610	=	1655
1195	+	610	=	1805

U-Shape Unit: Two Starter Units + Intermediate Shelves with Corner Connectors

OVERALL

LENGTH

1630

1730

1830

1930

2030

=

1230

1045

1200

1350

1505

PREMIUM SERIES

STARTER

UNIT A+B

800

800 800

800

400 MM DEPTH

	PREMIUM SEKI
INTERMEDIATE	FOO MM DE

+

INTERMEDIATE Shelf actual Length		500 MM DEPTH Starter Unit A+B		OVERALL Length
830	+	1000	=	1830
930	+	1000	=	1930
1030	+	1000	=	2030
1130	+	1000	=	2130

PREMIUM SERIES

T ILEMITORI CERTEC						
INTERMEDIATE SHELF ACTUAL LENGTH		600 MM DEPTH Starter Unit A+B		OVERALL Length		
830	+	1200	=	2030		
930	+	1200	=	2130		
1030	+	1200	=	2230		
1130	+	1200	=	2330		
1230	+	1200	=	2430		

800 **ELEMENTS / BASICS SERIES**

INTERMEDIATE SHELF	INTERME SHELF AC LENGTH		460 MN Starte Unit A-		OVERALL LENGTH
910	865	+	920	=	1785
1070	1020	+	920	=	1940
1220	1170	+	920	=	2090

1000 **ELEMENTS / BASICS SERIES**

2230

INTERMEDIATE SHELF ACTUAL LENGTH		540 MM DEPTH Starter Unit A+B		OVERALL Length
865	+	1080	=	1945
1020	+	1080	=	2100
1170	+	1080	=	2250

ELEMENTS / BASICS SERIES

INTERMEDIATE SHELF ACTUAL LENGTH		610 MM DEPTH Starter Unit A+B		OVERALL Length
865	+	1220	=	2085
1020	+	1220	=	2240
1170	+	1220	=	2390

CAMSHELVING PREMIUM series

WHY CHOOSE PREMIUM?

In high volume foodservice operations with frequent deliveries and constant loading and off-loading of products, stability, strength and sanitary storage should never be compromised. Premium Series does precisely what it was designed to do — hold the heaviest products with the roughest handling, in any environment and it is the easiest to clean and adjust.

Only available from Cambro European Logistics (CEL), Germany and Cambro Özay Turkey.



All Environments
-38°C TO 88°C

Stationary

High Density

Mobile

camguard



















Posts, Traverses, Shelf Plates, Dunnage Stand Saddle, Post Connectors, Corner Connectors, Seismic Foot, Wall Fastener, Identification Tags, Single Shelf Security Cage, Tray Slide Rack, Shelf Rails, Shelf Divider Bars, High Density Track and Extension Kits are not NSF Listed.

storage needs **HEAVY**


daily deliveries

FREQUENT




Stationary Unit Sizes

Mobile Unit Sizes



4 Shelf Unit Weight Bearing Chart



^{*} Dunnage Stands add stability and increase weight bearing capacity on bottom shelf only. Add to any shelf length. Highly recommended for Starter Units 1300 mm and longer, all Corner Units, U-Shape Units and units specified for heavier loads (see page 92).

^{**} Due to the weight bearing capacity of casters, maximum weight load on an entire Mobile Unit is 340 kg.

Camshelving® Premium Series

Starter, Add-On and Mobile Units

These units make ordering easy and save time and labor during installation. Due to unit weight and size, all units ship in multiple boxes of post kits (unassembled) and shelf kits.


Only available from Cambro European Logistics (CEL), Germany and Cambro Özay Turkey.



4-Shelf Vented Stationary Starter and Add-On Units

Starter units include 2 post kits and 4 shelf kits.


Add-On units include 1 post kit and 4 shelf kits.



4-Shelf Solid Stationary Starter and Add-On Units

Starter units include 2 post kits and 4 shelf kits.

Add-On units include 1 post kit and 4 shelf kits.




4-Shelf Vented and Solid Stationary Starter and Add-On Units (3 vented + 1 solid)

Starter units include 2 post kits and 4 shelf kits.

Add-On units include 1 post kit and 4 shelf kits.

Install solid shelf on bottom to prevent water/cleaning solutions from sloshing up onto stored products. Install solid shelf on top to protect product stored on lower shelves from condensation in cooler.



5-Shelf Vented Stationary Starter and Add-On Units

Starter units include 2 post kits and 4 shelf kits.

Add-On units include 1 post kit and 4 shelf kits.



	HEIGHTS	DEPTHS	LENGTH	4S
L	2	3	12	
	1700 mm	400 mm		1200 mm
	1800	500 600	700 800	1300 1400
			900	1500
			1000	1600
			1100	1700





4 Shelf Vented or Solid Mobile Starter Units

Mobile starter units include 2 mobile post kits, 4 shelf kits vented or solid and 4 swivel casters with total locking brake.



HEIGHT*	DEPTHS	LENGTHS
1	3	5
1790 mm	400 mm 500	900 mm 1000
* Includes 127 mm casters.	600	1100 1200 1300





Visit the Camshelving Microsite at www.cambro.com/camshelving for product information and pricing on ALL available shelving products. View or download the Camshelving Specification and Price List. Or scan QR code.



PREMIUM SERIES

V4PKG4-Shelf Vented Units

1700 mm **HEIGHT**

Starter units include 2 post kits and 4 shelf kits. Units ship complete in 6 boxes.

Add-On units include 1 post kit and 4 shelf kits. Units ship complete in 5 boxes.

Starter



400 mm DEPTH

	B .
CODE	DIMENSIONS D x L x H (MM)
MPU4617V4PKG	400 x 680 x 1700
MPU4717V4PKG	400 x 780 x 1700
MPU4817V4PKG	400 x 880 x 1700
MPU4917V4PKG	400 x 980 x 1700
MPU41017V4PKG	400 x 1080 x 1700
MPU41117V4PKG	400 x 1180 x 1700
MPU41217V4PKG	400 x 1280 x 1700
MPU41317V4PKG	400 x 1380 x 1700
MPU41417V4PKG	400 x 1480 x 1700
MPU41517V4PKG	400 x 1580 x 1700
MPU41617V4PKG	400 x 1680 x 1700

MPU41717V4PKG 400 x 1780 x 1700

500 mm DEPTH

MPU5617V4PKG	500 x 680 x 1700
MPU5717V4PKG	500 x 780 x 1700
MPU5817V4PKG	500 x 880 x 1700
MPU5917V4PKG	500 x 980 x 1700
MPU51017V4PKG	500 x 1080 x 1700
MPU51117V4PKG	500 x 1180 x 1700
MPU51217V4PKG	500 x 1280 x 1700
MPU51317V4PKG	500 x 1380 x 1700
MPU51417V4PKG	500 x 1480 x 1700
MPU51517V4PKG	500 x 1580 x 1700
MPU51617V4PKG	500 x 1680 x 1700
MPU51717V4PKG	500 x 1780 x 1700

600 mm DEPTH

MPU6617V4PKG	600 x 680 x 1700
MPU6717V4PKG	600 x 780 x 1700
MPU6817V4PKG	600 x 880 x 1700
MPU6917V4PKG	600 x 980 x 1700
MPU61017V4PKG	600 x 1080 x 1700
MPU61117V4PKG	600 x 1180 x 1700
MPU61217V4PKG	600 x 1280 x 1700
MPU61317V4PKG	600 x 1380 x 1700
MPU61417V4PKG	600 x 1480 x 1700
MPU61517V4PKG	600 x 1580 x 1700
MPU61617V4PKG	600 x 1680 x 1700
MPU61717V4PKG	600 x 1780 x 1700

Color: Speckled White (490).

Add-On



CODE	DIMENSIONS D x L x H (MM)
MPA4617V4PKG	400 x 635 x 1700
MPA4717V4PKG	400 x 735 x 1700
MPA4817V4PKG	400 x 835 x 1700
MPA4917V4PKG	400 x 935 x 1700
MPA41017V4PKG	400 x 1035 x 1700
MPA41117V4PKG	400 x 1135 x 1700
MPA41217V4PKG	400 x 1235 x 1700
MPA41317V4PKG	400 x 1335 x 1700
MPA41417V4PKG	400 x 1435 x 1700
MPA41517V4PKG	400 x 1535 x 1700
MPA41617V4PKG	400 x 1635 x 1700
MPA41717V4PKG	400 x 1735 x 1700

MPA5617V4PKG	500 x 635 x 1700
MPA5717V4PKG	500 x 735 x 1700
MPA5817V4PKG	500 x 835 x 1700
MPA5917V4PKG	500 x 935 x 1700
MPA51017V4PKG	500 x 1035 x 1700
MPA51117V4PKG	500 x 1135 x 1700
MPA51217V4PKG	500 x 1235 x 1700
MPA51317V4PKG	500 x 1335 x 1700
MPA51417V4PKG	500 x 1435 x 1700
MPA51517V4PKG	500 x 1535 x 1700
MPA51617V4PKG	500 x 1635 x 1700
MPA51717V4PKG	500 x 1735 x 1700

MPA6617V4PKG	600 x 635 x 1700
MPA6717V4PKG	600 x 735 x 1700
MPA6817V4PKG	600 x 835 x 1700
MPA6917V4PKG	600 x 935 x 1700
MPA61017V4PKG	600 x 1035 x 1700
MPA61117V4PKG	600 x 1135 x 1700
MPA61217V4PKG	600 x 1235 x 1700
MPA61317V4PKG	600 x 1335 x 1700
MPA61417V4PKG	600 x 1435 x 1700
MPA61517V4PKG	600 x 1535 x 1700
MPA61617V4PKG	600 x 1635 x 1700
MPA61717V4PKG	600 x 1735 x 1700

PREMIUM SERIES

V4PKG4-Shelf Vented Units

1800 mm **HEIGHT**

Starter units include 2 post kits and 4 shelf kits. Units ship complete in 6 boxes.

Add-On units include 1 post kit and 4 shelf kits. Units ship complete in 5 boxes.

Starter



400 mm DEPTH

	•
CODE	DIMENSIONS D x L x H (MM)
MPU4618V4PKG	400 x 680 x 1800
MPU4718V4PKG	400 x 780 x 1800
MPU4818V4PKG	400 x 880 x 1800
MPU4918V4PKG	400 x 980 x 1800
MPU41018V4PKG	400 x 1080 x 1800
MPU41118V4PKG	400 x 1180 x 1800
MPU41218V4PKG	400 x 1280 x 1800
MPU41318V4PKG	400 x 1380 x 1800
MPU41418V4PKG	400 x 1480 x 1800
MPU41518V4PKG	400 x 1580 x 1800
MPU41618V4PKG	400 x 1680 x 1800
MPU41718V4PKG	400 x 1780 x 1800


500 mm DEPTH

MPU5618V4PKG	500 x 680 x 1800
MPU5718V4PKG	500 x 780 x 1800
MPU5818V4PKG	500 x 880 x 1800
MPU5918V4PKG	500 x 980 x 1800
MPU51018V4PKG	500 x 1080 x 1800
MPU51118V4PKG	500 x 1180 x 1800
MPU51218V4PKG	500 x 1280 x 1800
MPU51318V4PKG	500 x 1380 x 1800
MPU51418V4PKG	500 x 1480 x 1800
MPU51518V4PKG	500 x 1580 x 1800
MPU51618V4PKG	500 x 1680 x 1800
MPU51718V4PKG	500 x 1780 x 1800

600 mm DEPTH

000 IIIII DEI I	11
MPU6618V4PKG	600 x 680 x 1800
MPU6718V4PKG	600 x 780 x 1800
MPU6818V4PKG	600 x 880 x 1800
MPU6918V4PKG	600 x 980 x 1800
MPU61018V4PKG	600 x 1080 x 1800
MPU61118V4PKG	600 x 1180 x 1800
MPU61218V4PKG	600 x 1280 x 1800
MPU61318V4PKG	600 x 1380 x 1800
MPU61418V4PKG	600 x 1480 x 1800
MPU61518V4PKG	600 x 1580 x 1800
MPU61618V4PKG	600 x 1680 x 1800
MPU61718V4PKG	600 x 1780 x 1800

Add-On



	DIMENSIONS
CODE	DxLxH(MM)
MPA4618V4PKG	400 x 635 x 1800
MPA4718V4PKG	400 x 735 x 1800
MPA4818V4PKG	400 x 835 x 1800
MPA4918V4PKG	400 x 935 x 1800
MPA41018V4PKG	400 x 1035 x 1800
MPA41118V4PKG	400 x 1135 x 1800
MPA41218V4PKG	400 x 1235 x 1800
MPA41318V4PKG	400 x 1335 x 1800
MPA41418V4PKG	400 x 1435 x 1800
MPA41518V4PKG	400 x 1535 x 1800
MPA41618V4PKG	400 x 1635 x 1800
MPA41718V4PKG	400 x 1735 x 1800

MPA5618V4PKG	500 x 635 x 1800
MPA5718V4PKG	500 x 735 x 1800
MPA5818V4PKG	500 x 835 x 1800
MPA5918V4PKG	500 x 935 x 1800
MPA51018V4PKG	500 x 1035 x 1800
MPA51118V4PKG	500 x 1135 x 1800
MPA51218V4PKG	500 x 1235 x 1800
MPA51318V4PKG	500 x 1335 x 1800
MPA51418V4PKG	500 x 1435 x 1800
MPA51518V4PKG	500 x 1535 x 1800
MPA51618V4PKG	500 x 1635 x 1800
MPA51718V4PKG	500 x 1735 x 1800

MPA6618V4PKG	600 x 635 x 1800
MPA6718V4PKG	600 x 735 x 1800
MPA6818V4PKG	600 x 835 x 1800
MPA6918V4PKG	600 x 935 x 1800
MPA61018V4PKG	600 x 1035 x 1800
MPA61118V4PKG	600 x 1135 x 1800
MPA61218V4PKG	600 x 1235 x 1800
MPA61318V4PKG	600 x 1335 x 1800
MPA61418V4PKG	600 x 1435 x 1800
MPA61518V4PKG	600 x 1535 x 1800
MPA61618V4PKG	600 x 1635 x 1800
MPA61718V4PKG	600 x 1735 x 1800

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

PREMIUM SERIES

V5PKG 5-Shelf Vented Units

1800 mm HEIGHT

Starter units include 2 post kits and 5 shelf kits. Units ship complete in 7 boxes.

Add-On units include 1 post kit and 5 shelf kits. Units ship complete in 6 boxes.

Starter



400 mm DEPTH

CODE	DIMENSIONS D x L x H (MM)
MPU4618V5PKG	400 x 680 x 1800
MPU4718V5PKG	400 x 780 x 1800
MPU4818V5PKG	400 x 880 x 1800
MPU4918V5PKG	400 x 980 x 1800
MPU41018V5PKG	400 x 1080 x 1800
MPU41118V5PKG	400 x 1180 x 1800
MPU41218V5PKG	400 x 1280 x 1800
MPU41318V5PKG	400 x 1380 x 1800
MPU41418V5PKG	400 x 1480 x 1800
MPU41518V5PKG	400 x 1580 x 1800
MPU41618V5PKG	400 x 1680 x 1800
MPU41718V5PKG	400 x 1780 x 1800

500 mm DEPTH

MPU5618V5PKG	500 x 680 x 1800
MPU5718V5PKG	500 x 780 x 1800
MPU5818V5PKG	500 x 880 x 1800
MPU5918V5PKG	500 x 980 x 1800
MPU51018V5PKG	500 x 1080 x 1800
MPU51118V5PKG	500 x 1180 x 1800
MPU51218V5PKG	500 x 1280 x 1800
MPU51318V5PKG	500 x 1380 x 1800
MPU51418V5PKG	500 x 1480 x 1800
MPU51518V5PKG	500 x 1580 x 1800
MPU51618V5PKG	500 x 1680 x 1800
MPU51718V5PKG	500 x 1780 x 1800

600 mm DEPTH

OOO IIIIII DEI I	
MPU6618V5PKG	600 x 680 x 1800
MPU6718V5PKG	600 x 780 x 1800
MPU6818V5PKG	600 x 880 x 1800
MPU6918V5PKG	600 x 980 x 1800
MPU61018V5PKG	600 x 1080 x 1800
MPU61118V5PKG	600 x 1180 x 1800
MPU61218V5PKG	600 x 1280 x 1800
MPU61318V5PKG	600 x 1380 x 1800
MPU61418V5PKG	600 x 1480 x 1800
MPU61518V5PKG	600 x 1580 x 1800
MPU61618V5PKG	600 x 1680 x 1800
MPU61718V5PKG	600 x 1780 x 1800

Color: Speckled White (490).

Add-On



CODE	DIMENSIONS D x L x H (MM)
MPA4618V5PKG	400 x 635 x 1800
MPA4718V5PKG	400 x 735 x 1800
MPA4818V5PKG	400 x 835 x 1800
MPA4918V5PKG	400 x 935 x 1800
MPA41018V5PKG	400 x 1035 x 1800
MPA41118V5PKG	400 x 1135 x 1800
MPA41218V5PKG	400 x 1235 x 1800
MPA41318V5PKG	400 x 1335 x 1800
MPA41418V5PKG	400 x 1435 x 1800
MPA41518V5PKG	400 x 1535 x 1800
MPA41618V5PKG	400 x 1635 x 1800
MPA41718V5PKG	400 x 1735 x 1800

MPA5618V5PKG	500 x 635 x 1800
MPA5718V5PKG	500 x 735 x 1800
MPA5818V5PKG	500 x 835 x 1800
MPA5918V5PKG	500 x 935 x 1800
MPA51018V5PKG	500 x 1035 x 1800
MPA51118V5PKG	500 x 1135 x 1800
MPA51218V5PKG	500 x 1235 x 1800
MPA51318V5PKG	500 x 1335 x 1800
MPA51418V5PKG	500 x 1435 x 1800
MPA51518V5PKG	500 x 1535 x 1800
MPA51618V5PKG	500 x 1635 x 1800
MPA51718V5PKG	500 x 1735 x 1800

MPA6618V5PKG	600 x 635 x 1800
MPA6718V5PKG	600 x 735 x 1800
MPA6818V5PKG	600 x 835 x 1800
MPA6918V5PKG	600 x 935 x 1800
MPA61018V5PKG	600 x 1035 x 1800
MPA61118V5PKG	600 x 1135 x 1800
MPA61218V5PKG	600 x 1235 x 1800
MPA61318V5PKG	600 x 1335 x 1800
MPA61418V5PKG	600 x 1435 x 1800
MPA61518V5PKG	600 x 1535 x 1800
MPA61618V5PKG	600 x 1635 x 1800
MPA61718V5PKG	600 x 1735 x 1800

PREMIUM SERIES

V4PKG4-Shelf Mobile Units

1790

Mobile starter units include 2 mobile post kits, 4 shelf kits vented or solid and 4 swivel casters with total locking brake. Units ship complete in 6 boxes.

Vented



Solid



400 mn

DIMENCIONS

D x L x H (MM)	
400 x 980 x 1790	
400 x 1080 x 1790	
400 x 1180 x 1790	
400 x 1280 x 1790	
400 x 1380 x 1790	

CODE
MPMU4917V4PKG
MPMU41017V4PKG
MPMU41117V4PKG
MPMU41217V4PKG
MPMU41317V4PKG

CODE
MPMU4917S4PKG
MPMU41017S4PKG
MPMU41117S4PKG
MPMU41217S4PKG
MPMU41317S4PKG

500 mr

500 x 980 x 1790
500 x 1080 x 1790
500 x 1180 x 1790
500 x 1280 x 1790
500 x 1380 x 1790

MPMU5917V4PKG
MPMU51017V4PKG
MPMU51117V4PKG
MPMU51217V4PKG
MPMU51317V4PKG

MPMU5917S4PKG MPMU51017S4PKG MPMU51117S4PKG MPMU51217S4PKG MPMU51317S4PKG

600 mm

600 x 980 x 1790	MPMU6917V4PKG
600 x 1080 x 1790	MPMU61017V4PKG
600 x 1180 x 1790	MPMU61117V4PKG
600 x 1280 x 1790	MPMU61217V4PKG
600 x 1380 x 1790	MPMU61317V4PKG

MPMU6917S4PKG MPMU61017S4PKG MPMU61117S4PKG MPMU61217S4PKG MPMU61317S4PKG

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE






Bottom Shelf Dunnage Stands

Increase weight bearing capacity on bottom shelf only. Add to any shelf length. Highly recommended for starter units 1380 mm and longer and all corner units, intermediate units and units specified for heavier load volume on and off bottom shelves.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

ALL SIZES: (490)



Color: Speckled White (490).






Corner Connectors

Unique patented design ensures maximum shelf space utilization. Use 1 set per shelf to connect starter and add-on units in corners. Connect 4 or 5 intermediate shelves between 2 starter units (2 sets required per shelf). Available as a single set or 8 or 10 set packs.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

ALL SIZES: (490)



Identification Tags

Clip onto shelf traverses to clearly identify stored product. Made of highly durable plastic with a clear slide in front panel. Labels included.

CODE	DESCRIPTION	DIMENSION H x L (MM)
CSID6	152 mm ID Tag	25 x 152
CSID3	76 mm ID Tag	25 x 76

Case Pack: 12 Color: White / Clear.





Wall Fastener

Use to secure stationary shelving unit to a wall for added safety and stability where required. Made of stainless steel. Screws not included.

CODE	DIMENSION D x L x H (MM)	
CSWF	73 x 238 x 48	
Case Pack: 4	Color: Silver (000).	





Seismic Foot

Secure stationary unit posts directly to the floor for added safety and stability where required. Made of stainless steel. Bolts not included.

CODE	DIMENSION D x L x H (MM)
CSEQ3	102 x 83 x 59
Case Pack: 4	Color: Silver (000).





Premium Caster

Ideal in all areas of storage, especially coolers, freezers and/or wet areas. Made of highly durable, non-corrosive plastic with a 127 mm swivel, nonmarking thermoplastic rubber wheel. Total locking brake locks both swivel motion and the wheel.

CODE		SIZE (MM)
MPMCWB		127
Case Pack: 2	Color: Grev (000)	





STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN** WAREHOUSE

MPMCWB: (000)

Shelf Divider (for 600 mm deep shelf only)

Stack and separate items stored on shelves. Made of highly durable ABS plastic. Installs directly onto solid or vented shelves. Easily removable for relocating or washing.

CODE	DIMENSION D x H (MM)
CSSD248	610 x 203
Case Pack: 1	

Color: Soft Grey (151).





STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN** WAREHOUSE

CSSD248: (151)

Shelf Divider Bars (for 600 mm deep shelf only)

Create a custom service or storage station for food pans, boxes or dish racks. Install straight or angled dividers directly onto shelf traverses.

DESCRIPTION
Angled Divider Bar
Straight Divider Bar

Case Pack: 4

Color: Speckled Grey (480).





Shelf Rails

Install onto traverses and dovetails to prevent items from falling off sides and ends of shelves. Choose from single or double rail side kits and double rail only end kits.





100 mm High **Double Rail**

DOUBLE RAIL Code	LENGTH (MM)
MPFL602	600
MPFL702	700
MPFL802	800
MPFL902	900
MPFL1002	1000
MPFL1102	1100
MPFL1202	1200
MPFL1302	1300
MPFL1402	1400
MPFL1502	1500
MPFL1602	1600
MPFL1702	1700



50 mm High Single Rail

LENGTH (MM)
600
700
800
900
1000
1100
1200
1300
1400
1500
1600
1700





END RAIL Code	LENGTH (MM)
MPFE30	300
MPFE40	400
MPFE50	500
MPFE60	600

Color: Speckled White (490).

Tray Sliding Rack (for 600 mm deep shelf only)

Holds up to 6 each full size (1826) 46 x 66 cm or 12 half size (1318) 32 x 45 cm sheet pans or trays. Install 1 or more units onto vented shelves, any length. High quality, lightweight aluminum material is safe for use in coolers and freezers. Made from aluminum 6463 (6000 series).


CODE	DIMENSION D x L x H (MM)
CSTSR	584 x 517 x 508
Case Pack: 1	Color: Silver (000)





Full-Wrap Security Cage (for 610 mm deep shelf only)

Store valuable products behind locked doors. Made of heavy-duty 304 stainless steel for use in any environment. Stationary or mobile units ship complete with factory assembled post kits, 2 vented shelves, 4 premium swivel casters with total locking brake for mobile unit and 1 full wrap security cage. Assembly required. Lock not included.









2 Vented Shelf Kits

CODE	CPFWSC244860	CPU244864SUPKG	CPMU244867SUPKG
DESCRIPTION	Full-wrap Security Cage only	Full-wrap Stationary Security Unit	Full-wrap Mobile Security Unit
DIMENSION D x L x H (MM)	680 x 1276 x 1562	680 x 1276 x 1638	680 x 1276 x 1721
COLOR	Silver (000)	Speckled Grey (480)	Speckled Grey (480)

Case Pack: 1

included.

Fit only Camshelving Premium Series made in the USA. Special Order. Allow 10 to 12 weeks for delivery for International delivery.









Single Shelf Security Cage (for 600 mm deep shelf only)

Securely store valuable products on a single shelf. Made of heavy duty, 304 stainless steel for use in any environment. Requires 457 mm height between shelves. Install on vented shelves only. Lock not included.

CODE	DIMENSION D x L x H (MM)	
CSSC244818	640 x 1080 x 460	
0 0 1 1 0 1	0:1 (000)	

Case Pack: 1 Color: Silver (000).



Shelf Traverses

Available in single or double packs. Use a single set to add an open shelf for divider bars or drying racks. Add single traverses onto back posts for extra support when placing rolling equipment under the first shelf.

LENGTH (MM)	SINGLE PACK Code*	DOUBLE PACK CODE**
600	MPTR60	_
700	MPTR70	_
800	MPTR80	_
900	MPTR90	MPTR902PK
1000	MPTR100	MPTR1002PK
1100	MPTR110	MPTR1102PK
1200	MPTR120	MPTR1202PK
1300	MPTR130	MPTR1302PK
1400	MPTR140	_
1500	MPTR150	_
1600	MPTR160	
1700	MPTR170	_

*Case Pack: 1 **Case Pack: 2 Color: Speckled White (490).



Vertical Drying and Storage Cradle (for 600 mm deep shelf only)

Modular 7-slot rack designed for drying and storing trays, sheet pans, cutting boards and lids. Installs directly onto shelf traverses. Made of highly durable ABS plastic. Available in single or 3 pack.

CODE	DIMENSIONS Dxlxh (MM)	CASE Pack
CSDR7	597 x 260 x 95	1
CSDR73	597 x 260 x 95	3

Color: Soft Grey (151).

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

CSDR7, CSDR73: (151)



Vertical Drying and Storage Rack

Promotes sanitary drying, safe handling and efficient product organization with easy access to product.

Units ship complete with 2 mobile post kits, 6 traverses, 12 or 15 vertical drying cradles and premium swivel casters with total locking brake. Assembly required.

CODE	DIMENSIONS Dxlxh (MM)	HOLDING Capacity
MPMU61117DRPKG	600 x 1180 x 1790	84 trays
MPMU61317DRPKG	600 x 1380 x 1790	105 trays

Color: Speckled White (490).

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

MPMU61117DRPKG, MPMU61317DRPKG: (490)







Dome Drying and Storage Cradle (for 540 mm deep shelf only)

Use to dry and safely store up to 10 patient meal delivery domes or plate covers upright. Installs directly onto shelf traverses. Made of highly durable ABS plastic. Available in single or 5 pack.

CODE	DIMENSIONS D x L x H (MM)	CASE PACK
CSDDC	520 x 415 x 86	1
CSDDC5	520 x 415 x 86	5

Color: Soft Grey (151).

Fit only Camshelving Premium Series made in the USA. Special Order. Allow 10 to 12 weeks for delivery for International delivery.



Dome Drying and Storage Rack

Promotes sanitary drying, safe handling and efficient product organization with easy access to product.

Unit ships complete with factory assembled mobile post kits, 10 traverses, 10 dome drying cradles and premium swivel casters with total locking brake. Assembly required.

CODE	DIMENSIONS D x L x H (MM)	HOLDING Capacity
CPMU213675DDPKG	540 x 910 x 1910	100 Domes

Color: Speckled Grey (480).

Camshelving Premium Series made in the USA. Special Order. Allow 10 to 12 weeks for delivery for International delivery.



Angled Drying and Storage Cradle (for 600 mm deep shelf only)

Uniquely designed cradle holds up to 8 each meal delivery pellets or use to dry, store and transport food pans and other commercial kitchen ware. Installs directly onto shelf traverses. Made of highly durable ABS plastic. Available in single or 4 pack.

CODE	DIMENSIONS D x L x H (MM)	CASE PACK
CSDR8	592 x 263 x 160	1
CSDR84	592 x 263 x 160	4

Color: Soft Grey (151).

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

CSDR8. CSDR84: (151)



Angled Drying and Storage Rack

Promotes sanitary drying, safe handling and efficient product organization with easy access to product.

Units ship complete with 2 mobile post kits, 8 traverses, 16 angled drying cradles and premium swivel casters with total locking brake.
Assembly required.

CODE	DIMENSIONS D x L x H (MM)	HOLDING Capacity
MPMU61217PDPKG	600 x 1280 x 1790	128 Pellets and Bases
		or 16 GN 1/1 Food Pans

Color: Speckled White (490).

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

MPMU61217PDPKG: (490)








Camshelving® Premium Series

High Density Storage Floor Track System

Maximize storage capacity by creating storage aisles in all available space. This simple system is composed of stationary starter units anchored to a raised floor track system at both ends with high density mobile units installed in between. Easy to install track requires no drilling or gluing.



High Density Mobile Units are available with factory assembled post kits, vented or solid shelves and high density casters and bumpers. Full track and extension kits ship complete with required hardware. Stationary Starter Units are required to anchor the system at both ends. Choose from a wide selection (see pages 98-99).



Only available from Cambro European Logistics (CEL), Germany and Cambro Özay Turkey.

Raised Floor Track provides a smooth and level surface to easily roll mobile units. Raised track ensures dirt will not get trapped and is easy to clean. Aluminum track and stainless steel hardware are rust resistant.


* It is recommended to use a stationary unit for every 4,5 m of track to further



Grooved casters roll easily and securely on raised track.




Raised track connects easily to the bottom of a stationary unit that works as a system anchor. No bolts, no glue or drilling into the floor are required. Easy and fast set up.



4-Shelf Vented High Density Mobile Starter Units

Units include 2 mobile post kits, 4 shelf kits, 4 high density casters and 4 high density bumpers.




HEIGHT*	DEPTHS	LENGTHS
1	2	5
1790 mm * Includes 127 mm casters.	500 mm 600	900 mm 1000 1100 1200 1300



Ships in

4-Shelf Solid High Density Mobile Starter Units

Units include 2 mobile post kits, 4 shelf kits, 4 high density casters and 4 high density bumpers.



HEIGHT*	DEPTHS	LENGTHS
1	2	5
1790 mm * Includes 127 mm casters.	500 mm 600	900 mm 1000 1100 1200 1300





Full Track and Extension Kits

Aluminum raised track kits and track extensions ship complete in 1 box. Each kit includes all stainless steel hardware necessary to complete a floor installation.

It is highly recommended to install a stationary starter unit every 4,5 m of track to further stabilize the system.



Full Track	Track Extension
LENGTHS	LENGTHS
3	3
3,05 m	1,38 m
3,05 m 3,66	1,38 m 1,53
,	,





CODE	DESCRIPTION	CASE Pack
Floor Track Kit		
CSMHDTK10	3,05 m Track for 3 Mobile Units*	1
CSMHDTK12	3,66 m Track for 4 Mobile Units*	1
CSMHDTK145	4,42 m Track for 5 Mobile Units*	1
Floor Track Extension		
CSMHDTKE4	1,38 m Track Extension	1
CSMHDTKE5	1,53 m Track Extension	1
CSMHDTKE6	1,83 m Track Extension	1
Accessories		
CSHDFF	Floor Fastener	4

Color: Silver (000). *Based on 600 mm deep mobile units.




ALL FLOOR TRACK KIT AND EXTENSION SIZES: (000)

4-Shelf Vented High Density Mobile Units

\$4 4-Shelf Solid High Density Mobile Units

Units include 2 mobile post kits, 4 shelf kits, 4 high density casters and 4 high density bumpers. Units ship complete in 6 boxes.

1790 MM HEIGHT




500 mm

CODE	DIMENSIONS D x L x H (MM)
MPHU5917V4PKG	500 x 980 x 1790
MPHU51017V4PKG	500 x 1080 x 1790
MPHU51117V4PKG	500 x 1180 x 1790
MPHU51217V4PKG	500 x 1280 x 1790
MPHU51317V4PKG	500 x 1380 x 1790

600 mm

MPHU6917V4PKG	600 x 980 x 1790
MPHU61017V4PKG	600 x 1080 x 1790
MPHU61117V4PKG	600 x 1180 x 1790
MPHU61217V4PKG	600 x 1280 x 1790
MPHU61317V4PKG	600 x 1380 x 1790

Color: Speckled White (490).



CODE	DIMENSIONS D x L x H (MM)
MPHU5917S4PKG	500 x 980 x 1790
MPHU51017S4PKG	500 x 1080 x 1790
MPHU51117S4PKG	500 x 1180 x 1790
MPHU51217S4PKG	500 x 1280 x 1790
MPHU51317S4PKG	500 x 1380 x 1790

MPHU6917S4PKG	600 x 980 x 1790
MPHU61017S4PKG	600 x 1080 x 1790
MPHU61117S4PKG	600 x 1180 x 1790
MPHU61217S4PKG	600 x 1280 x 1790
MPHU61317S4PKG	600 x 1380 x 1790

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

ALL SIZES: (490)

High Density Caster with Donut Bumper

Grooved caster rolls easily and securely on raised track. Donut bumper protects mobile units from coming into direct contact with each other.

CODE	SIZE (MM)
MPMCHD	127
Case Pack: 2	Color: Grey (000).

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

MPMCHD: (000)





CAMSHELVING ELEMENTS series

WHY CHOOSE **ELEMENTS?**

Made from a revolutionary, extremely strong composite material with a smooth, easy to clean surface. Elements Series is stronger than common wire shelving. It's lighter in weight than Camshelving Premium Series and totally impervious to moisture, chemicals and liquids that can destroy shelving over time. Elements Series is designed for medium to heavy storage use in freezers, coolers, dry storage or warewashing areas. It easily supports the performance demands of a busy foodservice operation.



All Environments -38°C TO 88°C

Stationary

Mobile

camguard

ANTIMICROBIAL SHELF PLATES

















Post Connectors, Corner Connectors, Seismic Foot, Wall Fastener, Identification Tags, Single Shelf Security Cage, Tray Slide Rack, and Shelf Divider Bars are not NSF Listed. storage needs

MEDIUM to **HEAVY**

weekly deliveries


5 - 7




Camshelving® Elements Series

Stationary Unit Sizes

Mobile Unit Sizes



4 Shelf Unit Weight Bearing Chart



^{*} Dunnage Stands add stability and increase weight bearing capacity on bottom shelf only. Add to any shelf length. Highly recommended for Starter Units 1380 mm and longer, all Corner Units, U-Shape Units and units specified for heavier loads (see page 92).

^{**} Due to the weight bearing capacity of casters, maximum weight load on an entire Mobile Unit is 340 kg.

Camshelving® Elements Series


Starter, Add-On and Mobile Units

These units make ordering easy and saves time and labor during installation. Units ship complete in one box. Post kits are pre-assembled at the factory, speeding up on site set up.



4-Shelf Vented Stationary Starter and Add-On Units

Starter units include 2 factory assembled post kits and shelves. Add-On units include 1 factory assembled post kit and shelves.



HEIGHTS	DEPTHS	LENGT	HS
3	3	8	
1630 mm	460 mm	610 mm	1220 mm
1830	540	760	1380
2140	610	910	1530
		1070	1830




4-Shelf Solid Stationary Starter and Add-On Units

Starter units include 2 factory assembled post kits and shelves.

Add-On units include 1 factory assembled post kit and shelves.





HEIGHTS	DEPTHS	LENGTH	IS
3	3	8	
1630 mm	460 mm	610 mm	1220 mm
1830	540	760	1380
2140	610	910	1530
		1070	1830






4-Shelf Vented and Solid Stationary Starter and Add-On Units (3 vented + 1 solid)

Starter units include 2 factory assembled post kits and shelves.

Add-On units include 1 factory assembled post kit and shelves.

Install solid shelf on bottom to prevent water/cleaning solutions from sloshing up onto stored products. Install solid shelf on top to protect product stored on lower shelves from condensation in cooler.






HEIGHTS	DEPTHS	LENGTI	HS
3	3	8	
1630 mm 1830 2140	460 mm 540 610	760 910	1220 mm 1380 1530
		1070	1830



5-Shelf Vented Stationary Starter and Add-On Units

Starter units include 2 factory assembled post kits and shelves. Add-On units include 1 factory assembled post kit and shelves.



HEIGHTS	DEPTHS	LENGTH	1S
3	3	8	
1630 mm	460 mm	610 mm	1220 mm
1830	540	760	1380
2140	610	910	1530
		1070	1830





5-Shelf Solid Stationary Starter and Add-On Units

Starter units include 2 factory assembled post kits and shelves.

Add-On units include 1 factory assembled post kit and shelves.



HEIGHT	DEPTHS	LENGTH	IS
1	3	8	
2140 mm	460 mm	610 mm	1220 mm
	540	760	1380
	610	910	1530
		1070	1830



5-Shelf Vented and Solid Stationary Starter And Add-On Units (4 vented + 1 solid)

Starter units include 2 factory assembled post kits and shelves.

Add-On units include 1 factory assembled post kit and shelves.

Install solid shelf on bottom to prevent water/cleaning solutions from sloshing up onto stored products. Install solid shelf on top to protect product stored on lower shelves from condensation in cooler.




HEIGHT	DEPTHS	LENGTH	18
1	3	8	
2140 mm	460 mm 540 610	610 mm 760 910 1070	1220 mm 1380 1530 1830



4 or 5-Shelf Vented Mobile Starter Units

Mobile starter units include 2 factory assembled mobile post kits, shelves and 4 premium swivel casters with total locking brake.



HEIGHTS*	DEPTHS	LENGTHS	
2	3	5	
1778 mm 1980 * Includes 127 mm casters.	460 mm 540 610	910 mm 1380 1070 1530 1220	



Visit the Camshelving Microsite at www.cambro.com/camshelving for product information and pricing on ALL available shelving products. View or download the Camshelving Specification and Price List. Or scan QR code.



ELEMENTS SERIES

V4 4-Shelf Vented Units


1630 mm **HEIGHT**

Starter units include 2 factory assembled stationary post kits, stationary traverses, stationary traverse dovetails and shelf plates. Add-On units include 1 factory assembled stationary post kit, stationary traverses, stationary traverse dovetails and shelf plates. Units ship complete in 1 box.

Starter

Add-On





4	bl	mm
	DEP1	

100

DIMENSIONS

DxLxH(MM)
460 x 610 x 1630
460 x 760 x 1630
460 x 910 x 1630
460 x 1070 x 1630
460 x 1220 x 1630
460 x 1380 x 1630
460 x 1530 x 1630
460 x 1830 x 1630

CODE
ESU182464V4
ESU183064V4
ESU183664V4
ESU184264V4
ESU184864V4
ESU185464V4
ESU186064V4
ESU187264V4

CODE
EA182464V4
EA183064V4
EA183664V4
EA184264V4
EA184864V4
EA185464V4
EA186064V4
EA187264V4

EA212464V4 EA213064V4 EA213664V4 EA214264V4 EA214864V4 EA215464V4 EA216064V4 EA217264V4

540 x 610 x 1630	ESU212464V4
540 x 760 x 1630	ESU213064V4
540 x 910 x 1630	ESU213664V4
540 x 1070 x 1630	ESU214264V4
540 x 1220 x 1630	ESU214864V4
540 x 1380 x 1630	ESU215464V4
540 x 1530 x 1630	ESU216064V4
540 x 1830 x 1630	ESU217264V4

610 x 1630	ESU212464V4
760 x 1630	ESU213064V4
910 x 1630	ESU213664V4
1070 x 1630	ESU214264V4
1220 x 1630	ESU214864V4
1380 x 1630	ESU215464V4
1530 x 1630	ESU216064V4
1830 x 1630	ESU217264V4

DEPTH		
610 x 610 x 1630	ESU242464V4	EA242464V4
610 x 760 x 1630	ESU243064V4	EA243064V4
610 x 910 x 1630	ESU243664V4	EA243664V4
610 x 1070 x 1630	ESU244264V4	EA244264V4
610 x 1220 x 1630	ESU244864V4	EA244864V4
610 x 1380 x 1630	ESU245464V4	EA245464V4
610 x 1530 x 1630	ESU246064V4	EA246064V4
610 x 1830 x 1630	ESU247264V4	EA247264V4

Color: Brushed Graphite (580).

ELEMENTS SERIES


V4 4-Shelf Vented Units

1830 mm HEIGHT

Starter units include 2 factory assembled stationary post kits, stationary traverses, stationary traverse dovetails and shelf plates. Add-On units include 1 factory assembled stationary post kit, stationary traverses, stationary traverse dovetails and shelf plates. Units ship complete in 1 box.

Starter





DIMENSIONS D x L x H (MM)	CODE
460 x 610 x 1830	ESU182472V4
460 x 760 x 1830	ESU183072V4
460 x 910 x 1830	ESU183672V4
460 x 1070 x 1830	ESU184272V4
460 x 1220 x 1830	ESU184872V4
460 x 1380 x 1830	ESU185472V4
460 x 1530 x 1830	ESU186072V4
460 x 1830 x 1830	ESU187272V4

CODE
EA182472V4
EA183072V4
EA183672V4
EA184272V4
EA184872V4
EA185472V4
EA186072V4
EA187272V4

540 x 610 x 1830	ESU212472V4	EA212472V4
540 x 760 x 1830	ESU213072V4	EA213072V4
540 x 910 x 1830	ESU213672V4	EA213672V4
540 x 1070 x 1830	ESU214272V4	EA214272V4
540 x 1220 x 1830	ESU214872V4	EA214872V4
540 x 1380 x 1830	ESU215472V4	EA215472V4
540 x 1530 x 1830	ESU216072V4	EA216072V4
540 x 1830 x 1830	ESU217272V4	EA217272V4

610 x 610 x 1830	ESU242472V4
610 x 760 x 1830	ESU243072V4
610 x 910 x 1830	ESU243672V4
610 x 1070 x 1830	ESU244272V4
610 x 1220 x 1830	ESU244872V4
610 x 1380 x 1830	ESU245472V4
610 x 1530 x 1830	ESU246072V4
610 x 1830 x 1830	ESU247272V4

EA242472V4
EA243072V4
EA243672V4
EA244272V4
EA244872V4
EA245472V4
EA246072V4
EA247272V4

ELEMENTS SERIES

V5 5-Shelf Vented Units


2140 mm HEIGHT

Starter units include 2 factory assembled stationary post kits, stationary traverses, stationary traverse dovetails and shelf plates. Add-On units include 1 factory assembled stationary post kit, stationary traverses, stationary traverse dovetails and shelf plates. Units ship complete in 1 box.

Starter

Add-On





4	6	U	mm
	DE	PTI	1

DIMENSIONS

D X L X II (IVIIVI)
460 x 610 x 2140
460 x 760 x 2140
460 x 910 x 2140
460 x 1070 x 2140
460 x 1220 x 2140
460 x 1380 x 2140
460 x 1530 x 2140

CODE
ESU182484V5
ESU183084V5
ESU183684V5
ESU184284V5
ESU184884V5
ESU185484V5
ESU186084V5
ESU187284V5

CODE
EA182484V5
EA183084V5
EA183684V5
EA184284V5
EA184884V5
EA185484V5
EA186084V5
EA187284V5

540 mm

460 x 1830 x 2140

540 x 610 x 2140
540 x 760 x 2140
540 x 910 x 2140
540 x 1070 x 2140
540 x 1220 x 2140
540 x 1380 x 2140
540 x 1530 x 2140
540 x 1830 x 2140

ESU212484V5 ESU213084V5 ESU213684V5 ESU214284V5 ESU214884V5 ESU215484V5
ESU213684V5 ESU214284V5 ESU214884V5
ESU214284V5 ESU214884V5
ESU214884V5
FSII215484V5
20021010110
ESU216084V5
ESU217284V5

EA212484V5
EA213084V5
EA213684V5
EA214284V5
EA214884V5
EA215484V5
EA216084V5
EA217284V5

610 mm

610 x 610 x 2140	ESU242484V5
610 x 760 x 2140	ESU243084V5
610 x 910 x 2140	ESU243684V5
610 x 1070 x 2140	ESU244284V5
610 x 1220 x 2140	ESU244884V5
610 x 1380 x 2140	ESU245484V5
610 x 1530 x 2140	ESU246084V5
610 x 1830 x 2140	ESU247284V5

Color: Brushed Graphite (580).

EA242484V5
EA243084V5
EA243684V5
EA244284V5
EA244884V5
EA245484V5
EA246084V5
EA247284V5

ELEMENTS SERIES

V4 4-Shelf Vented Mobile Units

Mobile units include 2 factory assembled mobile post kits, mobile traverses, mobile traverse dovetails, shelf plates, and 4 premium swivel casters with total locking brake. Units ship complete in 1 box.

1778 mm HEIGHT

460 mm

540 mm DEPTH

610 mm

1980 mm HEIGHT

460 mm

540 mm

610 mm



CODE	DIMENSIONS D x L x H (MM)
UUDL	DALAH (MM)
EMU183670V4	460 x 910 x 1778
EMU184270V4	460 x 1070 x 1778
EMU184870V4	460 x 1220 x 1778
EMU185470V4	460 x 1380 x 1778
EMU186070V4	460 x 1530 x 1778
EMU213670V4	540 x 910 x 1778
EMU214270V4	540 x 1070 x 1778
EMU214870V4	540 x 1220 x 1778
EMU215470V4	540 x 1380 x 1778
EMU216070V4	540 x 1530 x 1778
EMU243670V4	610 x 910 x 1778
EMU244270V4	610 x 1070 x 1778
EMU244870V4	610 x 1220 x 1778
EMU245470V4	610 x 1380 x 1778
EMU246070V4	610 x 1530 x 1778

EMU183678V4	460 x 910 x 1980
EMU184278V4	460 x 1070 x 1980
EMU184878V4	460 x 1220 x 1980
EMU185478V4	460 x 1380 x 1980
EMU186078V4	460 x 1530 x 1980
EMU213678V4	460 x 910 x 1980
EMU214278V4	460 x 1070 x 1980
EMU214878V4	460 x 1220 x 1980
EMU215478V4	460 x 1380 x 1980
EMU216078V4	460 x 1530 x 1980
EMU243678V4	460 x 910 x 1980
EMU244278V4	460 x 1070 x 1980
EMU244878V4	460 x 1220 x 1980
EMU245478V4	460 x 1380 x 1980
EMU246078V4	460 x 1530 x 1980



Bottom Shelf Dunnage Stands

Increase weight bearing capacity on bottom shelf only. Add to any shelf length. Highly recommended for starter units 1380 mm and longer and all corner units, intermediate units and units specified for heavier load volume on and off bottom shelves.


CODE	DIMENSIONS D x H* (MM)
Dunnage Stand - Low	D X II (IIIII)
EDS14H6	360 x 165
EDS18H6	460 x 165
EDS21H6	540 x 165
EDS24H6	610 x 165
Dunnage Stand - Tall	
EDS14H10	360 x 267
EDS18H10	460 x 267
EDS21H10	540 x 267
EDS24H10	610 x 267
Case Pack: 1 Color: Brushed Graphite (58	30).





Corner Connectors

Unique patented design ensures maximum shelf space utilization. Use 1 set per shelf to connect starter and add-on units in corners. Connect 4 or 5 intermediate shelves between 2 starter units (2 sets required per shelf). Available as a single set or 8 or 10 set packs.



Identification Tags

Clip onto shelf traverses to clearly identify stored product. Made of highly durable plastic with a clear slide in front panel. Labels included.

CODE	DESCRIPTION	DIMENSION H x L (MM)
CSID6	152 mm ID Tag	25 x 152
CSID3	76 mm ID Tag	25 x 76

Case Pack: 12 Color: White / Clear.





Wall Fastener

Use to secure stationary shelving unit to a wall for added safety and stability where required. Made of stainless steel. Screws not included.

CODE	DIMENSION D x L x H (MM)
CSWF	73 x 238 x 48
Case Pack A	Color: Silver (000)





Seismic Foot

Secure stationary unit posts directly to the floor for added safety and stability where required. Made of stainless steel. Bolts not included.

CODE	DIMENSION D x L x H (MM)
CSEQ3	102 x 83 x 59
Case Pack: /	Color: Silver (000)





Premium Caster

Ideal in all areas of storage, especially coolers, freezers and/or wet areas. Made of highly durable, non-corrosive plastic with a 127 mm swivel, non-marking thermoplastic rubber wheel. Total locking brake locks both swivel motion and the wheel.

CODE		SIZE (MM)
EMCWB		127
Case Pack. 2	Color, Grey (000)	





Donut Bumper

Offers added protection during transport and when maneuvering mobile units into place against walls or alongside other units for storage.

CODE	DIAMETER (MM)
CSMHDDB	127
Case Pack. /	Color, Grey (000)





Shelf Divider

Stack and separate items stored on shelves. Made of highly durable ABS plastic. Installs directly onto solid or vented shelves. Easily removable for relocating or washing.

CODE	DIMENSION D x H (MM)
CSSD188	460 x 203
CSSD218	540 x 203
CSSD248	610 x 203
Occa Dook 1	

Case Pack: 1 Color: Soft Grey (151).

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

ALL SIZES: (151)





Shelf Divider Bars (for 610 mm deep shelf only)

Create a custom service or storage station for food pans, boxes or dish racks. Install straight or angled dividers directly onto shelf traverses.

CODE	DESCRIPTION		
EDBA	Angled Divider Bar		
EDBS	Straight Divider Bar		

Case Pack: 4

Color: Speckled Grey (480).





Tray Sliding Rack (for 610 mm deep shelf only)

Holds up to 6 each full size (1826) 46 x 66 cm or 12 half size (1318) 32 x 45 cm sheet pans or trays. Install 1 or more units onto vented shelves, any length. High quality, lightweight aluminum material is safe for use in coolers and freezers. Made from aluminum 6463 (6000 series).

CODE	DIMENSION D x L x H (MM)
CSTSR	584 x 517 x 508
Case Pack: 1	Color: Silver (000)





Single Shelf Security Cage (for 610 mm deep shelf only)

Securely store valuable products on a single shelf. Made of heavy duty, 304 stainless steel for use in any environment. Requires 457 mm height between shelves. Install on vented shelves only. Lock not included.

CODE	DIMENSION D x L x H (MM)	
CSSC244818	640 x 1080 x 460	

Case Pack: 1 Color: Silver (000).



Shelf Traverses

Available in single or double packs, stationary or mobile. Use two traverses to add an open shelf for divider bars or drying cradles. Add one stationary traverse onto back posts of a stationary unit for extra support when placing rolling equipment under the first shelf. Traverse dovetails included.

Stationary Traverse

LENGTH (MM)	SINGLE PACK Code*	DOUBLE PACK Code**
610	ETR24	_
760	ETR30	_
910	ETR36	ETR362PK
1070	ETR42	ETR422PK
1220	ETR48	ETR482PK
1380	ETR54	ETR542PK
1530	ETR60	ETR602PK
1830	ETR72	_

*Case Pack: 1 **Case Pack: 2 Color: Brushed Graphite (580).



LENGTH (MM)	SINGLE PACK Code*	DOUBLE PACK CODE**
910	EMTR36	EMTR362PK
1070	EMTR42	EMTR422PK
1220	EMTR48	EMTR482PK
1380	EMTR54	EMTR542PK
1530	EMTR60	EMTR602PK

*Case Pack: 1 **Case Pack: 2 Color: Brushed Graphite (580).





Dome Drying and Storage Cradle (for 540 mm deep shelf only)

Use to dry and safely store up to 10 patient meal delivery domes or plate covers upright. Installs directly onto shelf traverses. Made of highly durable ABS plastic. Available in single or 5 pack.

CODE	DIMENSIONS D x L x H (MM)	CASE Pack
CSDDC	520 x 415 x 86	1
CSDDC5	520 x 415 x 86	5

Color: Soft Grey (151).



Vertical Drying and Storage Cradle (for 610 mm deep shelf only)

Modular 7-slot rack designed for drying and storing trays, sheet pans, cutting boards and lids. Installs directly onto shelf traverses. Made of highly durable ABS plastic. Available in single or 3 pack.

DIMENSIONS D x L x H (MM)	CASE Pack
597 x 260 x 95	1
597 x 260 x 95	3
	D x L x H (MM) 597 x 260 x 95

Color: Soft Grey (151).

STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN** WAREHOUSE

CSDR7, CSDR73: (151)



Vertical Drying and Storage Rack

Promotes sanitary drying, safe handling and efficient product organization with easy access to product.

Units ship complete with factory assembled mobile post kits, 6 mobile shelf traverses, mobile shelf traverse dovetails, 12 or 15 vertical drying cradles and premium swivel casters with total locking brake. Assembly required.

CODE	DIMENSIONS Dxlxh (MM)	HOLDING Capacity
EMU244878DRPKG	610 x 1220 x 1980	84 trays
EMU246078DRPKG	610 x 1530 x 1980	105 trays

Color: Brushed Graphite (580).



1220 mm long unit ships in



1530 mm long unit ships in





Angled Drying and Storage Cradle (for 610 mm deep shelf only)

Uniquely designed cradle holds up to 8 each meal delivery pellets or use to dry, store and transport food pans and other commercial kitchen ware. Installs directly onto shelf traverses. Made of highly durable ABS plastic. Available in single or 4 pack.

CODE	DIMENSIONS D x L x H (MM)	CASE Pack
CSDR8	592 x 263 x 160	1
CSDR84	592 x 263 x 160	4
Color: Soft G	Grey (151).	



STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN WAREHOUSE**

CSDR8, CSDR84: (151)

Angled Drying and Storage Rack

Promotes sanitary drying, safe handling and efficient product organization with easy access to product.

Unit ships complete with factory assembled mobile post kits, 8 mobile shelf traverses, mobile shelf traverse dovetails, 16 angled drying cradles and premium swivel casters with total locking brake. Assembly required.

CODE	DIMENSIONS D x L x H (MM)	HOLDING Capacity
EMU244878PDPKG	610 x 1220 x 1980	128 Pellets and Bases
		or 16 GN 1/1 Food Pans

Color: Brushed Graphite (580).



CAMSHELVING BASICS series

WHY CHOOSE BASICS?

Just because the budget is tight and storage needs are less rigorous, it doesn't mean that shelving performance and storage efficiencies should be compromised. Basics Series is made from the same high performing, strong composite material as Elements Series and has the same design features. It's lighter in weight and less in cost but still strong enough to handle light to medium storage demands.



All Environments -38°C TO 88°C

Stationary













Post Connectors, Corner Connectors, Seismic Foot, Wall Fastener, Identification Tags, Single Shelf Security Cage, and Tray Slide Rack are not NSF Listed.



storage needs


LIGHT to **MEDIUM**

weekly deliveries


2 - 5

Camshelving® Basics Series

Stationary Unit Sizes



4 Shelf Unit Weight Bearing Chart



^{*} Dunnage Stands add stability and increase weight bearing capacity on bottom shelf only. Add to any shelf length. Highly recommended for Starter Units 1380 mm and longer, all Corner Units, U-Shape Units and units specified for heavier loads (see page 92).

Camshelving® Basics Series


Starter, and Add-On Units

These units make ordering easy and saves time and labor during installation. Units ship complete in one box. Post kits are pre-assembled at the factory, speeding up on site set up.



4-Shelf Vented Stationary Starter and Add-On Units

Starter units include 2 factory assembled post kits and shelves. Add-On units include 1 factory assembled post kit and shelves.



HEIGHTS	DEPTHS	LENGTHS	
3	3	6	
1630 mm	460 mm	760 mm 1220 m	ım
1830	540	910 1380	
2140	610	1070 1530	





4-Shelf Solid Stationary Starter and Add-On Units

Starter units include 2 factory assembled post kits and shelves.

 $\begin{array}{lll} {\rm Add\text{-}On\ units\ include\ 1\ factory} \\ {\rm assembled\ post\ kit\ and\ shelves.} \end{array}$



HEIGHTS	DEPTHS	LENGTHS	
3	3	6	
1630 mm	460 mm	760 mm 1220 r	nm
1830	540	910 1380	
2140	610	1070 1530	





4-Shelf Vented and Solid Stationary Starter and Add-On Units (3 vented + 1 solid)

Starter units include 2 factory assembled post kits and shelves.

Add-On units include 1 factory assembled post kit and shelves.

Install solid shelf on bottom to prevent water/cleaning solutions from sloshing up onto stored products. Install solid shelf on top to protect product stored on lower shelves from condensation in cooler.



HEIGHIS	DEPIHS	LENGIHS	
3	3	6	
1630 mm	460 mm	760 mm 1220 mm	1
1830	540	910 1380	
2140	610	1070 1530	



5-Shelf Vented Stationary Starter and Add-On Units

Starter units include 2 factory assembled post kits and shelves. Add-On units include 1 factory assembled post kit and shelves.



HEIGHTS	DEPTHS	LENGTHS	
3	3	6	
1630 mm	460 mm	760 mm 1220 mi	n
1830	540	910 1380	
2140	610	1070 1530	





5-Shelf Solid Stationary Starter and Add-On Units

Starter units include 2 factory assembled post kits and shelves. Add-On units include 1 factory assembled post kit and shelves.



HEIGHT	DEPTHS	LENGT	HS	
1	3	6		
2140 mm	460 mm	760 mm	1220 mr	n
	540	910	1380	
	610	1070	1530	





5-Shelf Vented and Solid Stationary Starter And Add-On Units (4 vented + 1 solid)

Starter units include 2 factory assembled post kits and shelves.

Add-On units include 1 factory assembled post kit and shelves.

Install solid shelf on bottom to prevent water/cleaning solutions from sloshing up onto stored products. Install solid shelf on top to protect product stored on lower shelves from condensation in cooler.



HEIGHT	DEPTHS	LENGTHS	
1	3	6	
2140 mm	460 mm 540	760 mm 1220 mm	n
	610	1070 1530	







BASICS SERIES

4-Shelf Vented Units

1630


HEIGHT

Starter units include 2 factory assembled post kits and shelves. Add-on units include 1 factory assembled post kit and shelves. Units ship complete in 1 box.

Starter

Add-On





DEPTH

DIMENSIONS D x L x H (MM)
460 x 760 x 16

460 x 760 x 1630
460 x 910 x 1630
460 x 1070 x 1630
460 x 1220 x 1630
460 x 1380 x 1630
460 x 1530 x 1630

CODE	CODE
CBU183064V4	CBA183064V4
CBU183664V4	CBA183664V4
CBU184264V4	CBA184264V4
CBU184864V4	CBA184864V4
CBU185464V4	CBA185464V4
CBU186064V4	CBA186064V4

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

CBU183664V4, CBU184264V4, CBU184864V4, CBA183664V4, CBA184264V4, CBA184864V4, CBU214864V4, CBU213664V4, CBU214264V4, CBU214864V4, CBU21 CBA213664V4, CBA214264V4, CBA214864V4, CBU243664V4, CBU244264V4, CBU244864V4, CBA243664V4, CBA244264V4, CBA244864V4: (580)

540 x 760 x 1630
540 x 910 x 1630
540 x 1070 x 1630
540 x 1220 x 1630
540 x 1380 x 1630
540 x 1530 x 1630

CBU213064V4	CBA213064V4
CBU213664V4	CBA213664V4
CBU214264V4	CBA214264V4
CBU214864V4	CBA214864V4
CBU215464V4	CBA215464V4
CBU216064V4	CBA216064V4

610 x 760 x 1630	CBU243064V4	CBA243064V4
610 x 910 x 1630	CBU243664V4	CBA243664V4
610 x 1070 x 1630	CBU244264V4	CBA244264V4
610 x 1220 x 1630	CBU244864V4	CBA244864V4
610 x 1380 x 1630	CBU245464V4	CBA245464V4
610 x 1530 x 1630	CBU246064V4	CBA246064V4

Color: Brushed Graphite (580).

BASICS SERIES

4-Shelf Vented Units

1830


HEIGHT

Starter units include 2 factory assembled post kits and shelves. Add-on units include 1 factory assembled post kit and shelves. Units ship complete in 1 box.

Starter

Add-On





DIMENSIONS D x L x H (MM)	CODE	CODE
460 x 760 x 1830	CBU183072V4	CBA183072V4
460 x 910 x 1830	CBU183672V4	CBA183672V4
460 x 1070 x 1830	CBU184272V4	CBA184272V4
460 x 1220 x 1830	CBU184872V4	CBA184872V4
460 x 1380 x 1830	CBU185472V4	CBA185472V4
460 x 1530 x 1830	CBU186072V4	CBA186072V4

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

All SIZES EXCEPT 760 MM LENGTH: (580)

540 x 760 x 1830	CBU213072V4	CBA213072V4
540 x 910 x 1830	CBU213672V4	CBA213672V4
540 x 1070 x 1830	CBU214272V4	CBA214272V4
540 x 1220 x 1830	CBU214872V4	CBA214872V4
540 x 1380 x 1830	CBU215472V4	CBA215472V4
540 x 1530 x 1830	CBU216072V4	CBA216072V4

610 x 760 x 1830	CBU243072V4	CBA243072V4
610 x 910 x 1830	CBU243672V4	CBA243672V4
610 x 1070 x 1830	CBU244272V4	CBA244272V4
610 x 1220 x 1830	CBU244872V4	CBA244872V4
610 x 1380 x 1830	CBU245472V4	CBA245472V4
610 x 1530 x 1830	CBU246072V4	CBA246072V4

BASICS SERIES

V5 5-Shelf Vented Units


2140 Mm HEIGHT

Starter units include 2 factory assembled post kits and shelves. Add on units include 1 factory assembled post kit and shelves. Units ship complete in 1 box.

Starter

Add-On





460 mm

DIMENSIONS D x L x H (MM)		
460 x 760 x 2140		
460 x 910 x 2140		
460 x 1070 x 2140		
460 x 1220 x 2140		
460 x 1380 x 2140		
460 x 1530 x 2140		

CODE
CBU183084V5
CBU183684V5
CBU184284V5
CBU184884V5
CBU185484V5
CBU186084V5

CODE	
CBA183084V5	
CBA183684V5	
CBA184284V5	
CBA184884V5	
CBA185484V5	
CBA186084V5	

540 mm

540 x 760 x 2140	CBU213084V5	CBA213084V5
540 x 910 x 2140	CBU213684V5	CBA213684V5
540 x 1070 x 2140	CBU214284V5	CBA214284V5
540 x 1220 x 2140	CBU214884V5	CBA214884V5
540 x 1380 x 2140	CBU215484V5	CBA215484V5
540 x 1530 x 2140	CBU216084V5	CBA216084V5

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

CBU213684V5, CBU214884V5, CBU216084V5, CBA213684V5, CBA214884V5, CBA216084V5, CBU243684V5, CBU244884V5, CBU246084V5, CBU243684V5, CBU244884V5, CBU246084V5, (580)

610 mm

610 x 760 x 2140	CBU243084V5	CBA243084V5
610 x 910 x 2140	CBU243684V5	CBA243684V5
610 x 1070 x 2140	CBU244284V5	CBA244284V5
610 x 1220 x 2140	CBU244884V5	CBA244884V5
610 x 1380 x 2140	CBU245484V5	CBA245484V5
610 x 1530 x 2140	CBU246084V5	CBA246084V5

Color: Brushed Graphite (580).

Camshelving® Basics Series Accessories

Bottom Shelf Dunnage Stands

Increase weight bearing capacity on bottom shelf only. Add to any shelf length. Highly recommended for starter units 1380 mm and longer and all corner units, intermediate units and units specified for heavier load volume on and off bottom shelves.



CODE	DIMENSIONS D x H* (MM)
Dunnage Stand - Low	
CBDS18H6	460 x 171
CBDS21H6	540 x 171
CBDS24H6	610 x 171
Dunnage Stand - Tall	
CBDS18H10	460 x 273
CRDS21H10	5/10 v 273



CBDS18H10 460 x 273
CBDS21H10 540 x 273
CBDS24H10 610 x 273
Case Pack: 1

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

CBDS18H6, CBDS21H6, CBDS24H6: (151)

Color: Brushed Graphite (580).

Shelf Traverses

Available in single or double packs. Use a single set to add an open shelf for divider bars or drying racks. Add single traverses onto back posts for extra support when placing rolling equipment under the first shelf.



*Case Pack: 1 **Case Pack: 2 Color: Brushed Graphite (580).


Camshelving® Basics Series Accessories

Corner Connectors

Unique patented design ensures maximum shelf space utilization. Use 1 set per shelf to connect starter and add-on units in corners. Connect 4 or 5 intermediate shelves between 2 starter units (2 sets required per shelf). Available as a single set or 8 or 10 set packs.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

CBCC1: (580)



Identification Tag

Clip onto shelf traverses to clearly identify stored product. Made of highly durable plastic with a clear slide in front panel. Labels included.

CODE	DESCRIPTION	SIZE (MM)
CBID6	152 mm ID Tag	25 x 152
Casa Dac	k. 12 Color, White	/ Clear





Wall Fastener

Use to secure stationary shelving unit to a wall for added safety and stability where required. Made of stainless steel. Screws not included.

CODE	DIMENSION D x L x H (MM)
CSWF	73 x 238 x 48

Case Pack: 4 Color: Silver (000).





Seismic Foot

Secure stationary unit posts directly to the floor for added safety and stability where required. Made of stainless steel. Bolts not included.

CODE	DIMENSION D x L x H (MM)
CSEQ3	102 x 83 x 59
Coco Book. A	Color Cilver (000)





Shelf Divider

Stack and separate items stored on shelves. Made of highly durable ABS plastic. Installs directly into solid or vented shelves. Easily removeable for relocating or washing.

CODE	SIZE (MM)
CSSD188	460 x 203
CSSD218	540 x 203
CSSD248	610 x 203
Case Pack: 1	Color: Soft Grey (151).

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

ALL SIZES: (151)





Camshelving® Basics Series Accessories

Tray Sliding Rack (for 610 mm deep shelf only)

Holds up to 6 each full size (1826) 46 x 66 cm or 12 half size (1318) 32 x 45 cm sheet pans or trays. Install 1 or more units onto vented shelves, any length. High quality, lightweight aluminum material is safe for use in coolers and freezers. Made from aluminum 6463 (6000 series).

CODE		DIMENSION D x L x H (MM)			
CST	ΓSR				584 x 517 x 508
_	_	 	_		

Case Pack: 1 Color: Silver (000).





Single Shelf Security Cage (for 610 mm deep shelf only)

Securely store valuable products on a single shelf. Made of heavy duty, 304 stainless steel for use in any environment. Requires 457 mm height between shelves. Install on vented shelves only. Lock not included.

CODE	DIMENSION D x L x H (MM)
CSSC244818	640 x 1080 x 457
Case Pack: 1	Color: Silver (000).



Vertical Drying and Storage Cradle (for 610 mm deep shelf only)

Modular 7-slot rack designed for drying and storing trays, sheet pans, cutting boards and lids. Installs directly onto shelf traverses. Made of highly durable ABS plastic. Available in single or 3 pack.

CODE	DIMENSIONS D x L x H (MM)	CASE Pack		
CSDR7	597 x 260 x 95	1		
CSDR73	597 x 260 x 95	3		
Color, Coff Croy (151)				

Color: Soft Grey (151).

STOCK PRODUCTS & **COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

CSDR7, CSDR73: (151)



Dome Drying and Storage Cradle (for 540 mm deep shelf only)

Use to dry and safely store up to 10 patient meal delivery domes or plate covers upright. Installs directly onto shelf traverses. Made of highly durable ABS plastic. Available in single or 5 pack.

CODE	DIMENSIONS D x L x H (MM)	CASE Pack
CSDDC	520 x 415 x 86	1
CSDDC5	520 x 415 x 86	5
00000	320 X 413 X 00	J

Color: Soft Grey (151).



Angled Drying and Storage Cradle (for 610 mm deep shelf only)

Uniquely designed cradle holds up to 8 each meal delivery pellets or use to dry, store and transport food pans and other commercial kitchen ware. Installs directly onto shelf traverses. Made of highly durable ABS plastic. Available in single or 4 pack.

CODE	DIMENSIONS D x L x H (MM)	CASE Pack		
CSDR8	592 x 263 x 160	1		
CSDR84	592 x 263 x 160	4		
Color, Soft Croy (151)				

Color: Soft Grey (151).



STOCK PRODUCTS & **COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE**

CSDR8, CSDR84: (151)

Camshelving® Wall Shelves and Shelf Extenders

Wall Shelves

- Expand storage space in kitchens, above work stations and sinks.
- Features virtually indestructible I-beam supports that hold up to 68 kg per shelf.
- Durable polypropylene withstands temperatures up to 88°C, and will not rust or corrode.
- Snap fit rail design allows shelves to snap on and off for easy cleaning.
- 5 cm backsplash and marine front edge controls spills and cross contamination.

Shelf Extenders

- Convert empty wall space into a functional storage area.
- Use with or without Camshelving Wall Shelves.
- Peg strips withstand temperatures up to 88°C, and will not rust or corrode

Wall Shelf Color: Speckled Grey (480).

Extender Peg Strip Color: Black (110).











Shelf Extenders ship in one carton and include:

LENGTH	PEG STRIPS	BRACKETS	HOOKS
91 cm	3	2	6
122 cm	3	3	9

STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN** WAREHOUSE

CSWS1436SK, CSWS1448SK, CSWS1836SK, CSWS1848SK: (480)

CSWS48EK



CODE	CSWS1436SK	CSWS1448SK	CSWS1436VK	CSWS1448VK
DESCRIPTION	91 cm Wall Shelf, Solid	122 cm Wall Shelf, Solid	91 cm Wall Shelf, Vented	122 cm Wall Shelf, Vented
EXTERIOR DIMENSIONS L x D x H	91 x 36 x 34 cm	122 x 36 x 34 cm	91 x 36 x 34 cm	122 x 36 x 34 cm

Case Pack: 1



CODE	CSWS1836SK	CSWS1848SK	CODE
DESCRIPTION	91 cm Wall Shelf, Solid	122 cm Wall Shelf, Solid	DESCRIPTION
EXTERIOR DIMENSIONS L x D x H	91 x 46 x 34 cm	122 x 46 x 34 cm	EXTERIOR DIMENSIONS L x D x H
Case Pack: 1			Case Pack: 1

DESCRIPTION	91 cm Shelf Extender	122 cm Shelf Extender
EXTERIOR DIMENSIONS L x D x H	90 x 5 x 39 cm	121 x 5 x 39 cm

CSWS36EK

Case Pack: 1

S-Series Dunnage Racks and Camlink®



S-Series Dunnage Racks

- Keep frozen, cold or dry inventory 30,5 cm safely off the floor.
- One piece construction and sturdy legs provide strength and stability.
- Heavy duty polypropylene is safe to -38°C, and will not rust, corrode or bend.
- Choose slotted tops for maximum air circulation around perishable products.
- Solid tops catch spills for easy clean up.

Colors: Dark Brown (131), Speckled Gray (480).







DRS300, DRS360, DRS480, DRS600: (480)




CODE	EXTERIOR DIMENSIONS H x D x W	LOAD Capacity
Solid Top		
DRS30	30 x 53,3 x 76 cm	680 kg
DRS36	30 x 53,3 x 91,5 cm	680 kg
DRS48	30 x 53,3 x 122 cm	1,360 kg
DRS60	30 x 53,3 x 152,5 cm	1,360 kg
Slotted Top		
DRS300	30 x 53,3 x 76 cm	680 kg
DRS360	30 x 53,3 x 91,5 cm	680 kg
DRS480	30 x 53,3 x 122 cm	1,360 kg
DRS600	30 x 53,3 x 152,5 cm	1,360 kg

Case Pack: 1

Camlink

Camlink connectors securely lock dunnage racks together for greater stability.





Color: Black (110).

Camlink fits all sizes and styles. One free Camlink supplied with every Dunnage Rack.









FOOD STORAGE & TA PREPARATION



Food Storage & Preparation

Quick Guide To Storage Solutions

 ${\bf Polycarbonate~CamSquare}^{\otimes}~{\bf Food~Storage~Containers}$

Polycarbonate Round Food Storage Containers

Polycarbonate Food Storage Boxes

Polycarbonate Food Pans

Polycarbonate Colander Pans

H-Pans™ High Heat Food Pans

H-Pan™ Colander Pans

Translucent Polypropylene Gastronorm Food Pans

ColdFest® Gastronorm Food Pans, Crocks, Covers &

StoreSafe® Food Rotation Labels

Pizza Dough Boxes

Ingredient Bins & Camcrisper®

Polycarbonate Scoops & Measuring Cups



Quick Guide To Storage Solutions





Storage Containers

CamSquares® Food Storage Containers

Keeps food fresh and maximizes storage areas.

7	3	2
SIZES	MATERIALS	LID TYPES



ColdFest®

Holds cold food at safe temperatures without ice for hours.

4	1	1	5	
SIZES	DEPTH	MATERIAL	LID TYPES	



Round Food Storage Containers

Store ingredients or transport ready to serve or partially prepared foods.

8	3	4
SIZES	MATERIALS	LID TYPES



Store dry bulk ingredients such as flour and grain.

6	1	3
CAPACITIES	COLOR	LID TYPES



Food Storage Boxes

Safely store bulk produce, meat, poultry and seafood.





Materials

Polycarbonate

Virtually unbreakable polycarbonate material will not crack, bend or dent.
Withstands temperatures from -40°C to 99°C.

High Heat H-Pans™

High heat material is safe for use in microwaves, ovens and steam tables. Withstands extreme temperatures from -40°C to 149°C.

Polypropylene

Translucent polypropylene material provides a high chemical resistance.
Withstands temperatures from -40°C to 70°C.

Polyethylene

High chemical and impact resistant material. Withstands temperatures from -40°C to 70°C.

ABS

High-performance and impact resistant material. Ideal for temperatures at or below 4°C.













Food Pans

Polycarbonate Food Pans

Store, transport and serve all in one pan. Virtually unbreakable polycarbonate will not crack, bend or dent. Withstands temperatures from -40°C to 99°C.



7	4	3	7
SIZES	DEPTHS	COLORS	LID TYPES

Translucent Food Pans

An economical choice for storage and serving. Ideal for use in cold and ambient environments. Withstands temperatures from -40°C to 70°C.



6	2	1	4
SIZES	DEPTHS	COLOR	LID TYPES

High Heat H-Pans™

Pans can go from prep to cooler to oven to steam table. Withstands temperatures from -40°C to 149°C.



7	3	2	7
SIZES	DEPTHS	COLORS	LID TYPES

Colander Pans

Liquids drain away from food into the pan below for enhanced food quality and improved food safety.



4	2	2	3
SIZES	DEPTHS	MATERIALS	LID TYPES

Food Pan Lids

Covers protect contents better than plastic wrap or foil while saving time and money. Lids improve food safety and extend product freshness. Fit selected Polycarbonate, High Heat and Poly Food Pans.

FΙ	at	Cover
	uι	00101

Basic cover available in all pan sizes.



Cover with Handle

Deep molded handle provides secure grip. Available in Black and Clear.



Notched Cover with Handle

Notched cover allows utensils to remain in pan and off of potentially contaminated counters.



FlipLid®

Keeps contents covered yet flips up easily for service.



7 7 3 5 COLORS

Notched FlipLid

FlipLid with notch to rest spoon in contents with lid closed.



Seal Cover for Polycarbonate and Translucent Food Pans

Translucent seal covers provides an inner and outer seal, to protect food quality while eliminating the expense of plastic wrap.



GripLid®

Lid grips the side of the pan, reducing spills and points of cross contamination. Fits Polycarbonate and High Heat pans.



Polycarbonate CamSquare® Food Storage Containers

Maximize your storage area with CamSquare food storage containers. The square shape provides 33% better space usage than traditional round containers. Clear polycarbonate provides product visibility for at a glance inventory management. Seal covers feature an inner and outer seal for superior spill resistance, even during transport.

Note: All graduations are approximate.

Dimensions include handles.
















Tight fitting Seal Cover is spill resistant, saves expense & safer for employes to handle during transport.



Seal Covers for Polycarbonate CamSquare*

- Inner and outer seal provide excellent spill resistance.
- Includes a hole on the corner for hanging during storage.
- Translucent lid easily identifies contents.
- Withstands temperatures from -40°C to 70°C.
- * Seal covers only fit Polycarbonate Square Containers.





CamSquare® Translucent Polypropylene & Polyethylene Food Storage Containers

Translucent Polypropylene

- Translucent material provides some content visibility and high chemical resistance.
- Withstands temperatures from -40°C to 70°C.
- Easy to read graduations are printed on the outside for at a glance inventory management.

Note: All graduations are approximate.













Polyethylene

- Economical storage choice.
- Made of impact, stain and chemical resistant material.
- Withstands temperatures from -40°C to 70°C.

Note: All graduations are approximate.

















Covers for CamSquares

- Snap-tight polyethylene covers feature thumb tabs for easy removal.
- · Poly covers fit Polycarbonate, Translucent and Polyethylene CamSquare Containers.



Personalized Storage Products

Personalize food storage products to identify menu items, add fill lines for recipes, or use personalization in multiple languages to help ensure product quality and consistency.



Polycarbonate CamSquare® Food Storage Containers



















CODE	2SFSCW	4SFSCW	6SFSCW	8SFSCW	12SFSCW**	18SFSCW**	22SFSCW**
CAPACITY	1,9 L	3,8 L	5,7 L	7,6 L	11,4 L	17,2 L	20,8 L
DIM. L x W x H	18,5 x 18,5 x 10 cm	18,5 x 18,5 x 18,7 cm	21,5 x 21,5 x 18,5 cm	21,5 x 21,5 x 23 cm	25,6 x 31 x 21 cm	25,6 x 31 x 32 cm	25,6 x 31 x 40 cm

Case Pack: 6 Color: Clear (135). Height includes covers. ** Dimensions include handles.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

ALL POLYCARBONATE: (135)

Seal Covers for Polycarbonate CamSquare*



Case Pack: 6 Color: Translucent (190).

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

SFC2SCPP, SFC6SCPP, SFC12SCPP: (190)

Note: All graduations are approximate.

* Seal Covers only fit Polycarbonate CamSquare containers.

Personalization available on non-food contact areas only. See cresting section for information, ordering and pricing.















CamSquare® Translucent Polypropylene & Polyethylene Food Storage Containers





Translucent Polypropylene















CODE	2SFSPP	4SFSPP	6SFSPP	8SFSPP	12SFSPP**	18SFSPP**	22SFSPP**
CAPACITY	1,9 L	3,8 L	5,7 L	7,6 L	11,4 L	17,2 L	20,8 L
DIM. L x W x H	18,5 x 18,5 x 10 cm	18,5 x 18,5 x 18,7 cm	21,5 x 21,5 x 18,5 cm	21,5 x 21,5 x 23 cm	25,6 x 31 x 21 cm	25,6 x 31 x 32 cm	25,6 x 31 x 40 cm

Case Pack: 6 Color: Translucent (190). Height includes covers. ** Dimensions include handles.

STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN** WAREHOUSE

2SFSPP, 4SFSPP, 6SFSPP, 8SFSPP, 12SFSPP,

18SFSPP, 22SFSPP: (190)

Polyethylene















CODE	2SFSP	4SFSP	6SFSP	8SFSP	12SFSP**	18SFSP**	22SFSP**
CAPACITY	1,9 L	3,8 L	5,7 L	7,6 L	11,4 L	17,2 L	20,8 L
DIM. L x W x H	18,5 x 18,5 x 10 cm	18,5 x 18,5 x 18,7 cm	21,5 x 21,5 x 18,5 cm	21,5 x 21,5 x 23 cm	25,6 x 31 x 21 cm	25,6 x 31 x 32 cm	25,6 x 31 x 40 cm

Case Pack: 6 Color: Natural White (148). Height includes covers. ** Dimensions include handles.

Covers*			
CODE	SFC2	SFC6	SFC12
COLOR	Kelly Green (452)	Winter Rose (451)	Midnight Blue (453)
DESCRIPTION	Fits 1,9 & 3,8 L	Fits 5,7 & 7,6 L	Fits 11,4, 17,2 & 20,8 L

Case Pack: 6

SFC2: (452) SFC6: (451) SFC12: (453)

STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN WAREHOUSE**

Note: All graduations are approximate.

* Poly Covers fit Polycarbonate, Translucent and Polyethylene CamSquare Containers.

Personalization available on non-food contact areas only. See cresting section for information, ordering and pricing.











Polycarbonate Round Food Storage Containers

Store ingredients or transport ready to serve or partially prepared foods. Clear polycarbonate allows for easy content identification at a glance. Reduces risk of contamination and enhances food safety. Round shape promotes proper air circulation, ideal for stirring soups and sauces.

Note: All graduations are approximate.

Note: To order Round Food Storage Containers without imprinted graduations, simply add "N" to the end of the code number.

Lids are not interchangeable.



PRORATED











Seal Cover provides excellent spill resistance.



Polycarbonate Covers

- Snap on covers fit tightly.
- Stain resistant to food acids and oils.
- Withstands temperatures from -40°C to 99°C.



Round Seal Covers

- Inner and outer seal provide excellent spill resistance.
- Safe from -40°C to 70°C.
- Thumb tab for easy removal.



Translucent Polypropylene & Polyethylene Round Food Storage Containers

Translucent Polypropylene

- Translucent material offers some product visibility.
- Rounds are durable and resistant to stains.
- Withstands temperatures from -40°C to 70°C.
- Snap on covers fit tightly to protect contents and extend product freshness.

Note: All graduations are approximate.

Note: To order Round Food Storage Containers without imprinted graduations, simply add "N" to the end of the code number.

Lids are not interchangeable.















Polyethylene

- Impact, stain and chemical resistant material.
- An affordable storage choice.
- Safe from -40°C to 70°C.
- Snap on covers fit tightly yet are easily removed.

Note: All graduations are approximate.

Note: To order Round Food Storage Containers without imprinted graduations, simply add "N" to the end of the code number.

Lids are not interchangeable.















Polycarbonate Round Storage Containers



Polycarbonate

















CODE	RFSCW1	RFSCW2	RFSCW4	RFSCW6	RFSCW8	RFSCW12	RFSCW18	RFSCW22
CAPACITY	0,9 L	1,9 L	3,8 L	5,7 L	7,6 L	11,4 L	17,2 L	20,8 L
TOP DIAMETER	15,4 cm	20,8 cm	20,8 cm	25,2 cm	25,2 cm	37,8 cm	37,8 cm	37,8 cm
HEIGHT	12,7 cm	11,1 cm	21,8 cm	20,2 cm	27,6 cm	21,3 cm	30,5 cm	38,1 cm
CASE PACK	12	12	12	12	12	6	6	6

Color: Clear (135). Top diameter dimension includes handle. Height dimension includes cover. Two year warranty on Polycarbonate Rounds.



Polycarbonate Covers

DESCRIPTION	CASE Pack	CODE
Fits 0,9 L	12	RFSCWC1
Fits 1,9 L & 3,8 L	12	RFSCWC2
Fits 5,7 L & 7,6 L	12	RFSCWC6
Fits 11,4 L, 17,2 L & 20,8 L	6	RFSCWC12

Color: Clear (135).



Seal Covers for Polycarbonate Rounds

	CASE	
DESCRIPTION	PACK	CODE
Fits 0,9 L	12	RFS1SCPP
Fits 1,9 L & 3,8 L	12	RFS2SCPP
Fits 5,7 L & 7,6 L	12	RFS6SCPP
Fits 11,4 L, 17,2 L & 20,8 L	6	RFS12SCPP

Color: Translucent (190).

Translucent Polypropylene & Polyethylene Round Food Storage Containers



Translucent Polypropylene CODE RFS1PP RFS8PP RFS12PP RFS18PP RFS2PP RFS4PP RFS6PP RFS22PP 0.9 L 3.8 L 7.6 L 11.4 L 17,2 L 20.8 L CAPACITY 1.9 L 5.7 L 15,4 cm 25,2 cm 20,8 cm 20,8 cm 25,2 cm 37,8 cm 37,8 cm 37,8 cm TOP DIAMETER 12,7 cm 11,1 cm 21,8 cm 20,2 cm 27,6 cm 21,3 cm 30,5 cm 38,1 cm HEIGHT 12 12 12 12 12 6 6 6 **CASE PACK**

Color: Translucent (190). Top diameter dimension includes handle. Height dimension includes cover.

STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN** WAREHOUSE

RFS1PP, RFS2PP, RFS4PP, RFS6PP, RFS8PP, RFSC1PP, RFSC2PP, RFSC6PP: (190)

Polyethylene	7	1	#	Ŧ	+	+	-	+
CODE	RFS1	RFS2	RFS4	RFS6	RFS8	RFS12	RFS18	RFS22
CAPACITY	0,9 L	1,9 L	3,8 L	5,7 L	7,6 L	11,4 L	17,2 L	20,8 L
TOP DIAMETER	15,4 cm	20,8 cm	20,8 cm	25,2 cm	25,2 cm	37,8 cm	37,8 cm	37,8 cm
HEIGHT	12,7 cm	11,1 cm	21,8 cm	20,2 cm	27,6 cm	21,3 cm	30,5 cm	38,1 cm
CASE PACK	12	12	12	12	12	6	6	6
0-1 N-11WE'L- (140)	T 15 1	Control Control of the	and the state of the	and the first of a second				

Color: Natural White (148). Top diameter dimension includes handle. Height dimension includes cover.

Covers for Translucent Polypropylene Rounds

DESCRIPTION	CASE Pack	CODE
Fits 0,9 L	12	RFSC1PP
Fits 1,9 L & 3,8 L	12	RFSC2PP
Fits 5,7 L & 7,6 L	12	RFSC6PP
Fits 11,4 L, 17,2 L & 20,8 L	6	RFSC12PP

Color: Translucent (190).

Covers for Polyethylene Rounds

DESCRIPTION	CASE Pack	CODE
Fits 0,9 L	12	RFSC1
Fits 1,9 L & 3,8 L	12	RFSC2
Fits 5,7 L & 7,6 L	12	RFSC6
Fits 11,4 L, 17,2 L & 20,8 L	6	RFSC12

Color: Natural White (148).

Polycarbonate Food Storage Boxes Eliminate The Hazard Of Cross Contamination.

Extend the freshness of ingredients and eliminate points of cross contamination by transferring product into food boxes at the receiving dock. A safe solution for storing bulk fruits and vegetables. Clear polycarbonate allows visibility for product identification. Snap tight polycarbonate covers or SlidingLids™, sold separately, won't come off during transportation.

Polycarbonate and Poly Lids are not interchangeable.

SlidingLids are covered by the following U.S. Patents D 447,906 S & 6,540,098 B1.






















Polycarbonate Flat Lids

- Snap-tight covers won't come off during transport.
- Top molded-in rails for safer, more secure stacking.
- Durable polycarbonate is safe from -40°C to 99°C.



Polycarbonate SlidingLids fits Polycarbonate Food **Storage Boxes**

- · Lid slides back to easily access contents, minimizing handling.
- · Reduces the risk of cross contamination since lid remains on food box.
- Made of virtually unbreakable polycarbonate.



Polycarbonate & Polyethylene Food Storage Boxes

Polycarbonate ColanderKits™

- A complete food safety system packaged in one carton.
- Store raw meats, fish on ice or bulk produce safely.
- Juices and liquids drip into the food box below for quick and easy disposal.
- Reduces handling and risk of cross contamination.
- Kit consists of 1 each of 18269CW food box, 1 each 18268CLRCW colander, and 1 each 1826SCCW sliding lid.





Polycarbonate Colanders

- Enhances food quality and reduces risk of cross contamination.
- Liquids and juices drain directly into food box for improved food safety.
- Ideal for draining fruits and vegetables, thawing meat or poultry, or storing seafood on ice.



Polycarbonate Drain Shelves

- Lifts contents out of liquids to enhance food quality and freshness.
- Made of virtually unbreakable polycarbonate.

 Polycarbonate drain shelves fit in both Polycarbonate boxes and white poly boxes.



Polyethylene Food Storage Boxes

- Economical choice for storing bulk produce and ingredients.
- Impact, stain and chemical resistant material.
- Withstands temperatures from -40°C to 70°C.



Polycarbonate Safety Red and Yellow Food Storage Boxes

- Helps prevent cross-contamination between raw meats, poultry and other food products.
- Translucent red and yellow color clearly identifies product inside.
- Matching flat cover also available.



Polycarbonate Food Storage Boxes



Polycarbonate



CODE	18263CW	• :• ● 18266CW	18269CW
DIMENSIONS	46 x 66 x 9 cm	46 x 66 x 15 cm	46 x 66 x 23 cm
APPROX. CAPACITY	18,9 L	33,1 L	49,2 L
CASE PACK	6	6	4











CODE	182612CW	182615CW	12183CW	. • 12186CW	• : • 12189CW
DIMENSIONS	46 x 66 x 30 cm	46 x 66 x 38 cm	30,5 x 46 x 9 cm	30,5 x 46 x 15 cm	30,5 x 46 x 23 cm
APPROX. CAPACITY	64,4 L	83,3 L	6,6 L	11,4 L	18 L
CASE PACK	4	3	6	6	6

Color: Clear (135). 18266CW & 12186CW available in: ● Safety Red (467), : Safety Yellow (464).

Polycarbonate Covers









CODE	.:• ● 1826CCW FLAT LID	1826SCCW SLIDINGLID	∴ • 1218CCW FLAT LID	1218SCCW SLIDINGLID™
DIMENSIONS	45,7 x 66 cm	45,7 x 66 cm	30,5 x 45,7 cm	30,5 x 45,7 cm

Case Pack: 6 Color: Clear (135). 1826CCW & 1218CCW available in: ● Safety Red (467), ❖ Safety Yellow (464).


STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

18263CW, 18266CW, 18269CW, 182612CW, 182615CW, 12183CW, 12186CW, 12189CW, 1826CCW, 1826CCW, 1218CCW: (135)

Polyethylene Food Storage Boxes & Polycarbonate Accessories



Polyethylene Boxes













CODE	182612P	182615P	12183P	12186P	12189P
DIMENSIONS	46 x 66 x 30 cm	46 x 66 x 38 cm	30,5 x 46 x 9 cm	30,5 x 46 x 15 cm	30,5 x 46 x 23 cm
APPROX. CAPACITY	64,4 L	83,3 L	6,6 L	11,4 L	18 L
CASE PACK	4	3	6	6	6

Color: Natural White (148).

Polyethylene Covers





CODE	1826CP FLAT LID	1218CP FLAT LID
DIMENSIONS	45,7 x 66 cm	30,5 x 45,7 cm
Color: Natural White (148).	Case Pack: 6	

Polycarbonate and Polyethylene Lids are not interchangeable.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

1826DSCW, 1826CLRCW, 18268CLRCW: (135) 18269P, 182615P: (148)

Accessories











CODE	1826DSCW	1218DSCW	1826CLRCW (12,7 CM DEEP)	18268CLRCW (20 CM DEEP)	18268CLRKIT
DESCRIPTION	Drain Shelf	Drain Shelf	Colander	Colander	ColanderKit™
DIMENSIONS	Fits 46 x 66 cm Food Storage Boxes	Fits 30,5 x 46 cm Food Storage Boxes	Fits Polycarbonate Food Storage Boxes 46 x 66 x 15 cm and deeper	Fits Polycarbonate Food Storage Boxes 46 x 66 x 23 and deeper	One 20 cm Deep Colander One 46 x 66 x 23 cm Food Box One 46 x 66 cm SlidingLid™
CASE PACK	6	6	6	4	1 Kit

Color: Clear (135).

Polycarbonate Food Pans

Store, transport and serve all in one pan. Polycarbonate food pans are made from durable polycarbonate that will not crack, bend or dent. Precisely designed to Gastronorm GN specifications, with a bottom to reduce food waste. At half the cost of stainless steel, polycarbonate pans keep contents as cold as metal pans with less condensation. Pans stack neatly without wedging or sticking.

Polycarbonate GN pans are not recommended for steam table or microwave use. See H-Pan™ section for these high heat applications.

Colander Pan is covered by U.S. Patent D 528,376 S.

GN ⅓ long


GN 1/9

GN 1/2



Cold Test

Tests prove polycarbonate food pans keep products as cold as stainless steel. Stainless steel may feel colder, but as these test results demonstrate, polycarbonate food pans keep products just as cold for just as long.



Polycarbonate Gastronorm Food Pans Size, & Ordering Information


PAN

PAN

22CW



CONFIGURATIONS	CODE	DEPTH	CAPACITY
GN 1/1	12CW	6,5 cm	8,5 L
32,5 x 53 cm	14CW	10 cm	13,0 L
	16CW	15 cm	19,5 L
	18CW	20 cm	25,6 L
	10CWD	_	Drain Shelf



22LPCW 3 L GN ½ Long 6,5 cm 16,2 x 53 cm 24LPCW 5 L 10 cm 20LPCWD **Drain Shelf** Colors: Clear (135), White (148), Black (110). 18CW and 28CW available in Clear (135) only.

Drain Shelf Color: Clear (135). Colander Color: Clear (135).

All Polycarbonate GN Food Pans are made of FDA approved materials. All Polycarbonate GN Food Pans are designed to CEN Gastronorm Standard EN 631-1.

Personalization available on non-food contact areas only. See cresting section for information and ordering.



APPROXIMATE

3,9 L














GN 1/2 26.5 x 32.5 cm

6,5 cm 24CW 10 cm 5,9 L 26CW $15\ \mathrm{cm}$ 8,9 L 28CW 11,7 L 20 cm 20CWD **Drain Shelf**




GN 1/₃ 17,6 x 32,5 cm 32CW 6,5 cm 2,4 L 34CW 10 cm 3,6 L 36CW 5,3 L 15 cm 38CW 20 cm 6,9 L 30CWD **Drain Shelf**



GN 1/4 16,2 x 26,5 cm

42CW	6,5 cm	1,7 L
44CW	10 cm	2,5 L
46CW	15 cm	3,7 L
40CWD	_	Drain Shelf




16,2 x 17,6 cm

62CW	6,5 cm	1 L
64CW	10 cm	1,5 L
66CW	15 cm	2,2 L
60CWD	_	Drain Shelf



GN 1/8 16,12 x 13,17 cm

82CW	(Tear)	6,5 cm	0,7 L
84CW		10 cm	1,0 L
86CW	0	15 cm	1,5 L
80CWD		_	Drain Shelf



GN 1/9 10,8 x 17,6 cm

92CW	6,5 cm	0,57 L
94CW	10 cm	0,85 L
90CWD	_	Drain Shelf

Case Pack for all Pans: 6. Lids listed on following page. See next page for colanders.

STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN WAREHOUSE**

10CWD, 18CW, 20CWD, 28CW, 30CWD, 40CWD, 60CWD, 82CW, 84CW, 86CW, 80CWD, 92CW: (135)

12CW, 14CW, 16CW, 22LPCW, 24LPCW, 22CW, 24CW, 26CW, 32CW, 42CW, 44CW, 46CW, 62CW, 94CW: (135), (110)

36CW, 64CW, 66CW: (135), (110), (148) **34CW**, **38CW**: (135), (148)

Drain Shelves

- Support products and promotes drainage.
- Available to fit all pan sizes.





Polycarbonate Colander Pans

- · Rinse, drain and store all in one pan.
- · Liquids drain easily into the food pan below for enhanced food quality and reduced handling.
- Colanders simply lift out of the food pan for safe and quick disposal of liquids.
- Ideal for prepped produce, storing seafood on ice, and defrosting and storing meats and poultry.
- Polycarbonate flat covers, covers with handles and notched covers with handles fit on pans with colanders.

STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN** WAREHOUSE

13CLRCW, 15CLRCW, 23CLRCW, 25CLRCW, 33CLRCW, 63CLRCW: (135)

Colander Pans are covered by U.S. Patent D 569,169 S.

























Rinse Drain Store

CONFIGURATIONS	PAN CODE	COLANDER Depth	FITS Polycarbonate Pan Depth*
GN½	13CLRCW	7,6 cm	10 cm
32,5 x 53 cm	15CLRCW	12,7 cm	15 cm
GN½	23CLRCW	7,6 cm	10 cm
26,5 x 32,5 cm	25CLRCW	12,7 cm	15 cm
GN½	33CLRCW	7,6 cm	10 cm
17,6 x 32,5 cm	35CLRCW	12,7 cm	15 cm
GN½	63CLRCW	7,6 cm	10 cm
16,2 x 17,6 cm	65CLRCW	12,7 cm	15 cm
	Case Pack for all Pans: 6	Lids listed on following page.	* Fits this pan depth & deeper.



Polycarbonate Lid Sizes & Ordering Information



Flat Cover

Available in all pan sizes.



Cover with Handle

Deep molded handle provides secure grip. Also available in black to help block light, reducing discoloration of meats and cheeses. Helps maintain freshness.



Notched Cover with Handle

Easy access for ladles or spoons.



Seal Cover

Designed to fit Camwear polycarbonate and translucent Food Pans, our new Seal Covers feature an inner seal that provides superior spill resistance and maximizes product freshness.



FlipLid®

Flip up lid to easily access contents. Food can be held without getting dried out, increasing yields. Reduces points of cross contamination.



Notched FlipLid

Flip Lid with notch to rest spoon in contents with lid closed.



GripLid®

Molded-in polyurethane gasket on the lid grips the side of the food pan, reducing spills and points of cross-contamination.



STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

10PPCWSC, 20PPCWSC, 30PPCWSC, 40PPCWSC, 60PPCWSC, 80PPCWSC, 90PPCWSC: (438) 10CWC, 10CWCH, 10CWCH, 10CWGL, 20LPCWC, 20CWC, 20CWCH, 20CWCH, 20CWGL, 20CWLN, 30CWC, 30CWCH, 30CWCH, 30CWCH, 30CWCH, 30CWCH, 40CWC, 40CWCH, 60CWCH, 60CWCH, 60CWCH, 60CWCH, 60CWCH, 60CWCH, 90CWC: (135)

FITS PANS	LID Code		DESCRIPTION
GN ¹ / ₁	10CWC		Flat Cover
32,5 x 53 cm	10CWCH		Cover with Handle
	10CWCHN		Notched Cover with Handle
	10CWGL		GripLid
	10PPCWSC		Seal Cover
GN½ Long	20LPCWC		Flat Cover
16,2 x 53 cm			
GN ¹ / ₂	20CWC		Flat Cover
26,5 x 32,5 cm	20CWCH		Cover with Handle
	20CWCHN		Notched Cover with Handle
	20CWL		FlipLid
	20CWLN		Notched FlipLid
	20CWGL		GripLid
	20PPCWSC		Seal Cover
GN ¹ ∕ ₃	30CWC		Flat Cover
17,6 x 32,5 cm	30CWCH		Cover with Handle
	30CWCHN		Notched Cover with Handle
	30CWL		FlipLid
	30CWLN		Notched FlipLid
	30CWGL		GripLid
	30PPCWSC		Seal Cover
GN ¹ / ₄	40CWC		Flat Cover
16,2 x 26,5 cm	40CWCH		Cover with Handle
	40CWCHN		Notched Cover with handle
	40PPCWSC		Seal Cover
GN ¹ / ₆	60CWC		Flat Cover
16,2 x 17,6 cm	60CWCH		Cover with Handle
	60CWCHN		Notched Cover with Handle
	60CWL		FlipLid
	60CWLN		Notched FlipLid
	60CWGL		GripLid
	60PPCWSC		Seal Cover
GN ¹ / ₈	80CWC	(flew)	Flat Cover
16,12 x 13,17 cm	80CWCH		Cover with Handle
	80CWCHN		Notched Cover with Handle
	80PPCWSC		Seal Cover

GN¹/₉ 10,8 x 17,6 cm 90CWC Flat Cover
90CWCN Flat Notched Cover
90PPCWSC Seal Cover

Case pack for all lids : 6

Color: Clear (135). Seal Cover Color: Sheer Blue (438). Cover with Handle Colors: Clear (135), Black (110).

Personalization available on non-food contact areas only. See cresting section for information and ordering.

FlipLids are covered by U.S. Patent Des. 420,849, 422,838 & 427,012. GripLids are covered by U.S. Patent D 446,076 & Utility Patent 6,273,288 B1.














Gastronorm High Heat H-Pans™

Reduce handling and save expense with one pan that can go from prep to cooler to oven to steam table. H-Pans are designed to Gastronorm GN specifications. Unlike metal pans, H-Pans are safe for use in heating and holding applications. Ideal for heated carts, steam tables and chafing dishes. H-Pans have both standard and metric graduation markings to promote easy inventory management.

Colors: Amber (150), Black (110). H-Pans are made of FDA approved materials and are designed to CEN


Gastronorm Standard EN 631-1. Amber color may vary.





Gastronorm High Heat H-Pans™ Sizes & Ordering Information

PAN




CONFIGURATIONS	CODE	DEPTH	CAPACITY
GN½	12HP	6,5 cm	8,5 L
32,5 x 53 cm	14HP	10 cm	13,0 L
	16HP	15 cm	19,5 L
	10HPD	_	Drain Shelf

Colors: Amber (150), Black (110). Drain Shelf Color: Amber (150).

H-Pans are made of FDA approved materials and are designed to CEN Gastronorm Standard EN 631-1. Amber color may vary.

Personalization available on non-food contact areas only. See cresting section for information and ordering.



GN½ Long 16,2 x 53 cm

22LPHP	6,5 cm	3 L
24LPHP	10 cm	5 L
20LPHPD	_	Drain Shelf

PAN




APPROXIMATE












GN½ 26,5 x 32,5 cm

22HP	6,5 cm	3,9 L
24HP	10 cm	5,9 L
26HP	15 cm	8,9 L
20HPD	_	Drain Shelf

Drain Shelf


- Supports product and promotes drainage.
- Available to fit all food pan sizes.



GN⅓ 17,6 x 32,5 cm


32HP	6,5 cm	2,4 L
34HP	10 cm	3,6 L
36HP	15 cm	5,3 L
30HPD	_	Drain Shelf





GN¹/₄ 16,2 x 26,5 cm

42HP	6,5 cm	1,7 L
44HP	10 cm	2,5 L
46HP	15 cm	3,7 L
40HPD	_	Drain Shelf



GN½ 16,2 x 17,6 cm

62HP	6,5 cm	1 L
64HP	10 cm	1,5 L
66HP	15 cm	2,2 L
60HPD	_	Drain Shelf



GN1/8 16,12 x 13,17 cm

82HP		6,5 cm	0,7 L
84HP		10 cm	1,0 L
86HP		15 cm	1,5 L
80HPD	(New)	_	Drain Shelf



See next page for colanders.



GN½ 10,8 x 17,6 cm

92HP	6,5 cm	0,57 L
94HP	10 cm	0,85 L
90HPD	_	Drain Shelf

Case Pack: 6 Lids listed on following page.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

14HP, 16HP, 30HPD, 44HP, 60HPD, 62HP, 64HP, 84HP, 86HP: (150)
22LPHP, 24LPHP: (110)
12HP, 22HP, 24HP, 26HP, 34HP, 36HP, 66HP: (110), (150)

H-Pan™ Colander Pans

- Colanders drain liquids and grease away from hot foods, improving food quality.
- Ideal for reheating in microwaves and holding applications such as steam tables and buffet lines.
- Reduces handling and improves food safety.
- H-Pan flat covers, covers with handles and notched covers with handles fit on pans with colanders.









Steam

Hold Hot Foods

Drain

CONFIGURATIONS	PAN Code	COLANDER Depth	FITS H-PAN Depth*
GN½	13CLRHP	7,6 cm	10 cm
32,5 x 53 cm	15CLRHP	12,7 cm	15 cm
GN½	23CLRHP	7,6 cm	10 cm
26,5 x 32,5 cm	25CLRHP	12,7 cm	15 cm
GN¹∕₃	33CLRHP	7,6 cm	10 cm
17,6 x 32,5 cm	35CLRHP	12,7 cm	15 cm
GN½	63CLRHP	7,6 cm	10 cm
16,2 x 17,6 cm	65CLRHP	12,7 cm	15 cm
	Case Pack for all Pans: 6.	Lids listed on following page.	



^{*} Fits this pan depth & deeper.



H-Pan with Handles

- Full size 6,5 cm deep food pan with handles fits all leading manufacturers' hot holding bins.
- Two handles allow employees to reach the pan from either side of the unit for safe handling.
- Flat Cover, Cover with Handle and Notched Cover with Handle fit on pan.

12НРН

CONFIGURATIONS	PAN Code	PAN Depth	APPROXIMATE Capacity
GN ¹ / ₁	12HPH*	6,5 cm	8,42 L
32,5 x 53 cm	Case Pack: 6	Lids listed on following page	ge.

Case Pack: 6 Lids listed on following page.

Gastronorm High Heat H-Pan™ Lid Sizes & Ordering Information



Flat Cover

Available in all pan sizes.



FITS PANS	CODE	DESCRIPTION
GN½	10HPC	Flat Cover
32,5 x 53 cm	10HPCH	Cover with Handle
	10HPCHN	Notched Cover w/Handle
	10CWGL	GripLid
GN½ Long	20LPHPC	Flat Cover
100,450 am		

Cover with Handle

Deep molded handle gives secure grip.



16,2 x 53 cm		
GN½	20HPC	Flat Cover
26,5 x 32,5 cm	20HPCH	Cover with Handle
	20HPCHN	Notched Cover w/Handle
	20CWGL	GripLid
	20HPL	FlipLid
	20HPLN	Notched FlipLid

Notched Cover with Handle

Easy access for ladles or spoons.



GN ¹ ∕₃	
17,6 x 32,5	cm

30HPC	Flat Cover
30НРСН	Cover with Handle
30HPCHN	Notched Cover w/Handl
30CWGL	GripLid
30HPL	FlipLid
30HPLN	Notched FlipLid

FlipLid®

Flip up lid to easily access contents. Food can be held without getting dried out, increasing yields.



GN	1/4				
16	2	¥	26	5	۲n

40HPC	Flat Cover
40HPCH	Cover with Handle
40HPCHN	Notched Cover w/Handle

GN1/6

16,2 x 17,6 cm

60HPC	Flat Cover
60HPCH	Cover with Handle
60HPCHN	Notched Cover w/Hand
60CWGL	GripLid
60HPL	FlipLid
60HPLN	Notched FlipLid

16,12 x 13,17 cm

вонрс	New	Flat Cover
30НРСН	Rev	Cover with Handle
SUCHDUHN	(Second)	Notched Cover w/Handl

GN½

10,8 x 17,6 cm

90HPC	Flat Cover	

Case pack for all lids: 6

Notched FlipLid®

Flip Lid with notch to rest spoon in contents with lid closed.



Color: Amber (150). GripLid Color: Clear (135). Amber color may vary.

Personalization available on non-food contact areas only. See cresting section for information and ordering.

FlipLids are covered by U.S. Patent D 420,849, D 422,838, D 427,012 & D 6,273,288 B1.











10HPCH, 20HPC, 20HPCH, 80HPCH, 30HPC, **30HPCHN, 60HPCH, 60HPCHN:** (150) 10CWGL, 20CWGL, 30CWGL, 60CWGL: (135)

GripLid®

Molded-in polyurethane gasket on the lid grips the side of the food pan, reducing spills and points of cross-contamination.



Translucent Polypropylene Gastronorm Food Pans

- An economical choice for storing food.
- Translucent polypropylene material provides content visibility and high chemical resistance.
- Withstands temperature ranges from -40°C to 70°C.
- Meets Gastronorm GN food pan specifications.
- Non-stick smooth interior surfaces promotes easy cleaning.

Color: Translucent (190).

Graduation marks and capacities are approximate.

Full Size (GN1/1) Translucent Food Pans are not designed for use in front loading carriers UPC400, UPCS400, UPCH4002, UPC600, UPC800, UPCH8002, UPC1200, UPC1600, UPCH1600.

Camtherm® Carts or Combo Carts.

Translucent Food Pans are made of FDA approved materials.

Translucent Food Pans interstack with other Cambro Food Pans.

Personalization available on non-food contact areas only. See cresting section for information, ordering and pricing.

Translucent Pans are not designed for steam table use.





Ideal for transporting in Cambro top loading carriers.

UPC100 UPC140 UPC160

UPCS140 100MPC UPCS160 240MPC



Use Cambro StoreSafe® Food Rotation Labels on Translucent Food Pans to manage inventory and reduce waste.

Translucent Polypropylene Gastronorm Food Pans And Lids Sizes

	CONFIGURATIONS	PAN Code	PAN Depth	APPROXIMATE Capacity
	GN½	12PP* 🐷	6,5 cm	8,5 L
	32,5 x 53 cm	14PP	10 cm	13,0 L
		16PP	15 cm	19,5 L
		18PP*	20 cm	25,6 L
		10PPD	_	Drain Shelf
	GN½	22PP* 💮	6,5 cm	3 L
	26,5 x 32,5 cm	24PP	10 cm	5,9 L
		26PP	15 cm	8,9 L
		28PP*	20 cm	11,7 L
<u> </u>		20PPD	_	Drain Shelf
	GN¹∕₃	32PP 🔵	6,5 cm	2,4 L
	17,6 x 32,5 cm	34PP	10 cm	3,6 L
		36PP	15 cm	5,3 L
		38PP* 🔘	20 cm	6,9 L
		30PPD	_	Drain Shelf
	GN¹∕₄	42PP 💮	6,5 cm	1,7 L
	16,2 x 26,5 cm	44PP	10 cm	2,5 L
		46PP	15 cm	3,7 L
<u> </u>		40PPD		Drain Shelf
	GN¹⁄₅	62PP	6,5 cm	1 L
	16,2 x 17,6 cm	64PP	10 cm	1,5 L
) ⁻	, ,	66PP	15 cm	2,2 L
		60PPD		Drain Shelf
	CNIZ	0200	C.F.om	0.571
	GN ¹ / ₉ 10,8 x 17,6 cm	92PP 🔘	6,5 cm	0,57L
٧	10,0 % 17,0 0111	94PP	10 cm	0,85 L
			Only available from Ca	
			ermany and Cambro Ö	zay Turkey.
	FITS PANS	LID Code		RIPTION
	GN ¹ / ₁	10PPCH		w/ Handle
1.	32,5 x 53 cm	10PPCWSC 🔘	Seal	Cover
1/1	GN¹⁄₂	20PPCH	Cover	w/ Handle
	26,5 x 32,5 cm	20PPCWSC 🔘	Seal	
	GN⅓	30PPCH	Cover	w/ Handle
	17,6 x 32,5 cm	30PPCHN		ned Cover w/ Handle
1/3		30PPCWSC	Seal (
	GN ¹ / ₄	40PPCH	Cove	w/ Handle
	16,2 x 26,5 cm	40PPCWSC	Seal (
	CNIZ	CODDCII	0	
1/	GN⅓ 16,2 x 17,6 cm	60PPCHN		w/ Handle
1/4	10,2 A 17,0 GIII	60PPCHN 60PPCWSC	Notch Seal (ned Cover w/ Handle
		OOLLOWSO (अस्ता (∪∪√CI
	GN ¹ / ₉	90PPC	Flat (
1/6	10,8 x 17,6 cm	90PPCWSC 🔘	Seal (Cover
, ,		Case Pack for all	Lids: 6	

Color: Translucent (190).

All Translucent Gastronorm Food Pans are made of FDA approved materials.

All polypropylene GN Food Pans are designed to CEN Gastronorm Standard EN 631-1.











AVAILABLE IN OUR EUROPEAN WAREHOUSE


10PPD, 12PP, 14PP, 16PP, 18PP, 22PP, 24PP, 26PP, 28PP, 32PP, 34PP, 36PP, 38PP, 42PP, 44PP, 46PP, 62PP, 64PP, 66PP, 92PP, 94PP, 10PPSC, 20PPSC, 30PPSC, 40PPSC, 60PPSC, 90PPSC, 10PPCWSC, 20PPCWSC, 30PPCWSC, 40PPCWSC, 60PPCWSC, 90PPCWSC: (190)



Drain Shelf Available for all food pan sizes.

Cover with Handle

Available for all food pan sizes. Except for GN1/9 size.





Seal Cover

Translucent seal covers protect food quality while eliminating the expense of plastic wrap. Available for all pan sizes.

Flat Cover

Only available for GN1/9 food pans.

ColdFest® Gastronorm Food Pans, Crocks, Covers & Pumps



- · Keeps contents chilled at or below HACCP guidelines of 4°C without the use of messy ice.
- Freeze upside down for eight hours or overnight before filling with pre-chilled product.
- Half and third-size pans hold contents cold for up to eight hours. Sixth size pans and crocks hold contents cold for up to six hours.
- Conforms to Gastronorm exterior dimensions to fit standard food bars or make tables.
- Stackable to save space when freezing and storing.
- · Can be used for direct food contact with all types of food products.

Colors: Black (110), White (148). Flat Cover Color: Clear (135). Seal Cover Color: White (148) Pump with Cover Color: Clear (135).

Suggested holding times are based on tests with ambient room conditions of up to 23°C.

ColdFest is covered under U.S. Patent D 419.364.

* Pumps and round covers not NSF listed.

All ColdFest GN Food Pans are designed to CEN Gastronorm Standard EN 631-1.









STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN WAREHOUSE**

ALL PANS/CROCKS: (110), (148) 20CFC, 30CFC, 60CFC, CFPSRC10, CFPMRC10, CFPFRC10: (135)





Ideal in Cambro Salad bars or to chill condiments and creamers.

Pans / Crock









CODE	26CF	36CF	66CF	CFR18
CONFIGURATIONS	GN½ - 26,5 x 32,5 cm	GN⅓ - 17,6 x 32,5 cm	GN⅓ - 16,2 x 17,6 cm	ø 17,3 cm
DEPTH	15 cm	15 cm	15 cm	17 cm
APPROX. CAPACITY	6 L	3,5 L	1,4 L	1,6 L

Case Pack: 1



ColdFest Food Pans are made with high-impact resistant ABS shells and non-toxic refrigerant gel cores.

Covers					
CODE	20CFC	30CFC	60CFC	CFRC18*	CFRSC18
DESCRIPTION	Flat Cover	Flat Cover	Flat Cover	Flat Cover	Seal Cover
FITS COLDFEST	GN½	GN ¹ ∕₃	GN½	Crock	Crock

Case Pack: 2







Pumps with Covers

CODE	CFPSRC10*	CFPMRC10*	CFPFRC10*
DESCRIPTION	Standard Pump dispense 29,5 mL portions	Maxi Pump for chunky condiments	Fixed Nozzle Pump for controlled dispensing
DIMENSIONS W x D x H	18,4 x 22,8 x 28,5 cm	18,4 x 26 x 31,4 cm	18,4 x 29,5 x 29,8 cm

Case Pack: 1



StoreSafe® Food Rotation Labels

- Label and adhesive dissolve in less than 30 seconds.
- Run under hot or cold water or through the dishwasher.
- Safe for all sewer and septic systems and will not build up in drains.
- Withstands freezing temperatures as low as -40°C.
- · Withstands high heat temperatures up to 93°C for 4 hours.
- · Microwave safe.
- Leaves behind no sticky residue which can be a breeding ground for bacteria.
- Assists in a proper First In First Out (FIFO) food storage system.
- 100% dissolvable and biodegradable.

Label color: White (148).

* Available for ordering in cases only. No broken cartons.

100% biodegradable. FDA approved material.





cross contamination! No more scraping!

Eliminates sticky residue and prevents


Bulk Dispenser Pack

Retail Blister Pack

CASE CODE

LABEL SIZE

CASE PACK



Bulk Dispenser Pack - Half Size Labels

23SL

StoreSafe Label Blister Pack is covered by U.S. Patent 690,589 S.

5 x 7,6 cm

20 rolls, 100 labels per roll

Dissolves completely off all containers when placed through dishwasher or under running water.

STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN** WAREHOUSE

1252SLB250. 1252SLINB250. 23SLB250. 23SLINB250



labels per roll

23SLB250

5 x 7,6 cm

24 rolls, 250

Bulk Dispenser Pack - Blank Labels



CASE CODE

LABEL SIZE

CASE PACK



CASE CODE	23SLINB250
LABEL SIZE	5 x 7,6 cm
CASE PACK	24 rolls, 250 labels per roll

Laser Sheet





BOX CODE	SLL30 (Avery® 5160)
LABEL SIZE	2,54 x 6,35 cm
CASE PACK	100 sheets, 30 labels per sheet 21.6 x 27.9 cm sheet size

23SLB6250

5 x 7,6 cm

6 rolls, 250

labels per roll

Pizza Dough Boxes



Polypropylene

- Ideal for storing, transporting, proofing and cooling dough.
- · Lightweight, durable, and break resistant.
- Chemical resistant won't absorb odors and is easy to clean.
- Boxes nest tightly together to keep out dirt and contaminants, extending product freshness.
- The previous box acts as a tight lid for the box below, reducing the need and expense of covers.
- Withstands temperatures from -40°C to 70°C.

• Withstands temperatures from

-40°C to 99°C.

• Available in 7,62 cm

and 15,24 cm depths.

· Cover can be used as an 46 cm x 66 cm tray.

Color: White (148).

Polycarbonate & Polypropylene dough boxes do not inter stack

CD1826PDB Color: Coffee Beige (157), Brown(131), Black (110), Slate Blue (401), Grey (180).

* Polypropylene dough boxes are safe for use in high temperature dishwashers.

Caster Type A: 12,7 cm Casters: 2 fixed, 2 swivel, 1 with brake.













DB18263P, DBC1826P: (148)



Capacity: 136 kg Caster Type: A

Holds: DB18263CW, DB18266CW,

44,5 x 64,5 cm


DB18263P





Polycarbonate

- Prevents crusting to increase the storage life of dough.
- · Virtually unbreakable polycarbonate construction is reinforced on all sides.





- OUTSIDE INSIDE DIMENSIONS DIMENSIONS Polypropylene Pizza Dough Box DB18263P 46 x 66 x 7,6 cm 40,6 x 60,9 cm Polypropylene Cover DBC1826P 46 x 66 cm Polycarbonate Pizza Dough Boxes DB18263CW 46 x 66 x 7,6 cm 40,6 x 60,9 cm DB18266CW 46 x 66 x 15.3 cm 40,6 x 60,9 cm **Polycarbonate Cover** DBC1826CW 46 x 66 cm Case Pack: 6 Color: White (148).
- Camdolly® For Pizza Dough Boxes CD1826PDB** 50.5 x 71 x 26 cm
- Case Pack: 1 **Optional Strap Available. See Camdolly section for available colors.

Ingredient Bins & Camcrisper®

Ingredient Bins

- Store bulk dry ingredients such as flour and grain.
- Hygienic clear sliding lid reduces handling and allows for quick content identification.
- Bin made of FDA-accepted material so no liners are needed.
- Designed to fit under standard work tables.

Camcrisper

- A self-contained system for brining or storing, washing and transporting bulk produce.
- Prevents cross contamination and minimizes unnecessary handling.
- Transfer dry produce out of cartons into bin, cover and roll into cooler for safe storage.
- Wash and rinse produce for easy and safe prep.

7,6 cm Casters: 2 fixed, 2 swivel.

Color: White (148).

Scoops sold separately. S-Hook included.







STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

IBS20, IBS27, IBS37, IB32, IB44, CC32: (148)





Casters feature wide wheels for excellent stability and weight bearing capability.









CODE	IBS20	IBS27	IBS37	IBSF27
DIMENSIONS W x L x H	33 x 75 x 71 cm	42 x 75 x 71 cm	55 x 75 x 71 cm	33 x 76,5 x 72,5 cm
CAPACITY	81 L	102 L	140 L	102 L
CUBIC METER	0,081	0,102	0,140	0,101
LOAD CAPACITY (SUGAR)	77 kg	103 kg	143 kg	98 kg
LOAD CAPACITY (FLOUR)	63 kg	68 kg	102 kg	68 kg

Case Pack: 1









CODE	IB32	IB36	IB44	CC32 (Camcrisper)
DIMENSIONS W x L x H	56 x 61 x 58,5 cm	39 x 75 x 74 cm	47 x 75 x 74 cm	56 x 61 x 58,5
CAPACITY	121 L	129 L	161 L	121 L
CUBIC METER	0,123	0,134	0,160	0,123
LOAD CAPACITY (SUGAR)	98 kg	114 kg	145 kg	24 lettuce heads (unfinished)
LOAD CAPACITY (FLOUR)	73 kg	82 kg	104 kg	42 lettuce heads (finished)

Case Pack: 1

Polycarbonate Scoops & Measuring Cups

Polycarbonate Scoops

- Virtually unbreakable polycarbonate will not dent, chip or rust.
- Molded-in sure grip handle includes a hole for hanging.
- Ideal for use with Cambro Ice Caddies and Ingredient Bins.

Color: Clear (135).

Personalization not available.









STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

ALL POLYCARBONATE SCOOPS: (135)

CODE	APPROXIMATE Capacity	CASE PACK
SCP6CW	170 g	12
SCP12CW	340 g	12
SCP24CW	680 g	12
SCP64CW	1814 g	6



Polycarbonate Measuring Cups

- Externally marked graduations are molded in and imprinted in red for American standard and blue for metric for easy measurement.
- Durable, virtually unbreakable polycarbonate will not dent, ensuring an accurate measurement every time.
- Molded-in handle will not break off.

Color: Clear (135).

Personalization available on non-food contact areas only. See cresting section for information and ordering.









STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

100MCCW, 200MCCW, 400MCCW: (135)

CODE	CAPACITY	CASE PACK
25MCCW	225 mL (dry measure)	12
50MCCW	0,5 L	12
100MCCW	1 L	12
200MCCW	2 L	12
400MCCW	4 L	1





Table Service

Polycarbonate Dinnerware

Versa Camcovers®

Polycarbonate Camcovers

Promote Your Brand

Polycarbonate Pitchers

Aliso® Barware, Goblets and Dessert Glass

Cambro® Tumblers and Disposable CamLids®

CamView® Camliters

Beverage Dispenser, Pail with Bail & Swirl Bowls®

Polycarbonate Wine Buckets,

Punch Bowls & Bud Vase



Polycarbonate Dinnerware



- Virtually unbreakable Polycarbonate resists stains, odors and scratches.
- Textured surface on salad and dinner plates for long wear.
- Ideal for schools, cafeterias, day care centers and healthcare
- Mug and stacking cup can be personalized.





























Oval Platters & Compartment Plates









CODE	90SPCW	120CWP	93CW	HK93BCW
DIAMETER	22,9 x (H) 4 cm	30,5 x 22,9 cm	22,9 cm	24,1 cm
DESCRIPTION	Round, Soup Bowl	Oval, Narrow Rim	Narrow Rim	Narrow Rim
CASE PACK	48	24	48	12

^{*}HK93BCW is available in Beige (133) only. Not recommended for microwave use.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

10CW, 10CWNR, 55CWNR, 825CWNR, 90SPCW, 9CWNR, 50CW, 60CW, 65CWNR, 75CW, 96CW, 100CW, 150CW: (148), (401) 10CWL: (135) 35CW, 45CW, 725CWNR: (148)

Plates













CODE	10CWNR	9CWNR	825CWNR	725CWNR	65CWNR	55CWNR
DIAMETER	25,4 cm	22,9 cm	21 cm	18,4 cm	16,5 cm	14 cm
DESCRIPTION	Narrow Rim	Narrow Rim	Narrow Rim	Narrow Rim	Narrow Rim	Narrow Rim
DESCRIPTION	Natiow Mill	Natiow Mill	Natiow Killi	Natiow Kill	Natiow Kill	Natiow Killi

Not recommended for microwave use.

Bowls















Optional lid available

CODE	10CW	10CWL	35CW	45CW	50CW	60CW	100CW	150CW
APPROX. CAPACITY	278 mL	_	252 mL	150 mL	452 mL	322 mL	370 mL	494 mL
DESCRIPTION	Square Bowl	Lid for 10CW Bowl	Bouillon	Fruit Cup	Nappie Bowl	Grapefruit Bowl	Nappie Bowl	Square Bowl
CASE PACK	48	48	48	48	48	48	48	48
SHAPE	Square	Square	Round	Round	Round	Round	Round	Top/Round Bottom/Square
OUTSIDE DIAMETER	10,2 x 10,2 cm	_	9,8 cm	11,7 cm	13,3 cm	15,2 cm	12,5 cm	Top: 13,3 cm Bottom: 6,4 x 6,4 cm
HEIGHT	4,8 cm	_	5,4 cm	3,3 cm	5,4 cm	4 cm	24,3 cm	5,7 cm

Not recommended for microwave use.

Mug & Cup






CODE	75CW	96CW
APPROX. CAPACITY	239 mL	288 mL
DESCRIPTION	Stacking Cup	Mug
CASE PACK	48	48
MAX DIA./HEIGHT	10,3* cm / 8 cm	10,6* cm / 9,5 cm
FULL SIZE CAMRACK®	16C414	16C414

^{*} Maximum diameter includes handles. Not recommended for microwave use.

Heat Keepers







HK93CW is available in Beige (133). HK39 is available in Antique White (148). Not recommended for microwave use.



HK93PMC

Camcarrier® for HK93CW available by special request. Call Cambro Customer Service for more information.

Versa Camcovers®

Serve hot food hot with the Versa Camcover, an elegant and efficient alternative to traditional metal covers.

- Withstands temperatures up to 149°C.
- Covers remain cool to the touch for easy handling.
- Lighter and quieter than metal covers.
- Elegant appearance without polishing.



- Keeps food warm longer than metal covers.
- Available in a variety of sizes in round and square.

Colors: Ivory (380), Granite Gray (191), Antique Parchment (101).

For help selecting the correct size plate cover, refer to the Camcover Sizing Guide on our website at www.cambro.com.
Or, send one of your plates to Cambro Customer Service for sizing.

Made of fiberglass material, microwave











OUTSIDE INSIDE CASE CODE DIAMETER PACK HEIGHT Square 85SFVS 20,91 cm 7,0 cm 12 978SFVS 25,4 cm 7,0 cm 12 Round **68VS** 16,5 cm 5,6 cm 12 86VS 21,0 cm 6,7 cm 12 91VS 12 23,2 cm 6,8 cm 913VS 6,8 cm 12 24,9 cm 95VS 23,7 cm 6,8 cm 12 12 99VS 24,3 cm 6,7 cm 911VS 24,6 cm 7,0 cm 12 100VS 6,8 cm 25,4 cm 12 103VS 25,9 cm 6,8 cm 12 105VS 12 26,2 cm 6,8 cm 106VS 7,2 cm 12 26,4 cm 1010VS 27,0 cm 6,8 cm 12 1012VS 27,3 cm 6,8 cm 12 1014VS 27,6 cm 6,8 cm 12 116VS 28,9 cm 8,1 cm 12 120VS 12 30,5 cm 7,3 cm 124VS 7,3 cm 12 31,1 cm

Polycarbonate Camcovers®

- Food stays hot and appetizing without re-heating.
- Ideal for use in heated carts up to 99°C.*
- Virtually unbreakable polycarbonate will not dent or scratch.
- Lightweight for quiet service.
- Saves on labor with no polishing required.

Colors: Clear (135), Amber (153), Beige (133), Silver (486).

For help selecting the correct size plate cover, refer to the Camcover Sizing Guide on our website at www.cambro.com.
Or, send one of your plates to Cambro Customer Service for sizing.

*Not recommended for microwave use.











STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

900CW, 905CW, 909CW, 9011CW, 1000CW, 1005CW, 1007CW, 1013CW, 1101CW, 1202CW: (152)



CODE	INSIDE Diameter	OUTSIDE Height	CASE Pack
806CW	21,4 cm	6,8 cm	12
900CW	23,2 cm	7,0 cm	12
901CW	23,7 cm	7,2 cm	12
905CW	24,1 cm	7,2 cm	12
909CW	24,8 cm	7,0 cm	12
9011CW	25,4 cm	7,3 cm	12
9013CW	25,4 cm	7,0 cm	12
1000CW	25,9 cm	6,8 cm	12
1005CW	26,8 cm	7,2 cm	12
1007CW	27,0 cm	7,0 cm	12
1013CW	27,5 cm	6,8 cm	12
1101CW	27,9 cm	6,8 cm	12
1202CW	30,8 cm	7,0 cm	12

Promote Your Brand

Personalize tumblers, barware, pitchers or other table service items with your logo or design. Use personalized drinkware in promotions.

Food storage products can also be personalized to identify menu items, add fill lines for recipes or to add instructions in multiple languages to help ensure product quality and consistency.



Look for this icon that identifies items that can be personalized.

IMPRINTING TABLE SERVICE AND STORAGE ITEMS

Sample Turnaround Time:

7-10 business days after receipt of approved artwork

Print Area: 6 mm to 10 cm, subject to printable area on each item

Full Case Quantity: No broken cartons

PERSONALIZATION CHARGES (NET)

Sample Charge: *** (Charge will be billed on sample order, credited on first purchase order)

Plate Charge: *** (Billed on sample order, one time charge)

Set-Up Charge: *** (Per order) Cost Per Imprint: *** per side

HOW TO ORDER A SAMPLE

1. Request a Sample

Contact your local Cambro representative to complete and submit your sample request to Cambro.

2. Provide Artwork

Provide ready to use artwork, digital format only. Completed sample request form must be submitted to Cambro PRIOR to artwork being sent. If artwork is incomplete, graphic support services are available at *** per hour.

3. Submit Artwork

E-mail artwork to your Cambro Rep or direct to Cambro at letsgetpersonal@cambro.com. Title e-mail subject with logo name and provide contact info.

File dimensions: 100% reproduction size, 300dpi resolution.

File type:

Adobe® Illustrator®, Photoshop®. File format: jpeg, tiff, and eps. Or mail digital artwork to: CEL - Attn: C.E.L. Customer Service. Kelterstrasse 51 72669 Unterensingen, Germany.

4. Questions regarding artwork? Tel: (49)7022-90-100-0; Ireland Tel: 1800 509 046; for UK Tel: 0800 587 0057 or Fax: (49)7022-90-100-19.

5. Sample Approval

A signed sample approval form must be faxed to Cambro customer service prior to processing any purchase orders. This form is included with each sample.

*** Contact your Cambro representative for pricing.



CHOOSE ANY ONE OF THESE STANDARD IMPRINT COLORS

Due to the catalog printing process, the colors shown may not be exact.



Yellow





Blue







Orange





White







Polycarbonate Pitchers

- Made of virtually unbreakable Polycarbonate.
- · Lightweight for easy handling.
- Exclusive ice-control contoured lip and pour spout reduce spills.
- Slotted base allows for complete and sanitary drying.

Color: Clear (135). P600CW is also available in Amber (153).

Capacities calculated to rim.

Personalization available. See cresting section for information, ordering and pricing.

PC34CW Stackable Pitcher is covered by the following U.S. Patent D 682,002 S.











PLEUCM

Laguna® pitcher with hammered texture that hides scratches. Pour liquids from front or ice and liquid from sides. Matching tumblers available.

P600CW, P480CW and P320CW

An industry standard. Broad base for stability, prevents tipping.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

P320CW, P34CW, P34LCW, P480CW, P600CW, P60CW, PL60CW, PE600CW, P64CW, PC64CW: (135)











CODE	P320CW	P480CW	P600CW	P60CW	PL60CW	
CAPACITY	0,95 L	1,4 L	1,8 L	1,8 L	1,8 L	
HEIGHT WITH SPOUT (CM)	17	20	20,5	23	20	
DIAMETER WITH HANDLE (CM)	14,5	16	17	18,5	17	

Case Pack: 6

PE600CW

Economy and lightweight design. Pour liquids from front or ice and liquid from sides.

P64CW

Tapered design and drip-proof spout.

PC64CW

Three position lid can strain ice, free pour or close to protect contents.

PC34CW

Stackable pitchers and lid with frosted design to hide scratches.

P34CW

Stackable Pitcher only. **P34LCW**Stackable Pitcher

Lid only.



CODE	PE600CW	P64CW	PC64CW	PC34CW	P34CW	P34LCW
CAPACITY	1,8 L	1,9 L	1,9 L	1 L	1 L	_
HEIGHT WITH SPOUT (CM)	20	23,5	24,8 with lid	19,05 with lid	16,8	5,11
DIAMETER WITH HANDLE (CM)	18,7	18,5	18,5	17	17	11,4

Case Pack: 6

Polycarbonate Aliso® Barware, Goblets and Dessert Glass

Aliso Barware replicates the look, heft and clarity of glass with shatterproof polycarbonate. The smooth seamless appearance makes Aliso Barware a stylish choice for casual dining, outdoor events or for poolside service.

- Barware items have large, heavy bases for stability.
- Bases designed for fast draining and complete drying.
- Chill or frost barware without concerns of thermal shock damage.

Color: Clear (135).

Capacities calculated to rim.

Personalization available. See cresting section for information, ordering and pricing.









ALL ALISO BARWARE, DG3CW, GB850CW, GB1200CW: (135)



























CODE	BWM10CW	BWW10CW	BWP14CW	BWB16CW	GB850CW	GB1200CW	DG3CW*
DESCRIPTION	Martini	Wine	Pilsner	Beer Mug	Goblet	Goblet	Dessert Glass
MAX DIAMETER	12,2 cm	7,5 cm	8,3 cm	12,1 cm	7 cm	7 cm	5,8 cm
MAX HEIGHT	17,5 cm	17,1 cm	24,3 cm	15,9 cm	15,9 cm	19,4 cm	7,7 cm
FULL SIZE CAMRACK®	9\$638	25\$638	25\$958	16S638	36S534	36\$738	49S318
CAPACITY TO RIM	310,5 mL	310,5 mL	458,4 mL	473 mL	266 mL	378 mL	100 mL
CASE PACK	12	24	24	12	24	24	72

^{*}Available for ordering in cases only. No broken cartons.

Cambro® Tumblers and Disposable CamLids®



- Disposable lids fit tightly on Cambro tumblers, avoiding spills.
- Lids have tumbler code imprinted on them for easy cross reference.
- Includes a cross slot for straws.
- Reusable tumblers provide a "green" solution to reduce the waste of using disposable cups for kids' drinks.
- Reusable tumblers save operators the cost of replacing broken glass or disposable kids' cups.
- Reusable tumblers can be personalized with logos or exclusive designs.
- Doubles as an employee drink cup that requires a lid.

Disposable CamLid Color:

Translucent (190).

Disposable lids are sold in full cases only. No broken cartons.

POLYCARBONATE

Virtually Unbreakable



TUMBLER	LID
800CW	CLNT8, CLST6
950CW	CLNT10, CL950P
1200CW	CLLT10
1600CW	CL900P

COLORWARE

Value Tumbler



TUMBLER	LID
500P/500P2	CLI6
800P	CLNT8, CLST6
900P/900P2	CL900P
950P/950P2	CL950P
1200P	CLLT10
1600P	CI 900P

DEL MAR®Crackled Glass Look



TUMBLER	LID
D8	CLNT8, CLST6
D12	CLLT10
D14	CLST9, CLAM8B5
D16	CLLT12
D24	CLAM8B5

LIDO™ *Diamond Point Design*



TUMBLER	LID
LDT5	CLJ6
LDT6	CLST6
LDT9	CL900P
LDT10	CLNT10
LDT12	CLNT12
LDT16	CLST9
LDT22	CLSM8B5

HUNTINGTON®

Elegant Design, Virtually Unbreakable



TUMBLER	LID
HT8CW	CLNT8
HT10CW	CLNT10, CL950P
HT12CW	CLLT10
HT120CW	CLNT12
HT14CW	CLST9
HT16CW	CLST9, CLAM8B5
HT22CW	CLSM8B5

LAGUNA®

Hammered Texture



TUMBLER	LID
LT6	CLLT6
LT8	CLLT8
LT12	CLLT12
LT14	CLST9
LT16	CLST9, CLAM8B5

NEWPORT

Fluted Design



TUMBLER	LID
NT5	CLNT5
NT8	CLNT8
NT9	CL900P
NT10	CLNT10
NT12	CLNT12
NT14	CLLT12
NT16	CL900P
NT20	CLAM8B5

Lido™ Tumblers

- Ideal for fast-paced casual dining or outdoor events. Offers the look of glass without the risk.
- Easy to clean internal stacking ring promotes stable and spaceefficient storage.
- Prevent spills with tight fitting disposable Camlids[®].
- Made of impact resistant SAN plastic that resists chips and breaks, minimizing replacement costs.

Color: Clear (152).

Capacity is to the top fill-line.

*175 mL. and 265 mL. tumblers feature subtle graduation markings intended for use in healthcare operations.

Lido Tumblers are covered by U.S. Patent D720,963 S.

























CODE	LDT5	LDT6	LDT9	LDT10	LDT12	LDT16	LDT22
FITS LID	СП6	CLST6	CL900P	CLNT10	CLNT12	CLST9	CLSM8B5
DIAMETER	5,9 cm	6,8 cm	8,1 cm	7,3 cm	7,6 cm	8,4 cm	8,9 cm
HEIGHT	9,4 cm	9,4 cm	9,4 cm	11,4 cm	12,5 cm	13,5 cm	16,8 cm
FULL SIZE CAMRACK®	49S318	36S318	25S318	36S418	30S434	25\$534	20S638
CAPACITY TO RIM	150 mL	177 mL*	266 mL*	300 mL	355 mL	480 mL	650 mL

Case Pack: 36

Polycarbonate Huntington® & SAN Newport Tumblers

Huntington Tumblers

- Feature the elegant look and feel of glass without the high replacement costs.
- Made of virtually unbreakable polycarbonate.
- Lightweight.
- Stacking lugs to prevent sticking.
- Three sided drain bottom for easy washing and drying.

Colors: Azure Blue (196), Clear (135).

Capacities calculated to rim.

Personalization available. See cresting section for information and ordering.

Withstands temperatures from -40°C to 99°C.









STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN** WAREHOUSE

HT5CW, HT8CW, HT120CW, HT10CW, HT12CW:



















CODE	HT5CW	HT8CW	HT10CW	HT120CW	HT12CW	HT14CW	HT16CW	HT22CW
MAX DIAMETER	6,0 cm	6,8 cm	7,1 cm	7,6 cm	8,6 cm	8,3 cm	8,4 cm	8,9 cm
MAX HEIGHT	9,0 cm	11,3 cm	12,2 cm	12,8 cm	9,5 cm	12,4 cm	14 cm	17 cm
FULL SIZE CAMRACK®	49S318	36S418	36S434	25\$434	25S418	25\$434	25\$534	25S638
CAPACITY TO RIM	148 mL	237 mL	296 mL	355 mL	355 mL	414 mL	473 mL	652 mL
CASE PACK	36	36	36	36	36	36	36	36

Newport Tumblers

- Fluted design features the upscale look of glass with the safety benefits and cost savings of plastic.
- Impact resistant SAN plastic resists chips and breaks.
- Stacking lugs prevent sticking.
- Sani-Rim lip provides a sanitary drinking surface.

Colors: Clear (152), Amber (153), Slate Blue (401).

Capacities calculated to rim.

Personalization available. See cresting section for information and ordering.

Withstands temperatures from -20°C to 85°C.











STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN WAREHOUSE**

NT5, NT8, NT9, NT10, NT12, NT16: (152)



















CODE	NT5	NT8	NT9	NT10	NT12	NT14	NT16	NT20
MAX DIAMETER	6,4 cm	6,8 cm	8,3 cm	7,1 cm	7,6 cm	7,9 cm	8,3 cm	8,7 cm
MAX HEIGHT	9,4 cm	10,2 cm	8,4 cm	11,6 cm	13 cm	12,7 cm	14,6 cm	16,5 cm
FULL SIZE CAMRACK	36S318	36S418	25S318	36S434	25\$434	25\$434	25\$534	25\$638
CAPACITY TO RIM	189 mL	228 mL	275 mL	300 mL	373 mL	414 mL	485 mL	650 mL
CASE PACK	36	36	36	36	36	36	36	36

SAN Laguna® & Del Mar® Tumblers

Laguna Tumblers

- Hammered texture hides water spots and scratches.
- Made of impact resistant SAN.
- Lightweight and easy to carry.

STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN** WAREHOUSE

LT8, LT10, LT12, LT14, LT16, LT22: (152)

Colors: Clear (152), Spanish Green (427).

Capacities calculated to rim.

Personalization available. See cresting section for information, ordering and pricing.

Withstands temperatures from -20°C to 85°C.

























CODE	LT6	LT8	LT10	LT12	LT14	LT16	LT22
MAX DIAMETER	6,3 cm	6,9 cm	7,4 cm	7,9 cm	8,3 cm	8,4 cm	9,3 cm
MAX HEIGHT	10,7 cm	10,9 cm	12,1 cm	12,7 cm	13,1 cm	14 cm	15,4 cm
FULL SIZE CAMRACK®	36S418	36S418	36S434	25\$434	25S434	25\$534	16S534
CAPACITY TO RIM	177,4 mL	236,6 mL	295,7 mL	354,9 mL	414 mL	473,2 mL	650,6 mL
CASE PACK	36	36	36	36	36	36	36

Del Mar Tumblers

- Crackled glass look features the lightweight handling of plastic.
- Thick sturdy base and rolled rim edge for added stability.
- Made of impact resistant SAN plastic.

Colors: Clear (152), Ruby Red (156), Sapphire Blue (608), Light Amber (609).

Capacities calculated to rim.

Personalization available. See cresting section for information, ordering and

Del Mar Tumblers are covered by the following U.S. Patent D 478,778 S.

Withstands temperatures from -20°C to 85°C.















CODE	D8	D12	D14	D16	D24
MAX DIAMETER	6,7 cm	7,5 cm	8,3 cm	7,8 cm	8,7 cm
MAX HEIGHT	10,6 cm	12,0 cm	8,3 cm	15,1 cm	16,8 cm
FULL SIZE CAMRACK	36S418	25\$434	25S318	25\$534	25\$638
CAPACITY TO RIM	237 mL	355 mL	414 mL	473 mL	710 mL
CASE PACK	36	36	36	36	36

SAN Colorware Tumblers & Coca-Cola® Tumblers

- A classic value tumbler ideal for casual dining.
- Textured on the outside to resist scratching.
- Made of impact resistant SAN.
- Interior stacking lugs for easy storing.
- Sani-Rim lip provides a sanitary drinking surface.

Colors: Slate Blue (401), Clear (152), Amber (153), Ruby Red (156).

Capacities calculated to rim.

Personalization available. See cresting section for information and ordering.

Withstands temperatures from -20°C to 85°C.









STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN WAREHOUSE**

1200P: (152)



















CODE (72 PACK)	500P	800P	900P	950P	1200P	1600P	2000P	_
CODE (24 PACK)	500P2	800P2	900P2	950P2	1200P2	1600P2	2000P2	3200P2
MAX DIAMETER	5,7 cm	6,7 cm	8,1 cm	7,0 cm	7,5 cm	8,0 cm	8,6 cm	10 cm
MAX HEIGHT	9,2 cm	10,2 cm	8,25 cm	11,1 cm	13,2 cm	14,6 cm	16,5 cm	18,4 cm
FULL SIZE CAMRACK®	49S318	36S418	25S318	36S418	25\$434	25\$534	25\$638	16S738
CAPACITY TO RIM	154 mL	231 mL	287 mL	290 mL	373 mL	485 mL	650 mL	976 mL
P CODE-CASE PACK	72	72	72	72	72	72	72	_
P2 CODE-CASE PACK	24	24	24	24	24	24	24	24

Coca-Cola® Tumblers

- Colorware Tumblers featuring the Coca-Cola trademark logo in White.
- Available only to Coca-Cola fountain customers for foodservice use.

Colors: Clear (152).

Coca-Cola Logo is imprinted in White only.

These trademarked vessels may not be resold at retail and are available only for distribution to Coca-Cola Fountain customers for foodservice use.

Withstands temperatures from -20°C to 85° C.











CODE	20CC	32CC
MAX DIAMETER	8,6 cm	10 cm
MAX HEIGHT	6,4 cm	7,3 cm
FULL SIZE CAMRACK	25S638	16S738
CAPACITY TO RIM	650 mL	976 mL
CASE PACK	72	24

Polycarbonate Tumblers and CamView® Camliters®

Polycarbonate Tumblers

- The look and feel of glass but made of virtually unbreakable polycarbonate.
- Textured exterior surface resists scratching.
- Smooth interior promotes easy cleaning.
- Designed with a Sani-Rim lip for sanitary drinking.

Color: Clear (152).

Capacities calculated to rim.

Personalization available. See cresting section for information and ordering.

Withstands temperatures from -40°C to 99°C .









STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

500CW, 800CW: (152)















CODE	500CW	800CW	850CW	950CW	1200CW	1600CW
MAX DIAMETER	5,7 cm	6,7 cm	8,6 cm	7,0 cm	7,5 cm	7,9 cm
MAX HEIGHT	9,2 cm	10,2 cm	9,7 cm	11,1 cm	13,2 cm	14,6 cm
FULL SIZE CAMRACK®	49\$318	36S418	25\$418	36S418	36S434	25S534
CAPACITY TO RIM	160 mL	237 mL	269 mL (Heavy Wall)	284 mL	384 mL	503 mL
CASE PACK	48	48	48	48	48	48

CamView® Camliter Beverage Decanters

- Ideal for serving juice or wine on buffet lines or table side.
- Spill-proof, snap tight flat lids included to protect content from cross contamination.
- Pour Spout Lid available to protect content while allowing free pour.
- Light-weight, dent and scratch resistant.
- Made of impact resistant material.
- NSF Listed- Camliter with Flat Lid.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

WW1000, WW500, WW250: (135) WW1000L, WW1000LS: (148) WW250 WW1500

Color: Clear (135). Lid Color: White (148).

-40°C to 99°C.

Lids not NSF listed.

Personalization available. See cresting

section for information and ordering.

Withstands temperatures from



WW500

CODE	CAPACITY	HEIGHT					
Camliters complete with lids	Camliters complete with lids: (WW1000L, WW250L)						
WW1500	1,5 L	25,4 cm					
WW1000	1 L	24,8 cm					
WW500	0,5 L	20,0 cm					
WW250	0,25 L	15,9 cm					
Lids							
WW1000LS	(lid w/pour spout for 1,5 L, 1 L, and 0,5 L)						
WW1000L	(lid for 1,5 L, 1 L and 0,5 L)						
WW250L	(lid for 0,25 L)						

Case Pack: 12 Pour Spout Lid must be ordered separately.



Beverage Dispenser, Pail with Bail & Swirl Bowls®

21 L Beverage Dispenser

- · Perfect for mixing and serving concentrated beverages.
- Standard and metric graduations are printed on dispenser.
- Impact resistant polyethylene withstands temperatures from -40°C to 70°C.


Color: White (148).

Personalization available. See cresting section for information and ordering.









Case Pack: 1



Pail with Bail - Poly

- A large, multi-purpose, 21 L pail, ideal for mixing, storing and transporting.
- Durable polyethylene withstands temperatures from -40°C to 70°C, and is stain resistant.
- Snap-tight, thumb tab cover sold separately.

Color: White (148).









CODE	CASE Pack
PWB22	6
RFSC12 (cover)	6





All graduations are approximate.

Swirl Bowls

- Ideal for hot or cold side dishes, desserts, dips, or fruit.
- Fits on a plate or stacks in place on a buffet station.
- Available in virtually unbreakable polycarbonate or break resistant SAN.

Colors:

SRB5CW and SRB13CW: Clear (135), Black (110), White (148). SRB5 and SRB13: Clear (152), Black (110), White (148).


Made of (P.E.T.) material.



















Disposable Lid Color: Clear (152).

Polycarbonate Wine Buckets, Punch Bowls & Bud Vase

Wine Buckets

- Chill and showcase wine or champagne.
- Tough Polycarbonate won't crack or break and is easy to clean.

Color: Clear (135).

Personalization available. See cresting section for information and ordering.







CODE	DIMENSION D x H
Bucket	
WC100CW	20,3 x 23,2 cm
WC100CWNH (w/o handles)	20,3 x 22,9 cm

Case Pack: 1





Pebbled Pedestal Punch Bowls

- Perfect for parties, weddings and receptions.
- Made of virtually unbreakable Polycarbonate.
- Attractive pebbled exterior is scratch resistant and smooth interior is easy to clean.

Color: Pebbled (176).

Capacities are calculated to rim.

Personalization not available.









PPB18: (176)





CODE	INSIDE Diameter	APPROX. Capacity	CASE Pack
PPB15	38,1 cm	10,6 L	1
PPB18	45,7 cm	19,1 L	1
PPB23	58,4 cm	37,8 L	1

Bud Vase

- Ideal for dining rooms, cafeteria tables and patient or room service trays.
- Made of virtually unbreakable Polycarbonate.
- Fill with a fresh rose bud or a colorful faux flower.







CODE	DESCRIPTION	CASE Pack
BV6CW	15,24 cm Bud Vase	12

Food Presentation

Deli Crocks & Platter
ShowFest® Display Bowls & Trays
Polycarbonate Bowls
Bell Shaped, Budget & Fiberglass Bowls
Polycarbonate Display Covers & Trays
Crocks & Ladles
Polycarbonate Serving Spoons,
Tongs & High Heat Camtensils®
Lugano® Tongs
Polycarbonate Shakers/Dredges & Condiment Jars





Deli Crocks & Platter

- Prep, store and serve all in one with contemporary style at an economical price.
- Crocks and platter are made of SAN, making them impact, stain and chip resistant.
- Ideal for supermarket delis, sandwich shops, buffets and catered events.
- · Handled covers are made of crystal clear, virtually unbreakable polycarbonate.

Crock and Platter Colors: Clear (152), Black (110), White (148), Red (404).

Crock Cover Color: Clear (135).

Deli Crocks are covered by the following U.S. Patents D 504,283 S, D 503,871 S & D 494,419 S. Scalloped Food Service Cover is covered by the following U.S. Patent D 509,705 S.

DCC5, DCC10 are NSF Component.









STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN** WAREHOUSE

DC5, DC10: (110), (148) DCC5, DCC10: (135)



Prep, stack, store and serve all in one.



Interstacking saves storage space.



Avoid cross contamination and keep food fresh by using clear cover with handle.



Lid can be used as a riser to provide additional height on the buffet table or in a deli display case.



Cover doubles as a false bottom for presentation and to reduce waste.

Crocks & **Platter**








CODE	DC5	DC10	DP15
DESCRIPTION	Crock	Crock	Platter
DIMENSIONS W x L x H	17,5 x 26 x 8 cm	26,5 x 33,5 x 8 cm	40 x 30,5 x 5,5 cm
APPROXIMATE CAPACITY	2 L	4,6 L	3,2 L

Case Pack: 6

Covers



Case Pack: 6



ShowFest® Display Bowls & Trays

- Showcase cold deli, buffet and salad bar items.
- Made from SAN for impact, stain, break & chip resistance.
- Variety of shapes & sizes to make the best use of display area.

Colors: Black (110), White (148).

Personalization not available.











 $\begin{array}{l} \textbf{SFG1012, SFG1015, SFG820, SFG1220, SFT1010,} \\ \textbf{SFT1212:} \ (110), \ (148) \end{array}$



Scalloped Ovals



CODE	SFV1015
DIM. W x L x H	25,4 x 38 x 5 cm
APPROX. CAPACITY	2,8 L

Case Pack: 6



Scalloped Rectangles



CODE	SFR1012
DIM. W x L x H	25,4 x 31,8 x 7,6 cm
APPROX. CAPACITY	4,3 L

Case Pack: 6











CODE	SFG1012	SFG1015	SFG820	SFG1220
DIM. W x L x H	25,4 x 30,5 x 5 cm	25,4 x 38 x 5 cm	20,3 x 50,8 x 5 cm	30,5 x 50,8 x 5 cm
APPROX. CAPACITY	2,8 L	3,3 L	3,7 L	5,8 L

Case Pack: 6

Triangles







8			
CODE	SFT1010	SFT1212	SFT1515
DIM. W x L x H	25,4 x 30,5 x 6,4 cm	30,5 x 38 x 6,4 cm	38 x 50,8 x 6,4 cm
APPROX. CAPACITY	1,9 L	2,8 L	4,2 L

Case Pack: 6

Polycarbonate Bowls

Round Pebbled Bowls

- Textured on the outside for an elegant look, smooth on the inside for easy cleaning.
- Made of virtually unbreakable polycarbonate for years of dependable service.
- Ideal for fruit, salads, snacks and desserts.

Color: Pebbled (176).

Capacities are calculated to rim.







STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

PSB6, PSB8, PSB10, PSB12: (176)



Ribbed Bowls

- Stylish, contemporary appearance for a dramatic presentation.
- Made of virtually unbreakable polycarbonate that won't break like glass.
- Bowls are durable and lightweight.
 Will not chip and crack like acrylic.
- Resistant to stains, acids and odors.

Colors: Clear (135), Black (110), White (148).

Rectangular Ribbed Bowls are not available in White (148).

Capacities are calculated to rim.











Round Pebbled Bowls









CODE	PSB6	PSB8	PSB10	PSB12
INSIDE DIAMETER	15,2 cm	20,3 cm	25,4 cm	30,5 cm
APPROXIMATE CAPACITY	556 mL	1,5 L	3,0 L	5,5 L
CASE PACK	12	12	12	12

Round Pebbled Bowls







CODE	PSB15	PSB18	PSB23
INSIDE DIAMETER	38,1 cm	45,7 cm	58,4 cm
APPROXIMATE CAPACITY	10,6 L	19,1 L	37,8 L
CASE PACK	4	4	4

Color: Pebbled (176).

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

PSB15, PSB18: (176)

Rectan	gular
Rihhad	







CODE	RSB912CW	RSB1014CW	RSB1419CW
OUTSIDE DIAMETER	22,9 x 30,8 cm	27,3 x 37 cm	36,2 x 49,2 cm
APPROXIMATE CAPACITY	2,7 L	4,7 L	11,3 L
CASE PACK	12	4	4

Rectangular Ribbed Bowls are not available in White (148).

Round Ribbed Bowls









CODE	RSB6CW	RSB8CW	RSB10CW	RSB12CW
INSIDE DIAMETER	15,2 cm	20,3 cm	25,4 cm	30,5 cm
APPROXIMATE CAPACITY	564 mL	1,6 L	3,0 L	5,5 L
CASE PACK	12	12	12	12

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

RSB12CW: (110) RSB10CW: (110), (135)







CODE	RSB15CW	RSB18CW	RSB23CW
INSIDE DIAMETER	38,1 cm	45,7 cm	58,1 cm
APPROX. CAPACITY	10,6 L	19,1 L	37,8 L
CASE PACK	4	4	4

Bell Shaped, Budget & Fiberglass Bowls

Polycarbonate Bell-Shaped Pebbled Bowls

- Perfect for showcasing fruits and
- A versatile alternative to Cambro traditional Round Pebbled Bowls.
- Made from virtually unbreakable polycarbonate.

Color: Pebbled (176).

Personalization not available.

Capacities are calculated to rim.











Budget Salad Bowls

- An economical serving choice for fruit, salads, snacks and desserts.
- Impact resistant FDA approved material resists stains, acids and odors.

Colors: Birch (174), Black (110).

Personalization not available.

Capacities are calculated to rim.









Case Pack: 72



Fiberglass Bowls

- · Combines the look of warm wood grains with the durability of fiberglass.
- · Colors won't fade even after years of service and washing.

Color: Dark Basketweave (301).

Personalization not available.


For a swatch of this color and pattern, see Camtray® group section.

Capacities are calculated to rim.











Polycarbonate Display Covers & Trays

- · Display covers protect freshness of pastries, breads and desserts.
- · Virtually unbreakable polycarbonate features the upscale look of glass.
- Openings on side or end provide quick and easy access to contents without removing cover.

STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN WAREHOUSE**

DT1220CW: (110) RD1200CW, DD1220ECW, DD1220BECW, DD1220SCW, RD1220CW, RD1220CWH: (135)

Display Covers

Color: Clear (135).

Personalization available. See cresting section for information and ordering.

* Dimensions include handle(s). Handle height is 2,06 cm.

Market Trays

Colors: Salmon (149), Yellow (145), Blue (142), Green (140), White (148), Black (110).

Colors NSF listed for food contact: White (148), Blue (142), Green (140).

Display Trays

Colors: Clear (135), Black (110).

Personalization not available.

** Special order item not carried in stock - non-returnable.










Display Trays are stackable. Refer to Market Tray for information.







RD1220CW



RD1220CWH



DD1220BECW



Display Tray - DT1220CW



Dome with side cut - DD1220SCW

Crocks & Ladles

Crocks

- Ideal for use with salad bars, on buffet tables or at food stations.
- Resists stains and odors caused by vinegar, salad oils, or mayonnaise.
- Made of high impact FDA accepted material.
- Smooth surface is easy-to-clean.

Solid Color Crock Colors: Black (110), Beige (133), Reddish Brown (195). Clear Crock Color: Clear (152). Lid Color: White (148).

Personalization available. See personalization section for details.

* Lids for Solid Color and Clear Crocks are not interchangeable.









STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

CCP12: (152)



CODE	HEIGHT	TOP DIAMETER	CUT OUT Diameter
Solid Color Crock w	rith Lid		
CP12	13,2 cm	12,9 cm	12,1 cm
CP15	11 cm	16,8 cm	15,7 cm
CP27	17,2 cm	16,8 cm	15,6 cm
Clear Color Crock v	vith Lid		
CCP12	13,7 cm	13,3 cm	12,4 cm
CCP15	11,1 cm	17,2 cm	15,9 cm
CCP27	17,5 cm	17,2 cm	15,7 cm

CODE	CAPACITY	CASE PACK
Solid Color Crocks		
CP12	1,1 L w/Lid	12
CP15	1,4 L w/Lid	6
CP27	2,4 L w/Lid	6
Lids for Solid Color Crock	s	
CPL12*	Fits Colored CP12 Crock	12
CPL27*	Fits Colored CP15 & CP27	12
Clear Crocks		
CCP12	1,1 L w/Lid	12
CCP15	1,4 L w/Lid	6
CCP27	2,4 L w/Lid	6
Lids for Clear Crocks		
CCPL12*	Fits Clear CCP12 Crock	12
CCPL27*	Fits Clear CCP15 & CCP27	12

Polycarbonate Ladles

- Portion control bowls serve the perfect amount of dressing or food ingredient.
- Angled for easy handling.
- Designed with a side rest so ladles don't slip into crocks or serving howls
- Made of virtually unbreakable polycarbonate for years of dependable service.

Colors: Black (110), Beige (133), Clear (135), White (148).

* Cambro's assortment pack is available in black only. It offers 8 imprinted ladles and 4 with no imprinting. The 8 imprints include: 1 Thousand Island, 1 French, 1 House, 1 Italian, 1 Bleu Cheese, 1 Ranch, 1 Low Cal, 1 Caesar. This makes a perfect start-up set for a salad bar.

Custom Order Ladle Imprints — See cresting section for information and ordering. Maximum imprint area is 2.5×1.2 cm. Six dozen minimum.

No broken cartons on assortment pack or imprinted ladles. Special order item not carried in stock, non-returnable.











STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

LD85: (135), (110) **LD105**: (135), (110)



* Imprinted Ladles shown.

CODE	DESCRIPTION	LENGTH	CAPACITY
LD85	Plain	21,6 cm	25 mL
LD85A*	Assortment	21,6 cm	25 mL
LD105	Plain	26,8 cm	30 mL
LD105A*	Assortment	26,8 cm	30 mL
LD130	Plain	33 cm	30 mL

Polycarbonate Serving Spoons, Tongs & High Heat Camtensils

Serving Spoons

- Made of virtually unbreakable polycarbonate, polycarbonate spoons won't tarnish, bend or
- · A wide handle and molded in thumb rest ensures a solid. ergonomic grip.
- · Spoons feature a notched back to rest on pans.
- Spoon capacities are approximate and are not intended for measuring.

Colors: Black (110), Beige (133), Clear (135), Red (404), White (148).

Personalization available. See cresting section for information, ordering and pricing.

*Can not be personalized.









AVAILABLE IN OUR EUROPEAN WAREHOUSE

SP011CW, SP013CW, SP0P13CW: (110), (135) SP08CW, SP010CW, SP0P11CW: (110)

Polycarbonate Perforated Serving Spoons



CODE	SPOP10CW	SPOP11CW*	SPOP13CW*
DESCRIPTION	25,5 cm	28 cm	33 cm
	Perforated Buffet Spoon	Perforated Deli Spoon	Perforated Deli Spoon
DIMENSIONS	26 x 4,3 cm	28,3 x 7,3 cm	33,3 x 7,3 cm

Case Pack: 12

Polycarbonate Serving Spoons





Case Pack: 12



High Heat Camtensil Spoons and Turners

- Ideal for preparing and serving hot and cold foods.
- Made of a durable high heat material that withstands temperatures from -40°C to 149°C.
- Handle includes a hole for hanging when not in use and notches to rest on pans.

Colors: Amber (150), Black (110).

Personalization not available.







STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN WAREHOUSE**

SP013, SP0P13, SPA14: (150)



High Heat Camtensil Spoons and Turners



CODE	SP013	SPA14
DESCRIPTION	33 cm	35,5 cm
	Solid Spoon	Solid Turner
DIMENSIONS	33,3 x 7,3 cm	35,9 x 8,9 cm

Case Pack: 12

High Heat Camtensil Perforated Spoons and



CODE	SPOP13	SPASL14
DESCRIPTION	33 cm	35,5 cm
	Perforated Spoon	Slotted Turner
DIMENSIONS	33,3 x 7,3 cm	35,9 x 8,9 cm

Lugano® Tongs

- Colored tongs are made from a durable heat resistant material that withstands temperatures up to 100°C.
- Ideal for serving cold and hot food, even from steam tables.
- Clear tongs are made from virtually unbreakable polycarbonate, which is safe to 99°C.

Flat Grip Tongs



Case Pack: 12

Lugano Flat and Scallop Grip Tongs

- Easily grasp hard to hold items such as salad greens and tomatoes.
- Scallop Tongs feature an ergonomic design and secure finger grip.
- Flat Tongs are ribbed to provide a secure hold.

Colors: Black (110), Beige (133), Clear (135), Red (404), White (148).

Two year warranty on tongs.








STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

6TGS, 12TGS, TG6, TG9: (135), (110) **9TGS**: (135), (110), (148)

Scallop Grip Tongs



Case Pack: 12

Lugano Angled and Easy-Grasp Tongs

- Angled tongs feature an ergonomic design that makes it easy to serve a variety of foods.
- Easy-Grasp Tongs provide a secure grip for hard to hold items.

Angled Tong Color: Black (110). Easy-Grasp Colors: Black (110), Beige (133), Clear (135), White (148).

Two year warranty on tongs.

Angled and Easy-Grasp Lugano Tongs are covered under U.S. Patent D 530,994 S.







Angled Tongs



Case Pack: 12



Easy-Grasp Tongs



 CODE
 TGG6
 TGG9

 DESCRIPTION
 Easy-Grasp Tong
 Easy-Grasp Tong

 DIMENSIONS
 17 cm
 24 cm

Polycarbonate Shakers/Dredges & Condiment Jars

Polycarbonate Shakers/Dredges

- A staple in the kitchen, at the condiment station or on the dining table.
- Clear virtually unbreakable polycarbonate and color coded lids make it easy to identify contents.
- Dishwasher safe and unaffected by food acids.

Shaker Color: Clear (135).

Personalization available. See cresting section for information, ordering and pricing.

















96SKRLD Salt & Pepper




96SKRLM Med. Ground



96SKRLC Cheese



96SKRLP Parsley



	Shaker Replacement Lids (Shaker Lids are not interchangeable with Camliter® Lids	;)
	96SKRLF fine ground lid	Green (407)
	96SKRLP parsley lid	White (148)
	96SKRLD salt & pepper lid	Beige (406)
	96SKRLC cheese lid	Yellow (405
	96SKRLM medium ground lid	Rose (408)

Case Pack: 12

Polycarbonate Condiment Jar

- Use to hold condiments such as mustard, ketchup, dressings, jam or salsa.
- Made of clear, virtually unbreakable polycarbonate.
- Lids are slotted to hold serving spoons when not in use.

Color: Clear (135).

Personalization available. See cresting section for information, ordering and pricing.











CODE	APPROXIMATE Capacity	SIZE H x D	CASE PACK
Condiment Jar Set			
C180CM	240 mL	10,2 x 8,3 cm	24



Trays

Tray Product Guide Personalization Polyester Versa Trays Antimicrobial Camguard® Versa Trays **Polyester Decorated Versa Trays** Polyester Versa Lite Trays **Century Fun Trays Camtrays**® Non-Slip Versa Camtrays® Dietary and Camlite® Trays **Polycarbonate Trays** Camtread® / Treadlite™ / Polytread Trays **Wood Trays** Corfu / Capri / Mykonos / Madeira Laminated Trays **Fast Food Trays Compartment Trays Market Trays**



Choose the Right Tray for Your Business

Cambro is the global leader in manufacturing trays for the food service industry, offering the largest selection of materials, sizes, colors, shapes and personalization processes. Cambro's breadth of assortment provides the clear choice for the right tray for every need and budget.

Consider the following to select the right tray for your operation:

Step 1: What Will the Tray Be Used For?

In order to choose the correct tray, first identify the correct application.

Service Tray

Used by employees to carry items to serve to guests:

Non-Slip Tray Patron Tray

Used by customers to carry menu items:

Smooth Surface Tray

Step 2: Who Will Be Using the Tray?

To determine the appropriate tray material, it is critical to identify who will be using the tray.

Children

Students

Military

Office Employees

Wait Staff

Step 3: How Will the Tray Be Used and Washed?

Consider how the tray will be used, and whether it will endure mild or excessive use and abuse. Determine how often the trays will be washed per day.

Extensive:

Wash as often and as frequently as needed

Normal:

Wash up to 3 times per day

Minimal:

Wash once per day

Step 4: Determine the Budget per Tray

Ensure that the correct tray has been selected for the right application. Selecting a low cost tray for a heavy application is not the most cost effective option. Tray pricing varies according to the following factors:

Manufacturing process
Material type and grade
Tray size
Personalization options
Warranty

Step 5: Personalization

Cambro offers high quality personalization on most of the trays that we manufacture. Look for the personalization logo throughout the brochure.

Step 6: Additional Features to Consider

Evaluate the importance of the following features to determine the best tray for your operation.

Stacking lugs - Promote air circulation for fast drying and perfect stacking

Surface impact resistance
Edge breaking resistance
Scratch and stain resistance
Type of Warranty

Technical test descriptions

All Cambro trays are submitted to an array of tests described to the right. The results are indicated on each tray page under Technical Test Results.



Versa Travs



Versa Trays Anitmicrobial



Versa Lite Trays



Laminated Capri Trays



Laminated Corfu Trays



Laminated Mykonos Trays



Fast Food Trays



Polycarbonate Non-Slip Trays

TESTS DESCRIPTIONS

Thermal Shock Resistance Test: Test consists of applying a radical temperature change during a short period of time to the tray, by taking out the tray from icy water (0°C) and placing it into boiling water (100°C) and measuring any deformation.

Break Resistance Test: Test consists of dropping a metal ball from specific heights onto the tray and measuring any deformation.

Scratch Resistance Test:

Observe scratches and abrasions as a result of friction between porcelain dinnerware and the tray surface.

Test consists of moving a porcelain dish placed on tray from left to right under hand pressure and measuring any abrasion on tray surface.

DISHWASHER SAFE DESCRIPTIONS

Extensive: Wash as often and as frequently as needed.

Normal: Wash up to 3 times per day.

Minimal: Wash once per day.

Tray Description	Versa Trays Ecologic Series Page 199	Versa Tray Plus Page 200	Antimicrobial Versa Trays VT/GP Page 201	Versa Trays with Décor GP Page 202	Versa Trays with Non-Slip Surface GP Page 203
Material	Natural Material + SMC-High Performance Fiberglass Reinforced Polyester	SMC-High Performance Fiberglass Reinforced Polyester	SMC-High Performance Fiberglass Reinforced Polyester	SMC-High Performance Fiberglass Reinforced Polyester + Melamine Surface	SMC-High Performance Fiberglass Reinforced Polyester + Non-Slip Surface
Surface	Smooth	Smooth	Smooth	Smooth	Non-Slip
Performance	Excellent	Excellent	Excellent	Excellent	Excellent
Recomended Use	(H) (S) (U) (CS) (M)	(H) (S) (U) (CS) (M)	(H) (S) (U) (CS) (M)	(B) (S) (M)	H S U CS M RS
Personalization	Yes Δ (Personalization Heat Resistance: 90°C.)	No	No	No	Yes Δ (Heat resistance: 80°C)
Years Warranteed**	5	5	5	5	2
Stacking* Lugs	Yes	Yes	Yes	Yes	Yes
Dishwasher Safe	Yes — Extensive	Yes — Extensive	Yes — Extensive	Yes — Extensive	Yes — Extensive
Chemical Resistance	Excellent	Excellent	Excellent	Excellent	Good
Drying Test	Excellent	Excellent	Excellent	Excellent	Excellent
Thermal Shock Resistance	Excellent	Excellent	Excellent	Excellent	Excellent
Break Resistance	Excellent	Excellent	Excellent	Excellent	Excellent
Scratch Resistance	Excellent	Excellent	Excellent	Excellent	Good
Stain Resistance	Excellent	Excellent	Excellent	Excellent	Good
Heat Resistance	-40° to +140°C ‡	-40° to +140°C ‡	-40° to +140°C ‡	-40° to +90°C ‡	-40° to +80°C ‡
Number of Sizes	5	5	6	3	4
Number of Shapes	4	4	3	1	1

POLYESTER TRAYS

If you are using Thermo-Chemical Disinfection Equipment, please contact us. We will assist you finding the right tray for your application.

Icon Directory for Recommended Use:











Military









Hospitals

Schools

Universities

Canteens / Cafeterieas / Self-Serve







Restaurants / Cafes

Bars / Clubs / Pubs





Corrections















Catering

Brasseries

Home Meal Delivery

Restaurants

Food Courts / Snack Shops

Deli / Buffet Displays

Kitchen Operation

^{*}Stacking lugs allow free air circulation and perfect stacking.

^{**} Prorated warranty against manufacturer's defects.

[‡] Not recommended for heated cart.

 $[\]Delta$ Contact your Cambro representative for pricing.

	POLYESTER TRAYS				
Tray Description	Versa Trays VT/GP Pages 204-205	Versa Lite Trays VL/GL Pages 206-207	Century Fun Trays: Versa Trays VT/GP Versa Lite Trays VL/GL Page 208	Non-Slip Versa Lite Trays VL/GL Page 209	Versa Lite Trays with Non-Slip Rubber Surface VL/GL Page 210
Material	SMC-High Performance Fiberglass Reinforced Polyester	SMC-Standard Performance Fiberglass Reinforced Polyester	SMC-High or Standard Performance Fiberglass Reinforced Polyester	SMC-Standard Performance Fiberglass Reinforced Polyester + Non-Slip Surface	SMC-Standard Performance Fiberglass Reinforced Polyester + Non-Slip Rubber Surface
Surface	Smooth	Smooth	Smooth	Non-Slip	Non-Slip Rubber
Performance	Excellent	Excellent	Excellent	Excellent	Excellent
Recomended Use	(ES) (M)	H S U CS M C RS	(H) (S) (U) (CS) (M)	(H) (S) (U) (CS) (M) (RS)	BS RC BC C B
Personalization	Yes Δ (Personalization Heat Resistance: 90°C.)	Yes Δ (Heat resistance: 90°C)	Yes Δ (Heat resistance: 90°C)	Yes Δ (Heat resistance: 80°C)	No
Years Warranteed**	5	3	3	2	3
Stacking* Lugs	Yes	Yes	Yes	Yes	Yes
Dishwasher Safe	Yes — Extensive	Yes — Normal	Yes — Normal	Yes — Normal	Yes — Normal
Chemical Resistance	Excellent	Good	Good	Good	Good
Drying Test	Excellent	Excellent	Excellent	Excellent	Excellent
Thermal Shock Resistance	Excellent	Good	Good	Good	Good
Break Resistance	Excellent	Good	Good	Good	Good
Scratch Resistance	Excellent	Good	Good	Good	Good
Stain Resistance	Excellent	Good	Good	Good	Good
Heat Resistance	-40° to +140°C ‡	-40° to +130°C ‡	-40° to +90°C ‡	-40° to +80°C ‡	-40° to +100°C ‡
Number of Sizes	22	14	1	4	7
Number of Shapes	9	6	1	3	3
Number of Colors	12	8	5	4	2

^{*}Stacking lugs allow free air circulation and perfect stacking.

If you are using Thermo-Chemical Disinfection Equipment, please contact us. We will assist you finding the right tray for your application.

Materials Review

POLYESTER TRAYS

- Versa Tray Ecologic Series
- Versa Tray Plus
- Versa Tray Antimicrobial
- Versa Trays
- Versa Trays with Décor (1)
- Versa Non-Slip Versa Trays
- Versa Century Fun

High performance polyester trays are made of rugged reinforced mat with long fibers and additional fiberglass to provide extremely high shock-resistance. Colored isophthalic polyester resin offers high chemical and UV-resistance.

(1) Personalized Versa Trays and Versa Trays with Décor have a Melamine Resin Layer on top increasing protection against stains, abrasions and scratches.

VERSA LITE TRAYS

- VL/GL Century Fun
- VL/GL Trays
- VL/GL Trays with Non-Slip Surface
- VL/GL Trays with Non-Slip Rubber Surface

Standard performance polyester trays are made of fiberglass and standard polyester resin.

^{**} Prorated warranty against manufacturer's defects.

[‡] Not recommended for heated cart.

[△] Contact your Cambro representative for pricing.

	FIBERGLASS TRAYS				POLYCARBONATE TRAYS	
Tray Description	Camtray® Pages 211-215	Non-Slip Versa Camtrays Page 216	Dietary Trays Page 217	Camlite Trays Page 217	Polycarbonate Trays Page 218	Polycarbonate Trays with Non-Slip Surface Page 218
Material	Fiberglass Layers + Polyester Resin	Fiberglass Layers + Polyester Resin + Non-Slip Surface	Fiberglass Layers + Polyester Resin	Fiberglass Layers + Polyester Resin	Polycarbonate	Polycarbonate + Non-Slip Surface
Surface	Smooth	Non-Slip	Smooth	Smooth	Textured	Non-Slip
Performance	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent
Recomended Use	(H) (S) (U) (CS) (M) (RS)	S U CS M RS	(B)	H S U CS M RS	S U CS M GS FC	S U CS M (BS FC RC B (RS H)
Personalization	Yes Δ (Personalization Heat Resistance: 100°C.)	Yes Δ (Personalization Heat Resistance: 80°C.)	No	No	No	No
Years Warranteed**	5	2	1	3	3	3
Stacking* Lugs	Yes	Yes	Yes	Yes	Yes	Yes
Dishwasher Safe	Yes — Extensive	Yes — Extensive	Yes — Extensive	Yes — Extensive	Yes — Extensive	Yes — Extensive
Chemical Resistance	Good	Good	Good	Good	Good	Good
Drying Test	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent
Thermal Shock Resistance	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent
Break Resistance	Excellent	Excellent	Good	Good	Excellent	Excellent
Scratch Resistance	Excellent	Good	Good	Good	Very Good	Good
Stain Resistance	Excellent	Good	Excellent	Excellent	Very Good	Good
Heat Resistance	-10° to +100°C ‡	-40° to +80°C ‡	-10° to +100°C ‡	-10° to +100°C ‡	-40° to +99°C ‡	-40° to +82°C ‡
Number of Sizes	40	2	6	6	2	2
Number of Shapes	7	2	1	2	2	1
Number of Colors	55	3	55	9	2	2
* 01 - 11 - 1	l		A 0 1 1 0 1		d Not accommon	de diferente esta di escut

 $[\]ensuremath{^{\star}}$ Stacking lugs promote air circulation and perfect stacking.

Materials Review

FIBERGLASS TRAYS

- Camtray
- Non-Slip Versa Camtray
- Dietary Trays
- Camlite Trays

Made of rugged fiberglass interior to provide a tough inner foundation and smooth surface, coupled with polyester resin to resist impact and stains.

POLYCARBONATE TRAYS

- Polycarbonate Trays

Made of highly durable, virtually unbreakable polycarbonate.

Polycarbonate Trays with Non-Slip Surface

Made of highly durable, virtually unbreakable polycarbonate.
The non-slip, clear textured, surface is scratch resistant.

^{**} Prorated warranty against manufacturer's defects.

 $[\]Delta$ Contact your Cambro representative for pricing.

 $[\]ensuremath{\ddagger}$ Not recommended for heated cart.

	FIBERGLASS TRAYS		POLYPROPYLENE TRAYS	WOOD TRAYS	
Tray Description	Camtread® Trays Page 219	Treadlite™ Trays Page 220	Polytread® Trays Page 220	Wood Trays with Smooth Surface Page 221	Wood Trays with Non-Slip Surface Pages 222
Material	Fiberglass Layers + Polyester Resin + Non-Slip Rubber Surface	Fiberglass Layers + Polyester Resin + Non-Slip Rubber Surface	Polypropylene + Non-Slip Rubber Surface	Veneer Beechwood	Veneer Beechwood or Mahogany + Non-Slip Surface
Surface	Non-Slip Rubber	Non-Slip Rubber	Non-Slip Rubber	Smooth	Non-Slip
Performance	Excellent	Good	Good	Good	Good
Recomended Use	(BS) (RC) (BC) (C) (B)	RC BC B	RS RC BC	BS RC C	BS RC BC C B
Personalization	Yes ∆	No	No	No	Yes
Years Warranteed**	5	1	1	3	3
Stacking* Lugs	Yes	Yes	Yes	No	No
Dishwasher Safe	Yes — Extensive	Yes – Minimal	Yes — Minimal	Yes — Normal	Yes — Minimal
Chemical Resistance	Good	Good	Good	Excellent	Good
Drying Test	Excellent	Good	Good	Good	Good
Thermal Shock Resistance	Excellent	Good	Good	Good	Good
Break Resistance	Good	Good	Good	Good	Good
Scratch Resistance	Excellent	Good	Good	Good	Good
Stain Resistance	Good	Good	Good	Good	Good
Heat Resistance	-10° to +100°C ‡	-10° to +80°C ‡	-10° to +80°C ‡	-10° to +100°C ‡	-10° to +100°C ‡
Number of Sizes	16	2	6	14	16
Number of Shapes	5	1	2	4	5
Number of Colors	2	2	2	1	2

^{*} Stacking lugs promote air circulation and perfect stacking.

Materials Review

FIBERGLASS TRAYS

- Camtread Trays
- Treadlite Trays

Made of rugged fiberglass interior to provide a tough inner foundation and smooth surface, coupled with polyester resin to resist impact and stains.

POLYPROPYLENE TRAYS

- Polytread Trays

Polytread trays have non-slip rubber surface bonded directly into the tray.

WOOD TRAYS

- Smooth Surface
- Clear Non-Slip Surface

Made of several layers of genuine beechwood veneer / mahogany combined with synthetic resin molded under high pressure and temperature. The surface is sealed with a double layer of high pressure melamine to allow regular washing.

^{**} Prorated warranty against manufacturer's defects.

 $[\]Delta$ Contact your Cambro representative for pricing.

 $[\]ddagger$ Not recommended for heated cart.

		POLYPROPYLENE			
Tray Description	Corfu Laminated Trays with Non-Slip Rubber Surface Page 223	Capri Laminated Trays with Smooth Surface Pages 224-225	Mykonos Laminated Trays with Non-Slip Surface Page 226	Madeira Laminated Trays with Textured Wood Surface Page 227	Fast Food Trays Page 228
Material	Laminate + Non-Slip Rubber Surface	Laminate	Laminate + Non-Slip Surface	Laminate	Polypropylene
Surface	Non-Slip Rubber	Smooth	Non-Slip	Textured	Textured
Performance	Excellent	Good	Good	Good	Good
Recomended Use	(CS (BS) (RC) (BC) (C)	(CS) (RS) (RC) (BC) (C) (B)	8S RC 8C C	(CS (RS (RC)	QS FC
Personalization	Yes†	Yes	Yes	No	Yes
Years Warranteed**	3	3	3	3	3
Stacking* Lugs	No	No	No	No	Yes
Dishwasher Safe	Yes — Normal	Yes — Normal	Yes — Minimal	Yes — Normal	Yes — Minimal
Chemical Resistance	Excellent	Excellent	Good	Excellent	Excellent
Drying Test	Good	Good	Good	Good	Good
Thermal Shock Resistance	Good	Good	Good	Good	Good
Break Resistance	Good	Good	Good	Good	Good
Scratch Resistance	Good	Good	Good	Good	Good
Stain Resistance	Good	Excellent	Good***	Excellent	Good
Heat Resistance	-10° to +100°C ‡	-10° to +100°C ‡	-10° to +100°C ‡	-10° to +100°C ‡	-10° to +80°C ‡
Number of Sizes	8	22	15	9	4
Number of Shapes	2	5	3	4	2
Number of Colors	2	11	6	4	14

I AMINATED TRAVS

POLYPROPYLENE

Materials Review

LAMINATED TRAYS

Corfu* - CapriMykonos - Madeira

Made of compressed layers of melamine saturated paper combined with synthetic resin molded under high pressure and temperature.

The surface is sealed with a double layer of high pressure melamine to allow regular washing.

* Laminated trays have a non-slip rubber surface bonded directly into the tray.

Note: All laminated trays must be dried before stacking.

POLYPROPYLENE TRAYS

- Fast Food Trays

Fast food trays have a textured surface to hide scratches and provides an additional grip to prevent slipping.

^{*} Stacking lugs allow free air circulation and perfect stacking.

^{**} Prorated warranty against manufacturer's defects.

^{***} Limited stain resistance for Birch (E75).

[‡] Not recommended for heated cart.

[†] Only back side of Corfu trays can be personalized.

		DISPLAY TRAYS			
Tray Description	Polycarbonate Trays Pages 229-231	ABS Page 229	Heat Resistant Trays Page 232	Co-Polymer Trays Pages 233	Market Trays Page 233
Material	Polycarbonate	ABS	Heat Resistant Plastic	Co-Polymer	Fiberglass Layers + Polyester Resin
Surface	Textured	Textured	Textured	Textured	Smooth
Performance	Excellent	Excellent	Excellent	Excellent	Excellent
Recomended Use	S U M P	S U M P	P	S U HD P	(0)
Personalization	No	No	No	No	No
Years Warranteed**	3	2	2	2	3
Stacking* Lugs	Yes	Yes	Yes	Yes	Yes
Dishwasher Safe	Yes — Extensive	Yes – Extensive	Yes — Extensive	Yes — Minimal	Yes – Extensive
Chemical Resistance	Good	Excellent	Very Good	Excellent	Good
Drying Test	Excellent	Excellent	Very Good	Excellent	Excellent
Thermal Shock Resistance	Excellent	Good	Very Good	Good	Excellent
Break Resistance	Excellent	Good	Very Good	Good	Good
Scratch Resistance	Very Good	Very Good	Very Good	Very Good	Good
Stain Resistance	Very Good	Very Good	Very Good	Very Good	Excellent
Heat Resistance	-40° to +99°C ‡	-10° to +82°C ‡	-40° to +149°C	-10° to +80°C ‡	-10° to +100°C ‡
Number of Sizes	8	1	1	8	19
Number of Shapes	7	1	1	8	2
Number of Colors	10***	7	1	7	5

^{*} Stacking lugs allow free air circulation and perfect stacking.

Materials Review

COMPARTMENT TRAYS

- Polycarbonate Trays

Made of highly durable, virtually unbreakable polycarbonate.

- ABS Trays

Made of high impact resistance and heat and chemical resistance ABS.

- Co-Polymer Trays

Made of economical pliable and break-resistant co-polymer.

- Heat resistant Trays

Made of heat resistant material.

DISPLAY TRAYS

- Market Trays

Made of high-impact resistant fiberglass that resists odors.

^{**} Prorated warranty against manufacturer's defects.

^{***} Not available for all tray styles.

[‡] Not recommended for heated cart.

Personalization

Value Added Personalization

Promote business to customers and employees alike by placing your custom logo, trademark, slogan or design on our trays.

How to Order

- 1) Select a tray size, color, pattern, or design.
- 2) Provide complete, camera-ready artwork and indicate positioning on the tray.
- 3) According to the tray type, Cambro can produce 1, 2, 3 and 4 color artwork as well as 4 color process artwork.

We require the following:

a. Electronic artwork file provided on CD-ROM for Mac or PC.

We accept the following file formats:
Adobe Illustrator, Adobe Photoshop

- Adobe Illustrator, Adobe Photoshop files in JPEG, TIFF or EPS formats.
- File dimensions must equal 100% of reproduction size at 300dpi resolution.
- b. Illustration on paper: The quality of the art must be crisp and scannable. Please specify PANTONE number for each color or indicate if it is a four color process.
- 4) An artist's fee of *** per hour will be charged to any order submitted

without complete, camera-ready artwork. Cambro will contact you if this fee will be charged and will give you an estimated cost.

- 5) Sample process:
- a. For any new project, a finished sample will be submitted for the customer's approval.
- b. The first sample with a firm purchase order is free. (Plus shipping cost.)
- c. Samples not accompanied by a firm purchase order or requests for more than one sample will be charged a flat rate of:
- Polyester, Fiberglass and Laminated

Trays:

- *** Net per sample.(Plus shipping cost.)
- Polypropylene Fast Food Trays: ***
 Net per sample. (Plus shipping cost.)
- d. Upon receipt and shipment of a firm purchase order, a credit will be applied to your account for the cost of one sample.
- 6) Personalization charges apply to both original orders and returns.

POLYESTER TRAYS

Versa Trays VT/GP Versa Lite Trays VL/GL

• Only the following tray models are suitable for personalization:

Versa Trays:

VT1216, VT1418, VT2632, VT3253,

VT3343, VT3343C, VT3646C, VT3753, VT3853, GP0540, GP1070, GP1080, GP3074, GP3980, GP4002, GP4210, GP4004, GP4701, GP4709, GP4853

Versalite Trays:

VL1014, VL1216, VL1418, VL2632, VL3253, VL3343, VL3343C, VL3646C, VL3753, GL0540, GL1070, GL1080, GL3074, GL3980, GL4002, GL4210, GL4701, GL4709

- Mimimum Quantity: 120 trays per size.
- Sample Production Time: 10 business days + delivery and transit time from receipt of camera ready artwork.
- Order Production Time: Up to 4-6 weeks + delivery and transit time from the date artwork is approved and the order is confirmed.
- Request for additional samples without a firm purchase order will be charged *** Net per sample. (Plus shipping cost.)

Printing Process Applicable:

Four Color Printing Process allows printing of one color or multiple color artwork as well as photo reproduction.

Tray Colors Recommended for Personalized Versa Trays VT/GP:

Speckled Mocha (A21), Sahara (A22), Light Grey (A27),

Pearl White (A33), Terrazzo (A86).

For the following colors, please call Cambro Customer Service for artwork review: Magic Yellow (A25), Magic Mint (A26).

Tray Colors Recommended for Personalized Versa Lite Trays VL/GL:

Speckled Smoke (A20), Speckled Mocha (A21),

Sahara (A22), Light Grey (A27), Pearl White (A33) and Terrazzo (A86).

Printable Area:

The artwork can cover the flat surface of tray up to 1 cm from the internal tray edge.

Personalization Charges Per Tray:

QUANTITY EACH	ADDITIONAL NET CHARGES	
120-300	***	
312-996	***	
1,008 and up	***	

^{***} Contact your Cambro representative for pricing




Camtrav® Travs

 All Camtray sizes can be personalized. (Except compartment trays shown in main Cambro catalog).



Screen Printing Process: 144 trays per size. Four Color Printing Process: 72 trays per size.



- Order Production Time: Up to 4-6 weeks + delivery and transit time from the date artwork is approved and the order is confirmed.
- Request for additional samples without a firm purchase order will be charged *** Net per sample. (Plus shipping cost.)

Printing Process Applicable: Screen printing process and four color process.

a. Screen printing process allows printing of artwork with one or multiple colors laying next to each other. This process doesn't allow printing of gradient or photo reproduction. This process is best used with light color artwork on dark tray color.

Printable area: The artwork can cover the total surface of the tray from one edge to the other.

b. Four Color Printing Process allows printing of one color or multiple color artwork as well as photo reproduction. This process can only be used on light color trays. Darker tray color will make the artwork colors go darker.

Tray Colors Recommended for Four Color Printing Process:

Antique Parchment (101), Light Peach (106), Dark Peach (117), White (148), Sky Blue (177), Key Lime (429), Lemon Chiffon (536), Cameo Yellow (537), Cottage White (538).

Printable area: The artwork can cover the flat surface of tray up to $1\,\mathrm{cm}$ from the internal tray edge.

Personalization Charges Per Tray:

QUANTITY EACH	ADDITIONAL NET CHARGES
144*-299**	***
300 and up	Free

- * Minimum quantity for four color printing process
- ** Minimum quantity for screen printing process
- *** Contact your Cambro representative for pricing



141

Personalization

LAMINATED TRAYS

Corfu, Capri, Mykonos, Madeira

- All Laminated tray sizes can be personalized or produced in any custom color. Custom color matching is treated as a personalization.
- Top and bottom parts of trays can be personalized with the exception of Corfu trays that can only be personalized on the backside of the tray. Personalization cost is per side of the tray.
- Mimimum Quantity: 120 trays per size.



- Sample Production Time: 10
 business days + delivery and transit
 time from receipt of camera ready
 artwork.
- Order Production Time: Up to 4-6 weeks + delivery and transit time from the date artwork is approved and the order is confirmed.

 Request for additional samples without a firm purchase order will be charged *** Net per sample. (Plus shipping cost.)

Printing Process Applicable: Four color process and Custom Color Matching

- a. Four Color Printing Process. This process allows the printing of one color or multiple color artwork as well as photo reproduction.
- b. Custom Color Matching: Custom color matching is treated as a personalization. To produce any color tray provide Cambro with PANTONE number

Printable area: The artwork can cover the total surface of tray from one edge to the other. Artwork dimensions must be 4 cm bigger than tray sizes on each side due to trimming. (example: Tray size: 36 x 46 cm — Artwork size: 40 x 50 cm)

Personalization Charges Per Tray: QUANTITY ADDITIONAL EACH NET CHARGES 120 and up ***

*** Contact your Cambro representative for pricing

POLYPROPYLENE TRAYS

Fast Food Trays

- All Fast Food tray sizes can be personalized except 1217FFH.
- Mimimum Quantity: 288 trays per size.
- Sample Production Time: 10 business days + delivery and transit time from receipt of camera ready artwork.
- Order Production Time: Up to 4-6 weeks + delivery and transit time



from the date artwork is approved and the order is confirmed.

 Request for additional samples without a firm purchase order will be charged *** Net per sample. (Plus shipping cost.)

Printing Process Applicable:

Hot stamp 1 color process. Due to the application process onto textured tray surface, white can be selected but is not recommended.

Printable area: Artwork cannot exceed a maximum size of 15 x 15 cm.

Personalization Cost:

One-time die charge:

*** Net per order

Additional Net Charges Per Tray:				
QUANTITY Each	ADDITIONAL Net Charges			
288-767	***			
768-1,199	***			
1,200-5,999	***			
6,000-11,999	***			
12,000 and up	***			

*** Contact your Cambro representative for pricing

CAMTREAD TRAYS

Tray Back Personalization and Rubber Surface Embossing

- Camtread From USA:
 Tray Back Personalization only on 1600CT. Rubber surface embossing all Camtread sizes.
- Camtread From Europe: Sizes Available: 1100CT, 1400CT, 1600CT and 1800CT
- Sample Production Time:

 10 business days + delivery and transit time from receipt of camera ready artwork.
- Order Production Time: Up to 4-6 weeks + delivery and transit time from the date artwork is approved and the order is confirmed.

 Request for additional samples without a firm purchase order will be charged *** Net per sample. (Plus shipping cost.)

Tray Back Personalization Printing Process Applicable:

Four Color Printing Process allows printing of one color or multiple color artwork as well as photo reproduction. Camtread From USA: White trays are recommended for tray back personalization.

Printable area: The artwork can cover the flat surface of tray up to 2,54 cm from the external tray edge.

Personalization Charges Per Tray:				
QUANTITY Each	ADDITIONAL Net charges			
Camtread From USA	NEI OHANGES			
72-144	***			
145-288	***			
289-432	***			
433 and up	Free			
Camtread From Europe				
120 and up	***			

Rubber Surface Embossing

• Electronic File Format: Adobe Illustrator EPS formats.

Embossing Process Printable Area: The artwork can cover the surface of the tray up to 2,54 cm from the internal tray of edge.

Embossing Personalization Charge
Per Tray:
QUANTITY ADDITIONAL
EACH NET CHARGES

Camtread From USA
72 and up ***

Camtread From Europe
156 and up ***

^{***} Contact your Cambro representative for pricing.

Polyester Versa Trays - Ecologic Series

SPECIFICATIONS

Material	Natural Material + Polyester
Surface Characteristic	Smooth
Performance	Excellent
Stacking Lugs	Yes
Dishwasher Safe	Yes — Extensive
Chemical Resistance	Excellent
Drying Test	Excellent
Shock Resistance	Excellent
Break Resistance	Excellent
Scratch Resistance	Excellent
Stain Resistance	Excellent
Heat Resistance	-40° to +140°C ‡




RECOMMENDED USE

High Traffic / Frequent Use

- Hospitals
- Schools
- Universities
- Canteens / Cafeterias / Self-Serve










Low Profile Design Shape

Flat Edge Shape





‡ Not for use in heated carts.



Personalization: Contact your Cambro representative for pricing.

Stacking lugs keep trays stacked securely in place and ensure proper air flow.

CODE	DIMENSIONS (CM)
Versa Trays – High Profile Shape	
VTE1418	35,5 x 45,7
VTE3343	33,0 x 43,0
Versa Trays – Low Profile Shape	
VTE3253	32,5 x 53,0
VTE3753	37,0 x 53,0
Versa Century™ – Low Profile Design Shape	
VTE3646C	35,5 x 45,7
Versa Trays – Flat Edge Shape	
GPE0540	34,4 x 46,0
GPE3980	37,0 x 53,0
GPE4002*	32,5 x 53,0
GPE4004**	32,5 x 53,0

Case Pack: 12

- * Designed with reinforced corners for automatic off-stacking onto conveyor belt dishwashers.
- **Textured top surface to reduce sliding of dishes. Not available in (A72).

Only available from Cambro European Logistics (CEL), Germany and Cambro Özay Turkey.

Minimum quantity order from CEL: Non-stock item 240 pieces. No broken carton.

Tray Colors:



Speckled Mocha



Light Grey



Charcoal***



^{***}Charcoal color A72 will show scratches if not handled properly.

Polyester Versa Trays Plus

SPECIFICATIONS

Material	SMC — High Performance Fiberglass Reinforced Polyester
Surface Characteristic	Smooth
Performance	Excellent
Stacking Lugs	Yes
Dishwasher Safe	Yes — Extensive
Chemical Resistance	Excellent
Drying Test	Excellent
Shock Resistance	Excellent
Break Resistance	Excellent
Scratch Resistance	Excellent
Stain Resistance	Excellent
Heat Resistance	-40° to +140°C ‡









Only available from Cambro European

Logistics (CEL), Germany and Cambro



‡ Not for use in heated carts.

RECOMMENDED USE

High Traffic / Frequent Use

- Hospitals
- Schools
- Universities
- Canteens / Cafeterias / Self-Serve







Low Profile Shape







Flat Edge Shape

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

GP1070, GP4002, GP4004: (S60)

Minimum quantity order from CEL: Stock item one case, Non-stock item 240 pieces. No broken carton.

Easy Care

Dishwasher safe - wash as often and as frequently as needed.

Stacking lugs keep trays stacked securely in place and ensure proper air flow.



Long Lasting

Increased scratch resistance.

Proprietary material blend reduces scratch visibility.

Reinforced corners and edges protect and strengthen the tray.

CODE	DIMENSIONS (CM)
Versa Trays – High Profile Shape	
VT1418	35,5 x 45,7
VT3343	33,0 x 43,0
Versa Trays – Low Profile Shape	
VT2632	32,5 x 26,5
VT3253	32,5 x 53,0
VT3753	37,0 x 53,0
Versa Century™ – Low Profile Design Shape	
VT3646C	35,5 x 45,7
Versa Trays – Flat Edge Shape	
GP1070	32,5 x 26,5
GP3980	37,0 x 53,0
GP4002	32,5 x 53,0
GP4004	32,5 x 53,0
Case Pack: 12	

Antimicrobial Camguard® Versa Trays

SPECIFICATIONS

Material	SMC — High Performance Fiberglass Reinforced Polyester
Surface Characteristic	Smooth
Performance	Excellent
Stacking Lugs	Yes
Dishwasher Safe	Yes — Extensive
Chemical Resistance	Excellent
Drying Test	Excellent
Shock Resistance	Excellent
Break Resistance	Excellent
Scratch Resistance	Excellent
Stain Resistance	Excellent
Heat Resistance	-40° to +140°C‡









‡ Not for use in heated carts.

RECOMMENDED USE

High Traffic / Frequent Use

- Hospitals
- Schools
- Universities
- Canteens / Cafeterias / Self-Serve
- Military



High Profile Shape Low Profile Design Shape



Flat Edge Shape





Non-stock item 240 pieces. No broken carton.



CODE	DIMENSIONS (CM)
Versa Trays – High Profile Sha	пре
VT1418AB	35,5 x 45,7
VT3343AB	33,0 x 43,0
Versa Century™ Trays – Low P	rofile Design Shape
VT3646CAB	35,5 x 45,7
VT3343CAB	32,9 x 43,0
Versa Trays – Flat Edge Shape)
GP1070AB*	32,5 x 26,5
GP1080AB*	37,0 x 26,5
GP3980AB*	53,0 x 37,0
GP4002AB*	53,0 x 32,5
Case Dack, 12	


Case Pack: 12

* Designed with reinforced corners for automatic off-stacking onto conveyor belt dishwashers.



Trays have built-in antimicrobial properties to protect against mildew growth and bacterial odors. This protection will not wash or wear off.

Unprotected Surface versus Camguard Protected Surface 24 Hour Test





Innovative low profile and low corner design increases space utilization of tray surface and customer comfort while eating.



Reinforced polyester corners provide superior corner and edge protection against impact.



Stacking lugs keep trays stacked securely in place and ensure proper air flow.

Tray Color:



Polyester Decorated Versa Trays with Smooth Surface

SPECIFICATIONS

Material	SMC – High Performance Fiberglass Reinforced Polyester + Melamine Surface
Surface Characteristic	Smooth
Performance	Excellent
Stacking Lugs	Yes
Dishwasher Safe	Yes — Extensive
Chemical Resistance	Excellent*
Drying Test	Excellent
Shock Resistance	Excellent
Break Resistance	Excellent
Scratch Resistance	Excellent
Stain Resistance	Excellent
Heat Resistance	-40° to +90°C‡













‡ Not for use in heated carts.

RECOMMENDED USE

High Traffic / Frequent Use

- Hospitals
- Schools
- Universities
- Canteens / Cafeterias / Self-Serve
- Military



Flat Edge Shape

STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN** WAREHOUSE

GP3980, GP4002: (B93)

Minimum quantity order from CEL: Stock item one case, Non-stock item 120 pieces. No broken carton.



Only available from Cambro European Logistics (CEL), Germany and Cambro Özay Turkey.

CODE	SIZE (CM)	CASE Pack
Versa Trays – Flat Edge	Shape	_
GP0540*	46,0 x 34,4	12
GP3980*	53,0 x 37,0	12
GP4002*	53,0 x 32,5	12
GP4004	53,0 x 32,5	12

^{*}Designed with reinforced corners for automatic off-stacking onto conveyor belt dishwashers.

Patterns and Tray Base Colors:



Pebbled Grey on Terrazzo Tray





B95

Pebbled White on Light Grey Tray



Graffity on Light Grey Tray



Brushed Steel on Light Grey Tray



Pebbled Grey on Light Grey Tray



Pebbled Black on Light Grey Tray



Pebbled Black on Terrazzo Tray



Aqua on Light Grey Tray



Pearl White on Pearl White Tray



Brushed Steel on Terrazzo Tray



Sahara on Sahara Tray



Light Grey on Light Grey Tray



Titan on **Granite Tray**



Speckled Blue Tray

^{*} If you are using Thermo-Chemical Disinfection Equipment, please contact us. We will assist you finding the right tray for your application.

Polyester Decorated Versa Trays with Non-Slip Surface

SPECIFICATIONS

Material	SMC — High Performance Fiberglass Reinforced Polyester + Non-Slip Surface
Surface Characteristic	Non-Slip
Performance	Excellent
Stacking Lugs	Yes
Dishwasher Safe	Yes - Extensive
Chemical Resistance	Good
Drying Test	Excellent
Shock Resistance	Excellent
Break Resistance	Excellent
Scratch Resistance	Good
Stain Resistance	Good
Heat Resistance	-40° to +80°C‡





Personalization: Contact your Cambro representative for pricing.







‡ Not for use in heated carts.

RECOMMENDED USE

- Military

High Traffic / Frequent Use
- Hospitals
- Schools
- Universities
- Canteens / Cafeterias / Self-Serve



Flat Edge Shape

Only available from Cambro European Logistics (CEL), Germany and Cambro Özay Turkey.

CODE	SIZE (CM)	PACK
Versa Trays – Flat Edge Shape		
GP3980NS*	53,0 x 37,0	12
GP4002NS*	53,0 x 32,5	12
GP0540NS*	46,0 x 34,4	12
GP1080NS*	37,0 x 26,5	12

^{*}Designed with reinforced corners for automatic off-stacking onto



Patterns and Tray Base Colors:



Sahara on Sahara Tray



Granite Tray



Lava on Speckled Blue Tray



Pebbled Black on Light Grey Tray



Pebbled Black on Terrazzo Tray

Polyester Versa Trays with Smooth Surface

SPECIFICATIONS

Material	SMC — High Performance Fiberglass Reinforced Polyester
Surface Characteristic	Smooth
Performance	Excellent
Stacking Lugs	Yes
Dishwasher Safe	Yes — Extensive
Chemical Resistance	Excellent
Drying Test	Excellent
Shock Resistance	Excellent
Break Resistance	Excellent
Scratch Resistance	Excellent
Stain Resistance	Excellent
Heat Resistance*	-40° to +140°C ‡













- ‡ Not for use in heated carts. Personalization, see page 197.
- * Personalization Heat Resistance: 90°C.

RECOMMENDED USE

High Traffic / Frequent Use
- Hospitals
HospitalsSchoolsUniversities
- Universities

- Canteens / Cafeterias / Self-Serve Military

STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN** WAREHOUSE

VT1418: (A72), (A83) VT2632: (A72), (A83) VT3253: (A72), (A83) VT3646C: (A72)

Minimum quantity order from CEL: Stock item one case, Non-stock item 120 pieces. No broken carton.





High Profile Shape Low Profile Shape






Low Profile Design Shape

Flat Edge Shape

Only available from Cambro European Logistics (CEL), Germany and Cambro Özay Turkey.

Versa Trays - High Profile Shape






Versa Trays - Low Profile Shape



SIZE (CM)	PACK
Shape	
32,5 x 26,5	12
32,5 x 53,0	12
37,0 x 53,0	12
37,5 x 53,0	12
	Shape 32,5 x 26,5 32,5 x 53,0 37,0 x 53,0

CODE	SIZE (CM)	CASE Pack
Versa Century™ Trays – Low Profile Design Shape		
VT3646C	35,5 x 45,7	12
VT3343C	33.0 x 43.0	12





Innovative low profile and low corner design increases space utilization of tray surface and customer comfort while eating.

CASE



Versa Century Trays - Low Profile Design Shape

Polyester Versa Trays with Smooth Surface

CODE	SIZE (CM)	CASE Pack
Versa Trays – Flat Edge Shape		
GP0540*	46,0 x 34,4	12
GP1070*	32,5 x 26,5	12
GP1080*	37,0 x 26,5	12
GP3074	45,0 x 32,0	12
GP3788	39,0 x 51,0	12
GP3980*	53,0 x 37,0	12
GP4002*	53,0 x 32,5	12
GP4004**	53,0 x 32,5	12
GP4701	42,5 x 32,5	12
GP4709	46,0 x 32,5	12
GP4856*	34,5 x 23,0	12

^{*} Designed with reinforced corners for automatic off-stacking onto conveyor belt dishwashers.

Versa Trays - Flat Edge Shape



Tray Colors:





Speckled Mocha



Sahara



Magic Yellow



A27 Light Grey





Speckled Blue



Charcoal*



Granite



STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

GP0540: (A21), (A22), (A27), (A72), (A83), (A86) GP1070: (A27), (A33), (A36), (A72) GP1080: (A72), (A83) GP3074: (A27), (A83) GP3980: (A22), (A25), (A27), (A36), (A83), (A86) GP4002: (A21), (A22), (A25), (A26), (A27), (A33), (A36), (A72), (A83), (A86) GP4210: (A22), (A27), (A33), (A83), (A86) GP4701: (A27), (A33), (A72), (A83), (A86)

GP4709: (A27) GP4853: (A27) GP55653: (A72)

Minimum quantity order from CEL:

Stock item one case, Non-stock item 120

pieces. No broken carton.

CODE	SIZE (CM)	CASE Pack
Versa Trays – Café Trays		
GP55653	40,0 x 27,0	12
GP55702	26,0 x 20,0	12
GP55703	29.0 x 21.0	12

Only available from Cambro European Logistics (CEL), Germany and Cambro Özay Turkey.

CODE	SIZE (CM)	CASE Pack
Versa Trays – Space Saver 1	[rays	
GP4210 - Trapezoid	48,0 x 34,0	12
GP4410 - Trapezoid	32,5 x 42,5	12
GP4853	12 1 x 32 5	12



Hexagonal table Lateral side: 70 cm GP4210



Square table 80 x 80 cm GP4210



Round table Diam. 135 cm GP4853



Square Table 95 x 95 cm GP4853

Versa Trays – Café Trays



Versa Trays - Space Saver Trays



Polyester Versa Trays VT/GP are not recommended for use in heated meal delivery carts. Please contact Cambro Customer Service or Presswerk Köngen GmbH, with any questions related to proper usage or any special application. Cambro will provide you with clear instructions on correct usage of our trays to ensure you get the maximum life out of our products. *Charcoal color A72 will show scratches if not handled properly.

^{**}Textured top surface to reduce sliding of dishes. Not available in (A72).

Polyester Versa Lite Trays with Smooth Surface

SPECIFICATIONS

Material	SMC — Standard Performance Fiberglass Reinforced Polyester
Surface Characteristic	Smooth
Performance	Excellent
Stacking Lugs	Yes
Dishwasher Safe	Yes — Normal
Chemical Resistance	Good
Drying Test	Excellent
Shock Resistance	Good
Break Resistance	Good
Scratch Resistance	Good
Stain Resistance	Good
Heat Resistance*	-40° to +130°C‡











‡ Not for use in heated carts. Personalization, see page 197.

* Personalization Heat Resistance: 90°C.

RECOMMENDED USE

Moderate Traffic / Economic Priority

- Schools
- Universities
- Canteens / Cafeterias / Self-Serve

Only available from Cambro European Logistics (CEL), Germany and Cambro

Versa Lite Trays - Flat Edge Shape

- Military

Özay Turkey.

- Hotel Room Service





High Profile Shape Low Profile Shape





Low Profile Design Shape

Flat Edge Shape



Low Profile Flat Edge Shape

CODE	SIZE (CM)
Versa Lite Trays – Flat Edge Shape	
GL0540†	46,0 x 34,4
GL1070†	32,5 x 26,5
CI 1080+	37 N v 26 5

GL1080† 37,0 x 26,5 GL3074 45,0 x 32,0 GL3980† 53,0 x 37,0 GL4002† 53,0 x 32,5 GL4060 40,0 x 60,0

GL4701 42,5 x 32,5 GL4709 46,0 x 32,5

Case Pack: 12

GL4002



STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN WAREHOUSE**

GL0540: (A20), (A22), (A27) GL3980: (A20)

GL4002: (A20), (A21), (A22), (A27), (A33), (A83), (A86)

Minimum quantity order from CEL:

Stock item one case, Non-stock item 120 pieces. No broken carton.

CODE	SIZE (CM)
Versa Lite Trays – Space Saver Trays	
GL4210 - Trapezoid	48,0 x 34,0

Case Pack: 12





Square table 80 x 80 cm GL4210

Versa Lite Trays - Space Saver Trays



[†] Designed with reinforced corners for automatic off-stacking onto conveyor belt dishwashers.

Polyester Versa Lite Trays with Smooth Surface

CODE	SIZE (CM)
Versa Lite Trays – High Profile Shape	
VL1014	27,0 x 35,0
VL1216	30,5 x 41,5
VL3343	33,0 x 43,0
VL1418	35,5 x 45,7
Case Pack: 12	



Versa Lite Trays - High Profile Shape

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN

WAREHOUSE VL1418: (A20), (A21), (A22), (A27) VL3253: (A20), (A21), (A22), (A33), (A86)

VL3343: (A20), (A21) VL3753, VL3343C, VL3646C: (A27)

Minimum quantity order from CEL: Stock item one case, Non-stock item 120 pieces. No broken carton.

CODE	SIZE (CM)	
Versa Lite Trays – Low Profile Flat Edge Shape		
GL220P	32,5 x 53,0	
GL210P	37,0 x 53,0	
Case Pack: 12		

Only available from Cambro European Logistics (CEL), Germany and Cambro

CODE	SIZE (CM)
Versa Lite Trays – Low Profile Shape	
VL2632	32,5 x 26,5
VL3253	32,5 x 53,0
VL3753	37,0 x 53,0

Case Pack: 12

Özay Turkey.

CODE	SIZE (CM)	
Versa Lite Century™ Trays — Low Profile Design Shape		
VL3646C	35,5 x 45,7	
VL3343C	33,0 x 43,0	

Case Pack: 12



Innovative low profile and low corner design increases space utilization of tray surface and customer comfort while eating.

Versa Lite Trays – Low Profile Flat Edge Shape



Versa Lite Trays - Low Profile Shape



Versa Lite Century Trays - Low Profile Design Shape



Tray Colors:



Speckled Sand



Speckled Smoke





Sahara





Pearl White






Terrazzo

Century Fun Trays — Create a vibrant table top with colourful trays

SPECIFICATIONS Versa Tray **Versa Lite Tray** SMC - High Performance Fiberglass SMC - Standard Performance Material Reinforced Polyester Fiberglass Reinforced Polyester Surface Characteristic Smooth Smooth Performance Excellent Excellent Stacking Lugs Yes Yes Dishwasher Safe Yes - Extensive Yes - Normal Chemical Resistance Excellent Good **Drying Test** Excellent Excellent **Shock Resistance** Excellent Good **Break Resistance** Excellent Good Scratch Resistance Excellent Good Stain Resistance Excellent Good -40° to +90°C‡ Heat Resistance* -40° to +90°C‡



^{*} Personalization Heat Resistance: 90°C.





















High Profile Shape



Low Profile Design Shape

RECOMMENDED USE

High Traffic / Frequent Use

- Hospitals
- Schools
- Universities
- Canteens / Cafeterias / Self-Serve

Sage on White Tray



Century Fun Trays are made for intensive use. Scratch, stain, chemical and breakresistant, Century Fun trays are available in 5 contemporary colours on a pure white tray. Match the tray colour to your décor (dishes, furniture, walls, etc.).

Personalization

Possibility to personalize to any PMS colors of your choice.

Minimum quantity: 120 pieces.

Please refer to personalization procedure and color availability in the Personalization section.

For assistance please contact your Cambro representative.

Stacking lugs keep trays stacked securely in place and ensure proper air flow.

Only available from Cambro European Logistics (CEL), Germany and Cambro Özay Turkey.

Innovative low profile and low corner design increases space utilization of tray surface and customer comfort while eating.

Raspberry on White Tray	
Grape on White Tray	F03
Pearl Grey on White Tray	F04
Dark Peach on White Tray	

CODE	DIMENSIONS (CM)	CASE PACK
Versa Trays		
VT1418	35,5 x 45,7	12
VT3646C	35,5 x 45,7	12
Versa Lite Trays		
VL1418	35,5 x 45,7	12
VL3646C	35,5 x 45,7	12

STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN WAREHOUSE**

VT3646C: (F01), (F02), (F04) VL3646C: (F01), (F02), (F04)

Minimum quantity order from CEL: Stock item one case, Non-stock item 120 pieces. No broken carton.

Polyester Non-Slip Versa Lite Trays

SPECIFICATIONS

Material	SMC — Standard Performance Fiberglass Reinforced Polyester	
Surface Characteristic	Non-Slip	
Performance	Excellent	
Stacking Lugs	Yes	
Dishwasher Safe	Yes — Normal	
Chemical Resistance	Good	
Drying Test	Excellent	
Shock Resistance	Good	
Break Resistance	Good	
Scratch Resistance	Good	
Stain Resistance	Good	
Heat Resistance*	-40° to +80°C‡	



‡ Not for use in heated carts.

Personalization: Contact your Cambro representative for pricing.

* Personalization Heat Resistance: 90°C.

RECOMMENDED USE

Intensive Use / Economic Priority

- Hospitals
- Schools
- Universities
- Canteens / Cafeterias / Self-Serve
- Catering / Cruise Ships
- Hotels / Room Service



Low Profile High Profile Shape Design Shape



Flat Edge Shape



Reinforced polyester corners provide superior corner and edge protection against impact.

Only available from Cambro European Logistics (CEL), Germany and Cambro Özay Turkey.





Stacking lugs keep trays stacked securely in place and ensure proper air flow.



Versa Lite Century Trays have low

STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN WAREHOUSE** GL4002NS: (B22)

Minimum quantity order from CEL: Stock item one case, Non-stock item 120 pieces. No broken carton.



edges and ergonomic corners that enhance comfort.

Tray Colors:



Sahara on Sahara Tray




Titan on Speckled Smoke Tray



White Tray



Pebbled Black on Light Grey Tray



Case Pack: 12.



Non-Slip Trays grip firmly providing safer meal delivery service.

^{*}Designed with reinforced corners for automatic off-stacking onto conveyor belt dishwashers.

Polyester Versa Lite Trays with Non-Slip Rubber Surface

SPECIFICATIONS

Material	SMC — Standard Performance Fiberglass Reinforced Polyester + Non-Slip Rubber
Surface Characteristic	Non-Slip Rubber
Performance	Excellent
Stacking Lugs	Yes
Dishwasher Safe	Yes — Normal
Chemical Resistance	Good
Drying Test	Excellent
Shock Resistance	Good
Break Resistance	Good
Scratch Resistance	Good
Stain Resistance	Good
Heat Resistance	-40° to +100°C‡

RECOMMENDED USE

Moderate Traffic / Economic Priority

- Banquet Service
- Restaurant / Cafes
- Bars / Clubs / Pubs
- Catering
- Brasseries





High Profile Shape

Flat Edge Shape

VL1418RNS

Only available from Cambro European Logistics (CEL), Germany and Cambro Özay Turkey.











‡ Not for use in heated carts.



STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

GL1070RNS: (A83) GL4002RNS: (A83), (A87)

Minimum quantity order from CEL: Stock item one case, Non-stock item 120 pieces. No broken carton.

CODE	DIA/ Size (CM)	CASE Pack
Versa Lite Trays – High Pr	ofile Shape	
VL1418RNS	35,5 x 45,7	12
Versa Lite Trays – Flat Ed	ge Shape	
GL1070RNS*	32,5 x 26,5	12
GL4002RNS*	53,0 x 32,5	12
GL3980RNS*	53,0 x 37,0	12
Versa Lite Tray – Cafe Tra	ys	
VL2129RNS	21,0 x 29,0	12
VL3200RNS	ø 32,0	12
VL3600RNS	ø 36,0	12

^{*}Designed with reinforced corners for automatic off-stacking onto conveyor belt dishwashers.



Patterns and Tray Base





Grey on **Granite Tray**

Camtrays® Fiberglass Trays with Smooth Surface

SPECIFICATIONS

Material	Fiberglass Layers + Polyester Resin
Surface Characteristic	Smooth
Performance	Excellent
Stacking Lugs	Yes
Dishwasher Safe	Yes — Extensive
Chemical Resistance	Good
Drying Test	Excellent
Shock Resistance	Excellent
Break Resistance	Excellent
Scratch Resistance	Excellent
Stain Resistance	Excellent
Heat Resistance	-10° to +100°C‡

‡ Not for use in heated carts. Personalization, see page 197.


1216 1418

CODE	SIZE (CM)	CASE Pack
Rectangular – High Profile Shape		
810†	20,5 x 25	12
915†	22 x 38	12
926*†	22,5 x 65 x 2,5	12
1014†	27 x 35	12
1015*Δ	26 x 38	24
1116*Δ	27,5 x 40,5	24
1216†	30,5 x 41,5	12
1313†	33 x 33	12
1318*†	32 x 45 x 3	12
1418†	35,5 x 45,7	12
1520†	38 x 51,5	12
1622†	40,5 x 56	12
16225*†	42 x 57	12
1826†	45,5 x 65,5	6
Rectangular – Low Profile Shape		
46†	11 x 15	12
57*†	12,5 x 18	12
2025*†	53 x 65	6

RECOMMENDED USE

High Traffic / Frequent Use	
— Hospitals	
- Schools	
– Universities	His
— Canteens / Cafeterias / Self-Serve	''''





- Military

- Hotel Room Service

† Available in Group I colors and patterns and Group III patterns.

 Δ Available in Group I colors and patterns except Doily.

 * Special order item not carried in stock non-returnable.











STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN** WAREHOUSE

1216: (204)



Camtrays® Fiberglass Trays with Smooth Surface

SPECIFICATIONS

Material	Fiberglass Layers + Polyester Resin
Surface Characteristic	Smooth
Performance	Excellent
Stacking Lugs	Yes
Dishwasher Safe	Yes — Extensive
Chemical Resistance	Good
Drying Test	Excellent
Shock Resistance	Excellent
Break Resistance	Excellent
Scratch Resistance	Excellent
Stain Resistance	Excellent
Heat Resistance	-10° to +100°C‡

‡ Not for use in heated carts.



CODE	DIA/ Size (CM)	CASE Pack
Trapezoid – High Profile Sha		
1418TR*†	35,5 x 45,7	12
1422TR*†	35,5 x 56	12
Trapezoid – Low Profile Shap	e	
1520TR*†	37 x 49,5	12
Oval – Low Profile Shape		
2500*Δ	49 x 61	6
2700*Δ	56 x 68,5	6
Round – High Profile Shape		
900*Δ	ø 23	12
1000*Δ	ø 25,5	12
1100Δ	ø 28	12
1200*Δ	ø 30,5	12
1300*Δ	ø 33	12
1400Δ	ø 35,5	12
1600Δ	ø 40,5	12
Round – Low Profile Shape		
1550*Δ	ø 40,5	12
1950*Δ	ø 49,5	12

RECOMMENDED USE

High Traffic / Frequent Use	
- Hospitals	
- Schools	
- Universities	

- Canteens / Cafeterias / Self-ServeMilitary
- Hotel Room Service





High Profile Shape Low Profile Shape



- \dagger Available in Group I colors and patterns and Group III patterns.
- Δ Available in Group I colors and patterns except Doily.
- * Special order item not carried in stock non-returnable.














Personalization, see page 197.







Camtrays® Fiberglass Trays with Smooth Surface

‡ Not for use in heated carts.

Personalization, see page 197.

for details.

1418H and 1520H available in four color

printing process only. Please refer to Fiberglass Tray Personalization section

SPECIFICATIONS

Material	Fiberglass Layers + Polyester Resin	
Surface Characteristic	Smooth	
Performance	Excellent	
Stacking Lugs	Yes	
Dishwasher Safe	Yes — Extensive	
Chemical Resistance	Good	
Drying Test	Excellent	
Shock Resistance	Excellent	
Break Resistance	Excellent	
Scratch Resistance	Excellent	
Stain Resistance	Excellent	
Heat Resistance	-10° to +100°C‡	

- * Special order item not carried in stock-non-returnable.
- Available in Group I colors only.

1418H and 1520H available in Group I colors only and covered by 2 Year prorated warranty against manufacturer's defects.

NSF listed for non-direct food contact













High Traffic / Frequent Use

- Hospitals
- Schools
- Universities
- Canteens / Cafeterias / Self-Serve
- Military
- Hotel Room Service





High Profile Shape Low Profile Shape

STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN WAREHOUSE**

1418H: (110), (199), (538) **3242**: (110) **3253**: (110), (148)





1418H

CODE	DIMENSIONS (CM)	CASE Pack
Metric Rectangular – Hig	h Profile Shape	
1313	33 x 33	12
3242	31,9 x 41,9	12
3853*	37,5 x 53	12
Metric Rectangular – Lov	v Profile Shape	
2632*	26,5 x 32,5	12
3046*	30 x 46	12
3253*	32,5 x 53	12
3343	33 x 43	12
3753*	37 x 53	12
Camtray with Handles		
1418H*❖	36 x 46	12
1520H*❖	38 x 51,5	12



Camtray® Group I Colors

Colors listed alphabetically. See numerical reference on following page.



Camtray® Group I Patterns

Swirl

270

Black & Gold













Camtray Group III - Wood

Grey



Tan









Light Butcher Block











Toffee

Trays are non-returnable.

Camtray Group | Colors - Numerical Reference by Color Code

Antique Parchment (101), Desert Tan (104), Horizon Blue (105), Light Peach (106), Pearl Gray (107), Black (110), Lime-ade (113), Brazil Brown (116), Dark Peach (117), Sherwood Green (119), Amazon Blue (123), White (148),

Tuscan Gold (171), Sky Blue (177), Taupe (199), Citrus Orange (220), Ever Red (221) Orange Pizazz (222), Slate Blue (401), Blush (409), Raspberry Cream (410), Teal (414), Olive Green (428), Key Lime (429), Real Rust (501),

Mustard (504), Cherry Red (505), Suede Brown (508), Signal Red (510), Bayleaf Brown (513), Earthen Gold (514). Robin Egg Blue (518), Cambro Red (521), Burgundy Wine (522),

Lemon Chiffon (536), Cameo Yellow (537), Cottage White (538), Grape (551).

Non-Slip Versa Camtrays®

- Non-Slip Camtrays provide a better grip for safer meal delivery.
- Stacking lugs keep trays stacked securely in place and ensure proper air flow.
- Temperature range resistance from -40°C to 80°C.‡

Colors: Black with Pebbled Black (382), Pearl Gray with Titan (381), Ivory with Sahara (380).











Personalization: Contact your Cambro representative for pricing.

‡ Not recommended for heated carts.





High Profile Shape

Flat Edge Shape



Case Pack: 12

Non-Slip Versa Camtrays with Handles

- · Contoured handles allow for safe and elegant meal delivery.
- Non-Slip surface firmly grips table top items.
- Stacking lugs keep trays stacked securely in place and ensure proper air flow.
- Temperature range resistance from -40°C to 80°C.‡

Colors: Black with Pebbled Black (382), Pearl Gray with Titan (381), Ivory with Sahara (380).

Non-Slip Versa Camtrays with Handles are covered by U.S. Patent D 683,191 S.










Personalization: Contact your Cambro representative for pricing.

‡ Not recommended for heated carts.





Dietary Trays

SPECIFICATIONS

Material	Fiberglass Layers + Polyester Resin
Surface Characteristic	Smooth
Performance	Excellent
Stacking Lugs	Yes
Dishwasher Safe	Yes — Extensive
Chemical Resistance	Good
Drying Test	Excellent
Shock Resistance	Excellent
Break Resistance	Good
Scratch Resistance	Good
Stain Resistance	Excellent
Heat Resistance	-10° to +100°C‡

[‡] Not for use in heated carts.

Camlite® Trays

SPECIFICATIONS

Material	Fiberglass Layers + Polyester Resin
Surface Characteristic	Smooth
Performance	Excellent
Stacking Lugs	Yes
Dishwasher Safe	Yes — Extensive
Chemical Resistance	Good
Drying Test	Excellent
Shock Resistance	Excellent
Break Resistance	Good
Scratch Resistance	Good
Stain Resistance	Excellent
Heat Resistance	-10° to +100°C‡

[‡] Not for use in heated carts.

RECOMMENDED USE

High Traffic / Frequent Use

- Hospitals
- Schools
- Universities
- Canteens / Cafeterias / Self-Serve
- Military
- Hotel Room Service

Available in Group I colors and patterns and Group III Patterns.

* Special order item not carried in stock non-returnable.











RECOMMENDED USE

High Traffic / Frequent Use

- Hospitals
- Schools
- Universities
- Canteens / Cafeterias / Self-Serve
- Military
- Hotel Room Service

Colors: Rose Red (163), Yellow (145), Green (162), Blue (142), Tan (161), Steel White (676), Steel Red (675), Steel Blue (674), Black (110).

12 dozen minimum order required for any special color orders.












Low Profile Shape



DIMENSIONS (CM)	PACK
ape	
30,5 x 41,5	12
30,5 x 48,3	12
30,5 x 51	12
30,5 x 56	12
35,5 x 46	12
38,0 x 51,3	12
	30,5 x 41,5 30,5 x 48,3 30,5 x 51 30,5 x 56 35,5 x 46



CODE	DIMENSIONS (CM)	CASE Pack
Rectangular Camlite Tra	ys – High Profile Shape	
1014CL	27 x 35	12
1216CL	30,5 x 41,5	12
1418CL	35,5 x 45,7	12
1520CL	38 x 51,5	12
1826CL	45,5 x 65,5	12
Rectangular Camlite Trays – Low Profile Shape		
3253CL	32,5 x 53	12

Polycarbonate Trays

SPECIFICATIONS

Material	Polycarbonate
Surface Characteristic	Textured
Performance	Excellent
Stacking Lugs	Yes
Dishwasher Safe	Yes — Extensive
Chemical Resistance	Good
Drying Test	Excellent
Shock Resistance	Excellent
Break Resistance	Excellent
Scratch Resistance	Very Good
Stain Resistance	Very Good
Heat Resistance	-40° to +99°C‡













‡ Not for use in heated carts.

Polycarbonate Trays with Non-Slip Surface **SPECIFICATIONS**

Material	Polycarbonate
Surface Characteristic	Non-Slip
Performance	Excellent
Stacking Lugs	Yes
Dishwasher Safe	Yes — Extensive
Chemical Resistance	Good
Drying Test	Excellent
Shock Resistance	Excellent
Break Resistance	Excellent
Scratch Resistance	Good
Stain Resistance	Good
Heat Resistance	-40° to +82°C‡

Dalvaarhanata



Matarial











‡ Not for use in heated carts.

RECOMMENDED USE

Moderate Traffic / Economic Priority

- Schools
- Universities
- Canteens / Cafeterias / Self- Serve
- Military
- Quick Serve Restaurants
- Food Courts / Snack Shops

Colors: Blue (168), Beige (133).

NSF listed for non-direct food contact only.



High Profile Shape

RECOMMENDED USE

Moderate Traffic / Economic Priority

- Schools / Universities
- Canteens / Cafeterias / Self-Serve
- Military
- Food Courts / Snack Shops
- Restaurants / Cafes
- Brasseries
- Hotels / Room Service
- Hospitals

Colors: Black (110), Dark Cranberry (488).

NSF listed for non-direct food contact only.





1520CW

1418TRCW

CODE	SIZE (CM)	CASE Pack
Rectangular – High Profi	e Shape	
1418CW	35,5 x 46	12
1520CW	38 x 51	12
Trapezoid – High Profile	Shape	
1418TRCW	35,5 x 46	12



CODE	SIZE (CM)	CASE Pack
Rectangular – High Profile Shape		
1418CWNS	35,5 x 46	12
1520CWNS	38 x 51	12

STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN** WAREHOUSE

1418CWNS: (110), (488)

Camtread® Fiberglass Trays with Non-Slip Rubber Surface

SPECIFICATIONS

01 = 011 10/1110110	
Material	Fiberglass Layers + Polyester Resin + Non-Slip Rubber Surface Molded From Edge-To-Edge
Surface Characteristic	Non-Slip Rubber
Performance	Excellent
Stacking Lugs	Yes
Dishwasher Safe	Yes — Extensive
Chemical Resistance	Good
Drying Test	Excellent
Shock Resistance	Excellent
Break Resistance	Good
Scratch Resistance	Excellent
Stain Resistance	Good
Heat Resistance	-10° to +100°C‡

‡ Not for use in heated carts.

RECOMMENDED USE

High Traffic / Frequent Use

- Banquet Service
- Restaurants / Cafes
- Bars / Clubs / Pubs
- Catering
- Brasseries





High Profile Shape

Low Profile Shape



Low Profile Shape Oval

STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN** WAREHOUSE

1014CT, 1100CT, 1216CT, 1826CT, 2500CT, 2900CT, 3253CT: (110) 1400CT, 1418CT, 1600CT, 1800CT, 2700CT: (110), (138)





CODE	DIA/ Size (CM)	CASE Pack
Round – High Profile Shape		
900CT*	ø 23	12
1100CT	ø 28	12
1400CT	ø 35,5	12
1600CT	ø 40,5	12
1800CT	ø 45	6
Round – Low Profile Shape		
1550CT*	ø 40,5	12
1950CT*	ø 49,5	12
Oval – Low Profile Shape		
2500CT	49 x 59	6
2700CT	56 x 68,5	6
2900CT	73,5 x 60	6
Rectangular – High Profile Shape		
1014CT*	27 x 35	12
1216CT	30,5 x 41,5	12
1418CT	36 x 46	12
1520CT*	38 x 51,5	12
1622CT*	40,5 x 56	12
1826CT	45 x 65	6
Rectangular – Low Profile Shape		
3253CT	32,5 x 53	12

Orders for non-standard Camtread Tray colors will be handled by special quotation only.

- * Special order item not carried in stock
- non-returnable.

Do not use Camtread Trays in enclosed heated carts.

Personalization see page 198 for size and detail.















Tray Colors:



Black Satin



Tavern Tan

Treadlite™ Trays

SPECIFICATIONS

Material	Fiberglass Layers + Polyester Resin + Non-Slip Rubber Surface
Surface Characteristic	Non-Slip Rubber Surface
Performance	Good
Stacking Lugs	Yes
Dishwasher Safe	Yes — Minimal
Chemical Resistance	Good
Drying Test	Good
Shock Resistance	Good
Break Resistance	Good
Scratch Resistance	Good
Stain Resistance	Good
Heat Resistance	-10° to +80°C‡













‡ Not for use in heated carts.

RECOMMENDED USE

Moderate Traffic / Economic Priority

- Brasseries
- Restaurants / Cafes
- Bars / Clubs / Pubs

STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN** WAREHOUSE

1400TL, 1600TL: (110)



CASE Pack SIZE (CM) Round – High Profile Shape 1400TL ø 35,5 12 1600TL ø 40,5 12

Polytread® Trays

SPECIFICATIONS

Material	Polypropylene + Non-Slip Rubber Surface
Surface Characteristic	Non-Slip Rubber Surface
Performance	Good
Stacking Lugs	Yes
Dishwasher Safe	Yes — Minimal
Chemical Resistance	Good
Drying Test	Good
Shock Resistance	Good
Break Resistance	Good
Scratch Resistance	Good
Stain Resistance	Good
Heat Resistance	-10° to +80°C‡













‡ Not for use in heated carts.

RECOMMENDED USE

Moderate Traffic / Economic Priority

- Brasseries
- Restaurants / Cafes
- Bars / Clubs / Pubs



High Profile Shape

STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN** WAREHOUSE



CODE	DIA/ Size (CM)	CASE Pack
Round – High Profile Shape		
PT1100	ø 28	12
PT1400	ø 35,5	12
PT1600	ø 40,5	12
Rectangular – High Profile Shape		
PT1014	27 x 34,5	24
PT1216	30 x 41,5	24
PT1418	36 x 46	12

Beechwood Trays with Smooth Surface SPECIFICATIONS

Material	Veneer Beechwood
Surface Characteristic	Smooth
Performance	Good
Stacking Lugs	No
Dishwasher Safe	Yes — Normal
Chemical Resistance	Good
Drying Test	Good
Shock Resistance	Good
Break Resistance	Good
Scratch Resistance	Good
Stain Resistance	Good
Heat Resistance	-10° to +100°C‡









‡ Not for use in heated carts.

Beechwood Trays with Non-Slip Surface SPECIFICATIONS

Material	Veneer Beechwood
Surface Characteristic	Non-Slip Surface
Performance	Good
Stacking Lugs	No
Dishwasher Safe	Yes — Minimal
Chemical Resistance	Good
Drying Test	Good
Shock Resistance	Good
Break Resistance	Good
Scratch Resistance	Good
Stain Resistance	Good
Heat Resistance	-10° to +100°C‡











‡ Not for use in heated carts.



Mild Use / Emphasis on style with limited washing

- Banquet Service
- Restaurants / Cafes
- Catering





RECOMMENDED USE

Mild Use / Emphasis on style with limited washing

- Banquet Service
- Restaurants / Cafes
- Bars / Clubs / Pubs
- Catering
- Brasseries

Tray Color:



Beechwood



Tray Color:



Beechwood

CODE	DIA/ Size (CM)	CASE Pack
Rectangular – 60 Series		
PH556010	45,0 x 32,0	12
PH556020	58,0 x 38,0	12
PH556030	63,0 x 40,0	12
PH556040	70,0 x 45,0	12
PH556050	75,0 x 48,0	12
Rectangular – 65 Series		
PH556510	27,0 x 20,0	12
PH556520	33,0 x 23,0	12
Oval		
PH557010	23,0 x 16,0	24
PH557020	26,0 x 20,0	24
PH557030	29,0 x 21,0	24
PH557040	33,0 x 24,0	24
Round Beer Tray		
PH558510	ø 32,0	12
PH558520	ø 36,0	12
PH558530	ø 42,0	12

CODE	DIA/ Size (CM)	CASE PACK
Rectangular – 60 Series		
PH556016	45,0 x 32,0	12
PH556026	58,0 x 38,0	12
PH556036	63,0 x 40,0	12
PH556046	70,0 x 45,0	12
PH556056	75,0 x 48,0	12
Rectangular – 65 Series		
PH556516	27,0 x 20,0	12
PH556526	33,0 x 23,0	12
Oval		
PH557016	23,0 x 16,0	24
PH557026	26,0 x 20,0	24
PH557036	29,0 x 21,0	24
PH557046	33,0 x 24,0	24
Round Beer Tray		
PH558516	ø 32,0	12
PH558526	ø 36,0	12
PH558536	ø 42,0	12

Mahogany Wood Trays with Non-Slip Surface

SPECIFICATIONS

Mahogany Veneer
Non-Slip Surface
Good
No
Yes — Minimal
Good
-10° to +100°C‡







‡ Not for use in heated carts.



Mild Use / Emphasis on style with limited washing

- Banquet Service
- Restaurants / Cafes
- Bars / Clubs / Pubs
- Catering
- Brasseries

Only available from Cambro European Logistics (CEL), Germany and Cambro Özay Turkey.





DIA/ SIZE (CM)	CASE PACK
SIZE (OIII)	TAUK
32,0 x 45,0	12
37,5 x 57,5	12
36,0 x 46,0	12
21,0 x 29,0	12
ø 32,0	12
ø 36,0	12
ø 42,0	12
	32,0 x 45,0 37,5 x 57,5 36,0 x 46,0 21,0 x 29,0 Ø 32,0 Ø 36,0

Tray Color:



Mahogany

Corfu - Laminated Trays with Non-Slip Rubber Surface

SPECIFICATIONS

Material	Laminate + Non-Slip Rubber Surface	
Surface Characteristic	Non-Slip Rubber Surface	
Performance	Excellent	
Stacking Lugs	No	
Dishwasher Safe	Yes — Normal	
Chemical Resistance	Excellent	
Drying Test	Good	
Shock Resistance	Good	
Break Resistance	Good	
Scratch Resistance	Good	
Stain Resistance	Good	
Heat Resistance	-10° to +100°C‡	



Personalization,









‡ Not for use in heated carts.

Note: All laminated trays must be dried before stacking.

RECOMMENDED USE

Normal Use / Emphasis on style with limited washing

- Canteens / Cafeterias / Self-Serve
- Banquet Service
- Restaurants / Cafes
- Bars / Clubs / Pubs
- Catering


STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN WAREHOUSE**

C03200, C03343, C03800, C04300, CO3646: (D01)

Minimum quantity order from CEL: Stock item one case, Non-stock item 120 pieces. No broken carton.

Only available from Cambro European Logistics (CEL), Germany and Cambro Özay Turkey.









Tray Colors:





Capri – Laminated Trays with Smooth Surface

SPECIFICATIONS

RECOMMENDED USE

Moderate Traffic / Economic Priority

– Canteens / Cafeterias / Self-Serve

- Hotel Room Service
- Restaurants / Cafes
- Bars / Clubs / Pubs
- Catering
- Brasseries

CA4064H: (E76), (E84)

Only available from Cambro European Logistics (CEL), Germany and Cambro Özay Turkey.



Personalization, see page 198.







‡ Not for use in heated carts.

Note: All laminated trays must be dried before stacking.







CODE	OUTER Dimensions	INNER DIMENSIONS
Rectangular with Handl	es	
CA4064H	40 x 64 cm	35,6 x 53,3 cm
Case Pack: 12		





Capri – Rectangular with Handles



www.cambro.com

Capri – Laminated Trays with Smooth Surface

CODE	DIMENSIONS (CM)	CASE Pack
Rectangular		
CA2028	20,0 x 28,0	24
CA2632	26,5 x 32,5	24
CA2738	27,0 x 38,0	24
CA2836	28,0 x 36,0	24
CA3244	32,0 x 44,0	24
CA3253	32,5 x 53,0	24
CA3343	33,0 x 43,0	24
CA3446	34,0 x 46,0	24
CA3646	36,0 x 46,0	24
CA3748	37,0 x 48,0	24
CA3753	37,0 x 53,0	24
CA3952	39,0 x 52,0	24
CA4361	43,0 x 61,0	12



Özay Turkey.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

CA2738, CA2836, CA3753: (E76)

CA3253: (E75), (E76)
CA3253: (E75), (E76)
CA3343, CA3646: (E73), (E75), (E76), (E82)
CA3446: (E73), (E75), (E82)
CA3748: (E73), (E82)
CA4361: (E73), (E76) Only available from Cambro European Logistics (CEL), Germany and Cambro

Minimum quantity order from CEL:

Stock item one case, Non-stock item 120 pieces. No broken carton.

CODE	DIA / SIZE (CM)	CASE Pack
Round		
CA1300	ø 13,0	24
CA3200	ø 32,0	24
CA3800	ø 38,0	24
CA4300	ø 43,0	24

Tray Pattern:

Thank You (E01) Available in CA1300 only.



CODE	SIZE (CM)	CASE PACK
Trapezoid		
CA3247TR	32,0 x 47,0	24

CODE	SIZE (CM)	CASE Pack
Oval		
CA1623	16,0 x 23,0	24
CA2026	20,0 x 26,5	24
CA2129	21,0 x 29,0	24

Capri - Round



Capri - Trapezoid



Capri – Oval



Tray Colors:









Teak

E78 White



Black



Grey



Mykonos – Laminated Trays with Non-Slip Surface

SPECIFICATIONS

Material	Laminate + Non-Slip Surface
Surface Characteristics	Non-Slip Surface
Performance	Good
Stacking Lugs	No
Dishwasher Safe	Yes — Minimal
Chemical Resistance	Good
Drying Test	Good
Shock Resistance	Good
Break Resistance	Good
Scratch Resistance	Good
Stain Resistance	Good*
Heat Resistance	-10° to +100°C‡









Personalization, see page 198.

‡ Not for use in heated carts.

Note: All laminated trays must be dried before stacking.

*Limited stain resistance for Birch (E75)

RECOMMENDED USE

Moderate Use / Emphasis on Style with Limited Washing

- Banquet Services
- Restaurants / Cafes
- Bars / Clubs / Pubs
- Catering

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

MY2129, MY2632, MY3253, MY3800, MY4300, MY4361: (E76)

MY2738: (E75) MY3343: (E75), (E76) MY3646: (E73), (E76)

Minimum quantity order from CEL:

Stock item one case, Non-stock item 120 pieces. No broken carton.



Only available from Cambro European Logistics (CEL), Germany and Cambro Özay Turkey.



CODE	DIA/ Size (CM)	CASE Pack
Rectangular		
MY2632	26,5 x 32,5	24
MY2738	27,0 x 38,0	24
MY3244	32,0 x 44,0	24
MY3253	32,5 x 53,0	24
MY3343	33,0 x 43,0	24
MY3446	34,0 x 46,0	24
MY3646	36,0 x 46,0	24
MY3753	37,0 x 53,0	24
MY3952	39,0 x 52,0	24
MY4361	43,0 x 61,0	12
Oval		
MY2026	20,0 x 26,5	24
MY2129	21,0 x 29,0	24
Round		
MY3200	ø 32,0	24
MY3800	ø 38,0	24
MY4300	ø 43,0	24



Tray Colors:







Walnut





Black



Charcoal Granite

Madeira - Laminated Trays with Textured Wood Surface

SPECIFICATIONS

Laminate
Textured — Top and Bottom
Good
No
Yes — Normal
Excellent
Good
Good
Good
Good
Excellent
-10° to +100°C‡

‡ Not for use in heated carts. Note: All laminated trays must be dried

before stacking.









PRORATED

Personalization, see page 198.

RECOMMENDED USE

Moderate Traffic / Economic Priority

- Canteens / Cafeterias / Self-Serve
- Hotel Room Service
- Restaurants / Cafes
- Bars / Clubs / Pubs

Only available from Cambro European Logistics (CEL), Germany and Cambro Özay Turkey.






MA4300

MA3800







MA3646 36,0 x 46,0 24 43,0 x 61,0 MA4361 12 Rectangular with handle MA3142H 31,0 x 42,0 24 Trapezoid MA3652TR 36,0 x 52,0 24

Round MA3200 ø 32,0 24 MA3800 ø 38,0 24 MA4300 ø 43,0 24

ENG MET MS / Trays

Teak

Tray Colors:

Fast Food Trays

SPECIFICATIONS

Material	Polypropylene
Surface Characteristic	Textured
Performance	Good
Stacking Lugs	Yes
Dishwasher Safe	Yes-Minimal**
Chemical Resistance	Excellent
Drying Test	Good
Shock Resistance	Good
Break Resistance	Good
Scratch Resistance	Good
Stain Resistance	Good
Heat Resistance	-10° to +80°C‡

[‡] Not for use in heated carts.

RECOMMENDED USE

Moderate Traffic / Economic Priority

- Quick Serve Restaurants
- Food Courts / Snack Shops



High Profile Shape



High Profile Shape with handles

STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN** WAREHOUSES

1014FF, 1216FF: (110), (119), (163), 1014F, 1216F: (110), (119), (163), (167), (168), (186) 1418F: (107), (110), (119), (163), (167), (168), (186) 1217FFH: (110), (119), (166), (167), (416)





Available Colors:



CODE	SIZE (CM)	PACK_
Rectangular – High Prof	ile Shape	
1014FF	26,5 x 34,5	24
1216FF	30 x 41	24
1418FF	35 x 45	12
Rectangular – High Prof	ile Shape with Handles	
1217FFH*	30 x 43	24

- * Available in the following colors: Black (110), Sherwood Green (119), Orange (166), Brown (167), Cranberry (416).
- * Personalization not available. Product non-returnable.











Personalization, see page 184.



Cranberry

Teal

^{**} Wash once per day for 60 seconds at a maximum temperature of 80°C.

Compartment Trays

SPECIFICATIONS

Code	10146CW	BCT1014	PS1014
Material	Polycarbonate	ABS	Co-Polymer
Surface Characteristic	Textured	Textured	Textured
Performance	Excellent	Excellent	Excellent
Stacking Lugs	Yes	Yes	Yes
Dishwasher Safe	Yes — Extensive	Yes — Extensive	Yes — Minimal
Chemical Resistance	Good	Excellent	Excellent
Drying Test	Excellent	Excellent	Excellent
Shock Resistance	Excellent	Good	Good
Break Resistance	Excellent	Good	Excellent
Scratch Resistance	Very Good	Very Good	Very Good
Stain Resistance	Very Good	Very Good	Very Good
Heat Resistance	-40° to +99°C‡	-10° to +82°C‡	-10° to +80°C‡

[‡] Not for use in heated carts.



CODE	SIZE (CM)	CASE PACK
Polycarbonate		
10146CW	25,4 x 36,5	24
ABS		
BCT1014	25,4 x 36,5	24
Co-Polymer		
PS1014	25,4 x 36,5	24



BCT1014, PS1014 & 10146CW

RECOMMENDED USE

Moderate Traffic / Econo	mic Priority
- School	
- Universities	
- Military	

ABS and Co-Polymer trays are $not\ NSF\ listed.$









Polycarbonate Only

Polycarbonate





PRORATED

Sherwood Green





Yellow









ABS



2 PRORATED



145











Navy Blue

Cranberry



Teal

Co-Polymer









Yellow



Teal



Navy Blue



Cranberry

Compartment Trays

SPECIFICATIONS

Material	Polycarbonate	Co-Polymer
Surface Characteristic	Textured	Textured
Performance	Excellent	Excellent
Stacking Lugs	Yes	Yes
Dishwasher Safe	Yes — Extensive	Yes — Minimal
Chemical Resistance	Good	Excellent
Drying Test	Excellent	Excellent
Shock Resistance	Excellent	Good
Break Resistance	Excellent	Excellent
Scratch Resistance	Very Good	Very Good
Stain Resistance	Very Good	Very Good
Heat Resistance	-40° to +99°C‡	-10° to +80°C‡







915CW & 915CP



1596CW & 1596CP

CODE	SIZE (CM)	CASE Pack
Polycarbona	te	
1596CW	22,9 x 38	24
915CW	22,2 x 38	24
Co-Polymer		
1596CP	22,9 x 38	24
915CP	22,2 x 38	24



915CW and 1596CW inside two PR314 Camracks.

RECOMMENDED USE

Moderate Traffic / Economic Priority
- School
- Universities
- Military

100CW, SRB13CW and 50CW bowls fit in round compartment. 10CW and 150CW bowls fit in square compartment. See Dinnerware and Swirl Bowl sections.

ABS and Co-Polymer trays are not NSF listed.

Polycarbonate Trays are NSF Listed Excluding Color: Translucent Blue (431).



















Sherwood Green



3 PRORATED















Black



Translucent Blue

Co-Polymer





Navy Blue

2 PRORATED



Cranberry

Meal Delivery Trays & Separator® Compartment Trays

Meal Delivery Trays

- Three deep-dish food compartments for large portions.
- Snap-on cover fits securly.
- Textured surface minimizes scratching.

Polycarbonate Colors: Beige (133), Teal (414).

Lid Color: Clear (135).

Co-Polymer Colors:

Teal (414), Brown (167), Tan (161). Lid Color: White (148).

Co-Polymer is not NSF Listed.

Not for use in heated carts.







Separator Compartment Trays

- Six compartment tray designed specifically for in-cell feeding programs.
- Serve both hot and cold food from the same tray.
- Tray with cover separates each compartment to retain food temperature and reduce spills.
- Locking ridges on top of cover and bottom of tray ensure more secure stacking.

Polycarbonate Color: Beige (133). Lid Color: Clear (135).

Co-Polymer Colors:

Teal (414), Brown (167), Tan (161). Lid Color: Translucent (190).

Co-Polymer is not NSF Listed.

Not recommended for heated cart.









Polycarbonate



,





Teal

Co-Polymer









Teal







9114CW/9114CP

CODE	DESCRIPTION	DIMENSIONS W x L x D (CM)
Polycarbonate		
9113CW	3 Compartments	22,8 x 27,9 x 6,8
9114CW	4 Compartments	22,8 x 27,8 x 6,7
911CWC	Lid fits both trays	22,9 x 28 x 1,4
Co-Polymer		
9113CP	3 Compartments	22,5 x 27,2 x 6,6
9114CP	4 Compartments	22,6 x 27,2 x 6,6
911CPC	Lid fits both trays	22,6 x 27,4 x 1,4
Case Pack: 24		



CODE	DESCRIPTION	DIMENSIONS W x L x D (CM)	
Polycarbonate			
10146DCW	6 Compartments	25,4 x 36,1 x 3,3	
10146DCWC	Lid fits 10146DCW	26 x 36,2 x 3,5	
Co-Polymer			
10146DCP	6 Compartments	25,4 x 36 x 2,9	
10146DCPC	Lid fits 10146DCP	25,6 x 35,6 x 3,6	
Case Pack: 24			

Tray on Tray Meal Delivery System

Base Tray

- · Combine hot and cold food portions into a reusable, single service unit.
- Works as a tray or for in-cell feeding with the insert tray.
- Base tray has 5 compartments with 1 compartment for resting the insert tray.

Polycarbonate Color: Beige (133).

Co-Polymer Colors:

Brown (167), Tan (161).

Co-Polymer is not NSF Listed.

Not for use in heated carts.











1411CW

Polycarbonate



PRORATED

167

Brown



Beige

Co-Polymer



Tan



1411CW/1411CP



1411CW base tray with 853FH insert tray

CODE	DESCRIPTION	DIMENSIONS W x L x D (CM)
Polycarbonate		
1411CW	Compartments	26,8 x 36,5 x 3,3
Co-Polymer		
1411CP	Compartments	26,8 x 36,5 x 3,3
Case Pack: 24		

Insert Tray

• Eight trays efficiently fit on a standard sheet pan or in an 45,5 x 65,5 cm wire rack.

Polycarbonate Color: Beige (133). Lid Color: Clear (135).

Co-Polymer Colors:

Brown (167), Tan (161). Lid Color: Translucent (190).

Heat Resistant Plastic Tray and Lid Color: Amber (150).

Co-Polymer is not NSF Listed.

Not for use in heated carts.

Polycarbonate



2 PRORATED













Co-Polymer

133 Beige



Heat Resistant Plastic



Amber

PRORATED



CODE	DESCRIPTION	DIMENSIONS W x L x D (CM)	
Polycarbonate			
853FCW	Compartments	16 x 22,1 x 4,8	
853FCWC	Lid for 853FCW	17,1 x 22,4 x 0,6	
Co-Polymer			
853FCP	Compartments	16 x 22,1 x 4,8	
853FCPC	Lid for 853FCP	17,1 x 22,4 x 0,6	
Heat Resistant Plastic			
853FH	Compartments	16 x 22,1 x 4,8	
853FHC	Lid for 853FH	17,1 x 22,4 x 0,6	

Case Pack: 24

Compartment Serving Trays

- For cafeteria-style feeding in high security environments.
- Compartment configurations designed to meet all menu requirements.
- Trapezoid Compartment Trays space saving for self serve correctional facility feeding.

Polycarbonate



PRORATED

Co-Polymer



Polycarbonate 6-Compartment Colors: Navy (186), Cranberry (416), Yellow (145), Sherwood Green (119), Beige (133), Black (110).

7 & 5-Compartment Color: Beige (133). **Co-Polymer Colors:** Brown (167), Tan (161).

Polycarbonate Compartment NSF Listed Colors: Beige (133), Black (110).

14187TRCW and 14105CP are not NSF Listed.

Trapezoid Compartment Trays are covered by the following U.S. Patent D 508,634.















14187TRCW





10145CW

Also Available in 14105CP

10146CW

CODE	DESCRIPTION	CASE Pack	DIMENSIONS W x L x D (CM)
Polycarbonate			
14187TRCW	7 Compartments, Trapezoid	12	45,6 x 35,4 x 4,0
10146CW	6 Compartments	24	25,4 x 36,8 x 2,4
14105CW	5 Compartments	24	27,2 x 35,2 x 2,9
10145CW	5 Compartments	24	25,4 x 36,8 x 2,4
Co-Polymer			
14105CP	5 Compartments	24	27,2 x 35,2 x 2,9

Market Trays and Pans

SPECIFICATIONS

Material	Fiberglass Layers + Polyester Resin
Surface Characteristic	Smooth
Performance	Excellent
Stacking Lugs	Yes
Dishwasher Safe	Yes — Extensive
Chemical Resistance	Good
Drying Test	Excellent
Shock Resistance	Excellent
Break Resistance	Good
Scratch Resistance	Good
Stain Resistance	Excellent
Heat Resistance	-10° to +100°C‡
	+ Not former to be study and


[‡] Not for use in heated carts.

RECOMMENDED USE

Moderate Traffic /
Economic Priority
- Deli / Buffet Displays

Colors: Yellow (145)**, Blue (142), Green (140), White (148), Black (110).

- * Special order item not carried in stock - non-returnable.
- **NSF listed for non-direct food contact only.











	DIMENCIONE	0405
CODE	DIMENSIONS W x L x D (CM)	CASE Pack
Market Trays		
630MT*	16,4 x 76,2 x 1,9	12
826MT*	21,6 x 64,1 x 1,9	12
830MT*	21,4 x 76,2 x 1,9	12
913MT*	22 x 31,6 x 2,1	12
918MT*	22 x 45,7 x 2,1	12
926MT*	22,5 x 64,9 x 2,5	12
1015MT*	25,7 x 38,1 x 1,9	24
1030MT*	26,5 x 76,2 x 1,9	12
1218MT*	29,2 x 45,1 x 2,5	12
1224MT*	31,6 x 61 x 1,9	12
1230MT*	31,6 x 76,2 x 1,9	12
1318MT*	32,1 x 45,1 x 2,7	12
1826MT*	45,2 x 65,2 x 2,7	6
2025MT*	52,7 x 64,9 x 2,1	6
Market Pans		
6302MT*	16,7 x 76,2 x 5,1	12
8262MT*	21,5 x 64,1 x 5,1	12
8302MT*	21,4 x 76,2 x 5,1	12
92615MT*	22,5 x 64,8 x 3,8	12
10302MT*	26,5 x 76,2 x 5,1	12





Healthcare

Meal Delivery Ware
Reusable CamLids® for Meal Delivery Systems
Disposable CamLids®
Camshelving® Hygienic Drying Racks
Tablotherm Meal Delivery System
Antibacterial Camguard® Versa Trays
Polyester Decorated Versa Trays with Non-Slip Surface
Non-Slip Versa Lite Trays
Non-Slip Versa Camtrays®
Camtrays® with Handles
Polycarbonate Non-Slip Tray
Meal Delivery Carts for Tray Service






Why Cambro Healthcare?

For over 60 years Cambro has been focused on developing innovative solutions to the toughest challenges in the foodservice industry. Cambro Healthcare products are designed to perform consistently under the most demanding conditions of healthcare foodservice.

The Components for Successful Meal Service and Patient Satisfaction



is to keep food hot and fresh. Safe food handling and preparation are the first steps.

Hot Plate

Hot food needs a plate heated to proper temperatures. A plate that is not heated diminishes food quality for patients.

Plates should be heated between 65°C and 77°C.

Temperature Maintenance System

NSF-listed, meal delivery ware consisting of mugs, bowls, insulated domes and heated bases/pellets specifically designed for healthcare foodservice are vital to temperature maintenance.

Bases and Pellets should be heated between 132°C and 144°C.

retention of the meal to the patient's bedside.

Tablotherm Pellet System achieves temperature retention of 64°C for 2 hours.

Temperature Retention Systems



Camtherm Thermal Pellet

- Holds heat at its core to keep hot foods at safe temperatures.
- Stays 11°C cooler on the edge than metal pellets to protect staff and patients from burns.
- Is a high-density plastic composite that won't dent like metal pellets.
- Holds a 22,86 cm plate.

Color: Dark Gray (477).









Heat Keeper Insulating Base

- Maintains heat for at least 20 minutes.
- Cost-effective solution to maintain meal delivery temperatures.
- Resists stains, odors and scratches.
- Holds a 22,86 cm plate.

Colors: Meadow (447), Wheat (457), Speckled Gray (480), Cranberry (487), Navy Blue (497), Black (110).







Low Profile Insulated Dome Comparison Perfect for limited tray spacing as low as 11,43 cm Inside Height 5 cm Low Profile Insulated Dome * This height is measured from a flat surface.

Meal Delivery Ware

Camtherm® Thermal Pellet System

The perfect choice for maximum heat retention, holds temperature for 60 or more minutes.

Domes and Delivery Ware are made of durable polypropylene and not designed for microwave use.



(NSF.)

MDSD9, MDSLD9 and MDSCDB9 Colors: Meadow (447), Wheat (457), Speckled Gray (480), Cranberry (487), Navy Blue (497), Black (110).

MDSP9 Color: Dark Gray (477). MDSP9 for use with CHPEL80.

MDSPLT9 Color: White (148). MDSPLT9 Sold in full cases only. MDSL9 and MDSP9 are NSF listed.

Heat Keeper Insulating Base System

The cost-effective solution for heat retention, holds temperature for 20 or more minutes.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

MDSL9, MDSLD9: (487), (497), (110) MDSD9: (487), (497) MDSP9: (477) MDSPLT9: (000)









CODE	MDSD9	MDSLD9	MDSPLT9	HK39B
DESCRIPTION	Insulated Dome for 22,86 cm plate	Low Profile Insulated Dome for 22,86 cm plate	Ceramic Plate	Insulating Base for 22,86 cm plate
OUTSIDE DIAMETER	25,94 cm	25,94 cm	22,86 cm	24,48 cm
HEIGHT	8,17 cm	6,99 cm	2,54 cm	4,07 cm
FULL-SIZE CAMRACK®	PR59314	PR59314	PR59314	PR59314
CASE PACK	12	12	24	12

MDSD9, MDSLD9 and HK39B Colors: Meadow (447), Wheat (457), Speckled Gray (480), Cranberry (487), Navy Blue (497), Black (110). MDSPLT9 Color: White (148). MDSPLT9 Sold in full cases only. HK39B is NSF listed.

Insulated Accessories (NSE)



STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSES

MDSM8, MDSB5, MDSB9, MDSB16: (487), (497), (110)











CODE	MDSM8	MDSB5	MDSB9	MDSB16	MDSPL
DESCRIPTION	Insulated Mug	Insulated Sm. Bowl	Insulated Lg. Bowl	Insulated Entree Bowl	Pellet Lifter
APPROX. CAPACITY	240 mL	150 mL	270 mL	500 mL	_
OUTSIDE DIAMETER	8,89 cm	8,89 cm	11,11 cm	13,65 cm	8,0 cm
HEIGHT	10,16 cm	6,1 cm	6,1 cm	6,1 cm	7,6 cm
FULL-SIZE CAMRACK®	16C414	16C414	9S318	9S318	_
CASE PACK	48	48	48	48	1

^{*} MDSM8 Diameter 11,43 cm with Handle. MDSPL Color: (000). *MDSPL is not NSF listed.

The Shoreline **Collection Colors:**



Meadow





Gray



Navy Blue

Safely lift hot, thermal pellets or plates with the Cambro Pellet Lifter



Reusable CamLids® for Meal Delivery Systems

- Save up to 75% in lid costs each year.
- Reduce your waste-stream significantly each year when you switch from disposables to reusables.*
- Dishwasher safe.
- Made of durable polypropylene.
- Contact your Cambro Sales Representative for a Customized Savings Calculator!

Reusable CamLids Colors: Speckled White (490).

Camrack Wash and Store Rack Color: Kelly Green (452).

Camrack Base Full Size Color: Soft Grey (151).

Full Rack Cover Color: Grey (180).

CLRWSR36 is covered under U.S. patent D 617,069.

Full Rack Cover not NSF certified.





STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

CLRSB9, CLRSM8B5, CLRSB16: (490) CLRWSR36: (452)

BR578: (110), (163), (167), (168), (184), (186), (414), (416), (119), (151)
DRC2020: (180)

E3: (151) CRPHDG2878: (000)

Visit www.cambro.com/savemoney for a Customized Savings Calculator!



Camrack® Wash and Store Rack

- Designed for safe and secure washing and storing of Reusable CamLids, CLRSB9 and CLRSM8B5 only.
- Each Camrack Wash and Store Rack holds 36 Reusable CamLids.
- 2 Wash and store Racks fit in a Full Size Base Rack.





CODE	DESCRIPTION	DIMENSIONS (CM)	CASE Pack
Reusable CamLids		H x Dia.	
CLRSM8B5	Fits Shoreline 240 mL mug and 150 mL bowl	0,71 x 9,05	240
CLRSB9	Fits Shoreline 270 mL bowl	0,71 x 11,32	240
CLRSB16	Fits Shoreline 500 mL bowl	0,71 x 13,97	240
Accessories for CLRSM8B5 and CLRSB9		LxWxH	
CLRWSR36	Camrack Wash and Store Rack to wash 36 Reusable Lids	20,96 x 45,4 x 13,97	4
BR578	Camrack Full Size Base Rack with 2 extenders	50 x 50 x 18,4	4
DRC2020	Full Rack Cover	50 x 50 x 2,4	1
Accessories for CLRSB16		LxWxH	
PR500	9 x 9 Peg Rack with 1 Extender	50,17 x 50,17 x 14,29	5
E3	Full Size Open Extender	50,17 x 50,17 x 2	12
CRPHDG2878	Full Size Square Hold Down Grid	46,67 x 46,67	6

Reusable CamLids sold in cases only. No broken cartons.

Disposable CamLids® for Shoreline

Made of high impact polystyrene (H.I.P.S.).







LID CODE	CLSM8B5	CLSB9	CLSSM8B5
DESCRIPTION	Sm. Disp. Lid	Lg. Disp. Lid	Disp. Sip. Lid
FITS	MDSB5, MDSM8	MDSB9	MDSB5, MDSM8
OUTSIDE DIAMETER	9,1 cm	11,28 cm	9,1 cm
HEIGHT	0,76 cm	0,76 cm	1,9 cm
CASE PACK	1,500	1,000	1,000
010110DE 010D0 0 1 T		(1.10)	

CLSM8B5, CLSB9 Color: Translucent (190). CLSSM8B5 Color: White (148). Sold in full cases only. No broken cartons. *Lid is no longer available.




Disposable Lids for Laguna® Tumblers

LID CODE	CLLT6	CLLT10	CLLT12
FITS TUMBLERS	LT6	LT10	LT12
TUMBLER CAPACITY	177,4 mL	295,7 mL	354,9 mL
CASE PACK	1,500	1,000	1,000

Color: Translucent (190). Sold in full cases only. No broken cartons.

Disposable Lid for Swirl Bowls



Color: Clear (152). Made of (P.E.T.). Sold in full cases only. No broken cartons.

Disposable Lids for Colorware Tumblers

LID CODE	CLJ6	CL900P	CL950P
FITS TUMBLERS	500P / 500P2	900P / 900P2	950P / 950P2
TUMBLER CAPACITY	154 mL	287 mL	290 mL
CASE PACK	1,000	1,000	1,000

Color: Translucent (190). Sold in full cases only. No broken cartons.

Disposable Lids for Lido™ **Tumblers**



LID CODE	CLST6	CL900P
FITS TUMBLERS	LDT6	LDT9
TUMBLER CAPACITY	177 mL	266 mL
CASE PACK	36	36

Color: Translucent (190).

Sold in full cases only. No broken cartons.

Disposable Lids for Newport® Tumblers









LID CODE	CLNT5	CLNT8	CLNT10	CLNT12
FITS TUMBLERS	NT5	NT8	NT10	NT12
TUMBLER CAPACITY	189 mL	228 mL	300 mL	373 mL
CASE PACK	1,500	1,000	1,000	1,000

Color: Translucent (190). Sold in full cases only. No broken cartons.

Camshelving® Hygienic Drying Racks

- Store products upright to promote faster and more sanitary drying and keep trayline and warewashing areas organized.
- · Provides convenient sanitary storage, maximizes holding space.
- Non-corrosive, break resistant and easy to assemble.
- Mobile racks allow for easy floor clean up and maneuverability.
- Drying Cradles are removable and available separately to convert existing units to Drying Racks.
- Lifetime warranty against rust and corrosion on posts and traverses.
- Drying Cradles are made of high impact ABS material.

- *Camshelving Premium Series Colors: Speckled Gray (480).
- **Camshelving Elements Series Colors: Brushed Graphite (580).
- ***Drying Cradle Color: Soft Gray (151).

Casters:

4 Premium Casters: (2 Swivel with Total Locking Brake, 2 Swivel with No Brake).



Vertical Drying and Storage Rack

- · Securely holds various sizes of trays, cutting boards, baking sheet pans, lids and plates 20,5 to 34,3 cm.
- Drying Cradles are installed directly onto shelf traverses.

7-Slot Drying Cradle is covered by U.S. Patent D 663,912 S.









STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN WAREHOUSE**

CSDR7, CSDR73: (151) MPMU61117DRPKG, MPMU61317DRPKG: (490)



0005	DECORUDINA	DIMENSIONS	HOLDING	CASE
CODE	DESCRIPTION	D x L x H (MM)	CAPACITY	PACK
Camshelving Premium*				
MPMU61117DRPKG	Vertical Drying Rack	600 x 1180 x 1790	84 Trays	1
MPMU61317DRPKG	Vertical Drying Rack	600 x 1380 x 1790	105 Trays	1
Camshelving Elements**				
EMU244878DRPKG	Vertical Drying Rack	610 x 1220 x 1980	84 Trays	1
EMU246078DRPKG	Vertical Drying Rack	610 x 1530 x 1980	105 Trays	1
Drying Cradles***				
CSDR7	7-Slot Drying Cradle	597 x 260 x 95	_	1
CSDR73	7-Slot Drying Cradle	597 x 260 x 95	_	3

Camshelving Premium: Units ship complete with 2 mobile post kits, 6 traverses, 12 or 15 vertical drying cradles and premium swivel casters with total locking brake. Assembly required. Camshelving Elements: Units ship complete with factory assembled mobile post kits, 6 mobile shelf traverses, mobile shelf traverse dovetails, 12 or 15 vertical drying cradles and premium swivel casters with total locking brake. Assembly required.





EMU244878DRPKG **Camshelving Elements**

Camshelving® Hygienic Drying Racks



Angled Drying and Storage Rack

- Securely holds up to 128 meal delivery Pellets/Bases or a variety of food pan sizes, pots and kitchen wares.
- Drying Cradles are installed directly onto shelf traverses.

8-Slot Drying Cradle is covered by U.S. Patent D739,989 S.





CSDR8, CSDR84: (151) MPMU61217PDPKG: (490)






CODE	DESCRIPTION	DIMENSIONS D x L x H (MM)	HOLDING Capacity	CASE Pack
Camshelving Premium ³	*			
MPMU61217PDPKG	Angled Drying Rack	600 x 1280 x 1790	128 Pellets and Bases or 16 GN 1/1 Food Pans	1
Camshelving Elements	**			
EMU244878PDPKG	Angled Drying Rack	610 x 1220 x 1980	128 Pellets and Bases or 16 GN 1/1 Food Pans	1
Drying Cradles***				
CSDR8	8-Slot Drying Cradle	592 x 263 x 160	_	1
CSDR84	8-Slot Drying Cradle	592 x 263 x 160	_	4

Camshelving Premium: Units ship complete with 2 mobile post kits, 8 traverses, 16 angled drying cradles and premium swivel casters with total locking brake. Assembly required. Camshelving Elements: Unit ships complete with factory assembled mobile post kits, 8 mobile shelf traverses, mobile shelf traverse dovetails, 16 angled drying cradles and premium swivel casters with total locking brake. Assembly required.



Dome Drying and Storage Rack

- Securely holds 100 meal delivery domes.
- Drying Cradles are installed directly onto shelf traverses.





CODE	DESCRIPTION	DIMENSIONS D x L x H (MM)	HOLDING Capacity	CASE PACK
Camshelving Premium*				
CPMU213675DDPKG	Dome Drying Rack	540 x 910 x 1910	100 Domes	1
Drying Cradles***				
CSDDC	10-Slot Drying Cradle	520 x 415 x 86	_	1
CSDDC5	10-Slot Drying Cradle	520 x 415 x 86	_	5

Individual Dome Drying Cradles fit on Camshelving Premium and Camshelving Elements Series 540 mm deep shelves only.

Package Includes: Pre-assembled mobile post kits, 10 traverses, 10 drying cradles and premium swivel casters with total locking brake. Assembly required. Fit only Camshelving Premium Series made in the USA. Special Order. Allow 10 to 12 weeks for delivery for International delivery.



Tablotherm Meal Delivery System

The ideal single-serve meal delivery system for in-home service.

- Transport and serve hot and cold food in one complete unit.
- Maintain safe food temperatures for over 1 hour.
- Lightweight design makes transportation easy and convenient.
- Two sizes accommodate a variety of meal options.

Molded-in dimples secure the sealed lids on dishware to prevent spills and enhances temperature retention.

• Dishwasher safe.



Tablotherms stack for easy transportation and storage.

CFC-free foamed-in insulation.

Break-resistant china dishware.

Compact design makes transport easy.



Meal set-up is convenient with Tablotherm trays and dishes.




Tablotherms are designed for dining comfort.

Tablotherm Insulated Trays

SPECIFICATIONS

Material	Polypropylene + Foam Insulation
Characteristic	Insulated Tray
Performance	Excellent
Heat Retention	Approximately 60 Minutes*
Dishwasher Safe	Yes
Stackable	Yes
Minimum Food & Plate Temperature before Plating	85°C - 90°C
Individual Dish Cover	Yes — Prevent Spilling of Soup and Sauces
	*W***





*With heated pellet. Not for use in heated carts.









Light gray polypropylene lid with integrated rubber seal. Lids cannot be used in microwave oven.

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

IT3253, IT3753T, ITPD3253, ITPD3753T, 112 430 000, 122 400 050, 122 450 050, 122 500 050, 122 600 050, 122 650 050, 122 700 050, 122 201 050, 122 200 050, 122 260 050: (000) 165PW: (A42)

DIMENCIONS

ITPD3253 - Gastronorm size

ITPD3753T - Euronorm size

For a complete guide to maximizing heat retention, contact your Cambro representative.

CODE	DESCRIPTION	DIMENSIONS W x L x H (CM)
Tablotherm – Insulate	ed Tray with Porcelain Dishes, seal covers and pellet	
ITPD3753T	Euronorm insulated tray including: 1 ea. two-compartment plate (122 400 050), 1 ea. reusable cover (122 600 050), 1 ea. Pellet (165PW), 3 ea. multi-purpose bowls: 2 ea. 400 mL (122 500 050), 1 ea. 500 mL (122 450 050) and 3 ea. reusable covers: 2 ea. (122 700 050) and 1 ea. (122 650 050)	37,0 x 53,0 x 10,5
ITPD3253	Gastronorm insulated tray including:	32,5 x 48,0 x 10,5
	1 ea. two-compartment plate (122 400 050), 1 ea. reusable cover (122 600 050), 1 ea. pellet (165PW) 2 ea. multi-purpose bowl (122 500 050) and 2 ea. reusable cover (122 700 050)	
Tablotherm – Insulate	ed Tray without porcelain dishes, seal covers and pellet	
IT3753T	Euronorm insulated tray — Empty	37,0 x 53,0 x 10,5
IT3253	Gastronorm insulated tray — Empty	32,5 x 48,0 x 10,5
Porcelain dishes		
122 400 050	Two compartment plate. Outside ø 254 mm Capacity 750 mL (White)	
122 450 050	Multi-purpose bowl. Outside ø 142,2 mm Capacity 500 mL (White)	
122 500 050	Multi-purpose bowl. Outside ø 120 mm Capacity 400 mL (White)	
Reusable polypropyle	ene covers, light gray with integrated rubber seal	
122 600 050	For two compartment plate	
122 650 050	For multi-purpose bowl — 500 mL	
122 700 050	For multi-purpose bowl — 400mL	
Pellet System		
165PW	SMC pellet ø 16,5 cm	
Menu card		
112 430 000	Yellow menu cards 100 x 70 mm	
Latches		
122 201 050	Latches with menu card holder (IT3253, ITPD3253)	
122 200 050	Latches without menu card holder (IT3253, ITPD3253)	<u> </u>
122 260 050	Latches and screw kit: 1 ea. latch, 4 ea. screws (IT3753T, ITPD3753T)	
ITPD3753T IT3753T C	Color: Gray and Rive ITPD3253 IT3253 Color: Two Tone Gray 165PW Color: A42 165PW Case Pack: 1 Each	

ITPD3753T, IT3753T Color: Gray and Blue. ITPD3253, IT3253 Color: Two Tone Gray. 165PW Color: A42 165PW Case Pack: 1 Each.

Antimicrobial Camguard® Versa Trays

- High performance polyester tray for ultra-intensive use.
- Built-in antibacterial protection eliminates bacteria between tray washings and will not wash off or wear away for the life of the tray.
- Reinforced polyester corners provide superior corner and edge protection against impact.
- Stacking lugs allow air circulation for fast drying and perfect stacking.
- Temperature range resistance from -40°C to 140°C. ‡
- Dishwasher safe Wash as often and as frequently as needed.

‡ Not for use in heated carts.



Minimum quantity order from CEL: Non-stock item 240 pieces. No broken carton.





High Profile Shape

VT1418AB

VT3646CAB

Low Profile Design Shape





Flat Edge Shape

camguard

Trays have built-in antimicrobial properties to protect against mildew growth and bacterial odors. This protection will not wash or wear off.

Unprotected Surface versus Camguard Protected Surface 24 Hour Test





CODE	DIMENSIONS (CM)
Versa Trays – High Profile Shape	
VT1418AB	35,5 x 45,7
VT3343AB	33,0 x 43,0
Versa Century™ Trays – Low Profile Design Shape	
VT3646CAB	35,5 x 45,7
VT3343CAB	32,9 x 42,9
Versa Trays – Flat Edge Shape	
GP1070AB*	26,5 x 32,5
GP1080AB*	26,5 x 37,0
GP3980AB*	37,0 x 53,0
GP4002AB*	32,5 x 53,0

Case Pack: 12

GP4002AB



Innovative low profile and low corner design increases space utilization of tray surface and customer comfort while eating.



Reinforced polyester corners provide superior corner and edge protection against impact.



Stacking lugs keep trays stacked securely in place and ensure proper air flow.

Tray Color:



Granite

^{*} Designed with reinforced corners for automatic off-stacking onto conveyor belt dishwashers.

Polyester Decorated Versa Trays with Non-Slip Surface

- Reduce waste, save money and provide a stable tray surface for meal delivery.
- Switching from paper tray mats will generate annual savings of over 50%.
- Your Green Initiatives will get rapid results with the elimination of up to 10 tons of trash each year.
- · High performance polyester tray for ultra-intensive use.

- Reinforced polyester corners provide superior corner and edge protection against impact.
- Stacking lugs allow air circulation for fast drying and perfect stacking.
- Temperature range resistance from -40°C to 80°C.‡
- Dishwasher safe Wash as often and as frequently as needed.

‡ Not for use in heated carts.

Personalization: Contact your Cambro representative for pricing.





Flat Edge Shape

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

GP3980NS: (B93) GP4002NS: (B93), (B99)

Minimum quantity order from CEL: Stock item one case, Non-stock item 120 pieces. No broken carton.



CASE Pack

12

12

12

12





Lava on Speckled



Pebbled Black on Light Grey Tray



Pebbled Black on Terrazzo Tray

Polyester Non-Slip Versa Lite Trays

- Non-Slip surface provides a better grip for safer meal delivery.
- · Reduce your environmental wastestream each year when you switch from paper tray mats to Non-Slip Versa Lite Trays.
- Standard performance polyester tray for intensive use.
- Reinforced polyester corners provide superior corner and edge protection against impact.
- Stacking lugs allow air circulation for fast drying and perfect stacking.
- Temperature range resistance from -40°C to 80°C.‡
- Dishwasher safe Wash up to 3 times per day.

Colors: Sahara on Sahara Tray (B22), Titan on Speckled Smoke Tray (B14), Sahara on Pearl White Tray (B11), Pebbled Black on Light Grey Tray (B99).











Personalization: Contact your Cambro representative for pricing. ‡ Not for use in heated carts.

STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN** WAREHOUSE

GL4002NS: (B22)

EcoSafe

Minimum quantity order from CEL: Stock item one case, Non-stock item 120 pieces. No broken carton.



High Profile Shape



Low Profile Design Shape



Flat Edge Shape





Versa Lite Century Trays have low edges and ergonomic corners that enhance comfort.



Stacking lugs keep trays stacked securely in place and ensure proper air flow.



Reinforced polyester corners provide superior corner and edge protection against impact.



Sahara on Sahara Tray



Titan on Speckled Smoke Tray



White Tray



Pebbled Black on Light Grey Tray

35,5 x 45,7
33,0 x 43,0
35,5 x 45,7
33,0 x 43,0
37,0 x 53,0
32,5 x 53,0

Case Pack: 12



Non-Slip Trays grip firmly providing safer meal delivery service

^{*} Designed with reinforced corners for automatic off-stacking onto conveyor belt dishwashers.

Non-Slip Versa Camtrays®

- Non-Slip Trays reduce waste, save money and provide a stable tray surface for meal delivery.
- Switching from paper tray mats will generate annual savings of over 50%.
- Green Initiatives will get rapid results with the elimination of tons of trash each year.
- Non-Slip Camtrays provide a better grip for safer meal delivery.
- · Dishwasher safe in low and high temperatures.
- Stacking lugs keep trays in place and ensure proper airflow between trays.
- Temperature range resistance from -40°C to 80°C.‡

Camtray and Dietary Tray Colors:

Black with Pebbled Black (382), Pearl Gray with Titan (381), Ivory with Sahara (380).

NSF Listed for non-direct food contact only.









Personalization: Contact your Cambro representative for pricing.

‡ Not recommended for heated carts.



Non-Slip trays grip table top items firmly.

CODE	DESCRIPTION	DIMENSIONS
1418VC	Non-Slip Versa Camtray	35,5 x 45,7 cm
1520VC	Non-Slip Versa Camtray	38 x 51 cm

Case Pack: 12

Non-Slip Versa Camtrays for Room Service

- Ergonomic handles allow for safe and elegant meal delivery.
- Trays fit within existing meal delivery carts that accommodate $36 \times 46 \text{ cm}$ or $38 \times 51 \text{ cm}$ trays.
- Non-Slip surface eliminates the need for tray mats saving time and money.
- Dishwasher safe at high and low temperatures.
- Stacking lugs allow for quick drying.
- Temperature range resistance from -40°C to 80°C.‡
- 38 x 51 cm tray is ideal for room service.

Room Service Tray Colors:

Black with Pebbled Black (382), Pearl Gray with Titan (381), Ivory with Sahara (380).

Non-Slip Versa Camtrays for Room Service is covered by U.S. Patent D 683,191 S.

NSF Listed for non-direct food contact only.












Personalization: Contact your Cambro representative for pricing.

‡ Not recommended for heated carts.









High Profile Shape

EcoSafe







Camtrays® with Handles

- Enhance your tray presentation with these easy-to-grip, ergonomic, contoured handles.
- Stain, Scratch and odor resistant.
- Made of durable lightweight and high-impact fiberglass.
- Stacking lugs keep trays in place and ensure proper airflow between trays.
- Dishwasher safe at high and low temperatures.

Available in Group I colors.

Special order item not carried in stock, non-returnable. One case order minimum.

NSF listed for non-direct food contact only.

Personalization through digital printing process only. Please refer to Camtray Personalization section for details.











STOCK PRODUCTS & COLORS **AVAILABLE IN OUR EUROPEAN WAREHOUSE**

1418H: (110), (199), (538)



Black

(110)

Dark

CODE	DESCRIPTION	DIMENSIONS
1418H	Camtray with Handles	36 x 46 cm
1520H	Camtray with Handles	38 x 51 cm

Case Pack: 12

Polycarbonate Non-Slip Tray

- Ideal for healthcare patient meal delivery and in high-traffic cafeterias.
- · Scratch-resistant, made of virtually unbreakable polycarbonate.
- Non-Slip eliminates the need for tray mats, saving time and money.
- · Enhances stability, providing safer transport and service.
- Stacking lugs keep trays in place and ensure proper airflow between trays.
- · Commercial dishwasher safe at high and low temperatures.

Colors: Black (110), Dark Cranberry (488). Durable construction backed by a three (3) year pro-rated warranty. NSF Listed for non-direct food contact only. PRORATED



CODE	DESCRIPTION	DIMENSIONS
1418CWNS	Polycarbonate Non-Slip Tray	35,5 x 46 cm
1520CWNS	Polycarbonate Non-Slip Tray	38 x 51 cm

Case Pack: 12

STOCK PRODUCTS & COLORS AVAILABLE IN OUR EUROPEAN WAREHOUSE

1418CWNS: (110), (488)

Meal Delivery Carts for Tray Service

StoreSafe

- Transport meal trays from the kitchen to acute care patients, nursing home residents or correctional facility inmates.
- Enhance patient satisfaction with high quality, room service style meals served quietly and efficiently.
- Tough, one-piece, double-wall polyethylene carts are easy to clean and won't rust, dent, crack, chip or break.

- Non-electric and requires no assembly.
- Features light-weight non-insulated ABS doors.
- Features standard stainless steel non-marking casters (MDC1411T60 comes standard with plated casters).

10-Tray Meal Delivery Cart is covered by U.S. Patent D 723,237 S.









10-Tray Meal Delivery Cart for Room Service - Low Profile



One louvered vent on the back supports air circulation.

Molded-in full-perimeter bottom bumper protects the cart, walls & furniture.



Menu clip holds routing directions or content lists.

Large, molded-in ergonomic handle makes it easy to transport and maneuver.



Polyurethane insulation ensures quiet meal delivery and provides structural

strength.

Molded-in rails ensure quiet meal delivery, rail spacing up to 13,34 cm.

Lightweight, self-venting, ABS door is non-insulated and opens a full 270°.

Shown with four, 13 cm non-marking, offset, durable stainless steel casters (2 fixed and 2 swivel with brake). Heavy duty casters are available.

Molded-in marine rail creates

additional work surface during

service. Marine rail is designed for

CODE	MDC1520S10	MDC1520S10HD
TRAY SIZE	38 x 51,5 cm & 37 x 53 cm	38 x 51,5 cm & 37 x 53 cm
TRAYS PER RAIL / RAIL SPACING	2 / 13,3 cm	2 / 13,3 cm
EXTERNAL DIMENSIONS W x D x H	72,4 x 97,8 x 108 cm	72,4 x 97,8 x 110,5 cm
INTERNAL DIMENSIONS W x D x H	53,7 x 78,7 x 66,7 cm	53,7 x 78,7 x 66,7 cm
CASTER TYPE	Standard Casters 12,7 x 3,2 cm	Heavy Duty Casters 15,24 x 5,1 cm
UNIT WEIGHT	35,4 kg	40,8 kg

Case Pack: 1 Colors: Granite Gray (191) and Granite Sand (194).

20-Tray Meal Delivery Cart — Low Profile





Colors (All carts with cream door): Slate Blue (401), Granite Grey (191), Granite Green (192), Granite Sand (194).

MDC1520T16 and MDC1418T16 are covered by U.S. Patent D 398,727.







Marine rail is designed for use during service, not transport.



MDC1520S20 Back view with louvered vents





Low Profile

CODE	MDC1520S20	MDC1418S20
TRAY SIZE	38 x 51,5 cm	36 x 46 cm
TRAYS PER CART	20	20
TRAYS PER COMPARTMENT	10	10
RAILS PER COMPARTMENT	5	5
TRAYS PER RAIL	2	2
RAIL SPACING	13,9 cm	13,9 cm
NUMBER OF DOORS	2	2
NUMBER OF COMPARTMENTS AND VENTS	2	2
NUMBER OF MENU CLIPS	2	2
MENU CLIPS - LOCATION	1 per door	1 per door
HANDLES - TYPE AND LOCATION	Molded in, each end	Molded in, each end
CASTER TYPE	15,2 cm, 2 swivel w/brake, 2 rigid, offset	12,7 cm, 2 swivel w/brake, 2 rigid, offset
LATCHES	2 internal nylon friction	2 internal nylon friction
EXTERNAL DIMENSIONS W x L x H	96,5 x 140 x 112,4 cm	82,6 x 123,2 x 111,8 cm
INTERNAL DIMENSIONS W x D x H	53,5 x 77 x 70 cm	47 x 71,5 x 74 cm
UNIT WEIGHT	70,31 kg	64,18 kg

Case Pack: 1

16 and 30 Tray Meal Delivery Carts — Tall Profile



Marine rail is designed for use during service, not transport.













Tall Profile

SPECIFICATIONS	MDC1520T30	MDC1520T16	MDC1418T30	MDC1418T16
TRAY SIZE	38 x 51,5 cm	38 x 51,5 cm	36 x 46 cm	36 x 46 cm
TRAYS PER CART	30	16	30	16
TRAYS PER COMPARTMENT	10	8	10	8
RAILS PER COMPARTMENT	10	4	10	4
TRAYS PER RAIL	1	2	1	2
RAIL SPACING	12,7 cm	13,3 cm	12,7 cm	13,3 cm
NUMBER OF DOORS	3	1	3	1
NUMBER OF COMPARTMENTS	3	2	3	2
NUMBER OF MENU CLIPS	5	1	5	1
MENU CLIPS - LOCATION	Each door, each end	Back of cart	Each door, each end	Back of cart
HANDLES - TYPE AND LOCATION	Heavy-duty nylon, mounted 1 per end	Molded-in, 1 per end	Heavy-duty nylon, mounted 1 per end	Molded-in, 1 per end
CASTER TYPE	15,2 cm, 2 rigid, 4 swivel w/brake, offset	15,2 cm, 2 rigid, 2 swivel w/brake	15,2 cm, 2 rigid, 4 swivel w/brake, offset	15,2 cm, 2 rigid, 2 swivel w/brake
LATCHES	Friction catch, Transit latch*	Large paddle latch external security latches	Friction catch, Transit latch*	Large paddle latch
EXTERNAL DIMENSIONS W x L x H	74,3 x 152,4 x 161,6 cm	74,3 x 152,4 x 161,6 cm	99,4 x 77,8 x 147,6 cm	92,7 x 71,1 x 147,6 cm
INTERNAL DIMENSIONS W x D x H	39 x 53,34 x 127 cm	52,5 x 55 x 77,5 cm	37 x 55 x 127 cm	46,5 x 55 x 74,6 cm
REQUIRED DOOR WIDTH	77 cm	79 cm	77 cm	73 cm
UNIT WEIGHT	95,25 kg	62,37 kg	97,07 kg	54,88 kg

Case Pack: 1 Colors (All carts with cream door): Slate Blue (401), Granite Grey (191), Granite Green (192), Granite Sand (194).

^{*}Stainless steel transit latch at top of each door. MDC1520T16 and MDC1418T16 are covered by U.S. Patent D 398,727.

For lighter-duty applications, 30-tray carts may be ordered without the steel transit latches by using product code MDC1520T30NL or MDC1418T30NL.

60-Tray Meal Delivery Cart for Correctional Tray Service

- For use in correctional facilities.
- Holds 60 each 1411CW or 1411CP Cambro Base Trays with 853 Insert Trays or 60 each 10146DCW or 10146DCP Separator Compartment Trays.
- Security features include security screws on handles, stop locks on door knuckles, security bolts for transit latches and caster carriage bolts with lock nuts.



1411CP base tray with 853FH insert tray


CODE	MDC1411T60
TRAY SIZE	36,5 x 26,8 cm Base Tray 1411CW and 1411CP
TRAYS PER CART	60
TRAYS PER COMPARTMENT	20
RAILS PER COMPARTMENT	10
TRAYS PER RAIL	2
RAIL SPACING	12,7 cm
NUMBER OF COMPARTMENTS	3
MENU CLIPS	None
HANDLES - TYPE AND LOCATION	Heavy-duty aluminum with security screws, black finish, 1 per end
CASTER TYPE	15,2 cm heavy-duty casters, 5 cm wide tread, 2 swivel no brake, 2 rigid
LATCHES	Internal friction catch, 2 per door,transit latch***
EXTERNAL DIMENSIONS W x L x H	74,3 x 152,4 x 161,6 cm
INTERNAL DIMENSIONS W x D x H	37 x 55 x 127 cm
REQUIRED DOOR WIDTH	76,2 cm
UNIT WEIGHT KG	97,98 kg

Case Pack: 1 **Colors:** Slate Blue (401), Granite Grey (191), Granite Green (192), Granite Sand (194). ***Stainless steel transit latch at top of each door.


Meal Delivery Carts Features and Caster Configurations

Standard Caster Configurations:


These caster configurations are designed to provide stability and maneuverability over uneven surfaces.



MDC1520S20, MDC1418S20, MDC1411T60



MDC1520S10*, MDC1520T16, MDC1418T16




MDC1520T30, MDC1418T30


Optional Caster Configurations*:

These caster configuration options are alternative designs if facility or environment requires the need to change.


*All optional caster configurations are special order items and therefore non-returnable.



MDC1520S20, MDC1418S20



MDC1520S20, MDC1418S20, MDC1520T30, MDC1418T30, MDC1411T60



MDC1520S20, MDC1418S20, MDC1411T60

Handles MDC1520S20, MDC1418S20



Molded in handles on each end for smooth transporting.

MDC1520T16, MDC1418T16



Molded in handles for easy transporting.

MDC1520T30, MDC1418T30, MDC1411T60**



Heavy duty nylon handles are securely mounted and nested into each end.
**MDC1411T60 has tamper resistant heavy duty aluminum tubing handles.

LEAD IN CASTERS



Casters are offset to ease movement over uneven surfaces. This is standard on MDC1520S10, MDC1520S20, MDC1418S20, MDC1520T30, MDC1418T30 and MDC1411T60.

CODE 46	PAG 21
46 (Group 3)	21
57	21
57 (Group 3)	21
810 810 (Croup 2)	21
810 (Group 3) 900	21
900 (Group 3)	21
915	21
915 (Group 3)	21
926	21
926 (Group 3)	21
1000	21
1000 (Group 3)	21
1014 1014 (Group 3)	21
1015	21
1015 (Group 3)	21
1100	21
1100 (Group 3)	21
1116	21
1116 (Group 3)	21
1200	21
1200 (Group 3)	21
1216	21
1216 (Group 3) 1300	21
1300 (Group 3)	21
1313	211, 21
1313 (Group 3)	211, 21
1318	21
1318 (Group 3)	21
1400	21
1400 (Group 3)	21
1418	21
1418 (Group 3) 1520	21
1520 (Group 3)	21
1550	21
1550 (Group 3)	21
1600	21
1600 (Group 3)	21
1622	21
1622 (Group 3)	21
1826	21
1826 (Group 3)	21
1950 1950 (Group 3)	21
2025	21
2025 (Group 3)	21
2500	21
2500 (Group 3)	21
2632	21
2632 (Group 3)	21
2700	21
2700 (Group 3)	21
3046	21
3046 (Group 3) 3242	21
3242 (Group 3)	21
3253	21
3253 (Group 3)	21
3343	21
3343 (Group 3)	21
3753	21
3753 (Group 3)	21
3853	21
3853 (Group 3) 16225	21
16225 (Group 3)	21
1000CW	16
1000LCD	1
1000LCDCVR	1
1005CW	16
1007CW	16
100BC	4
100BC1	4
100BCS	4
100CW	16
100LCD	13, 1
100MCCW	16

CODE 100MPC	PAGE 17
100MPCHL	17
100VS	166
1010VS	166
1012VS 1013CW	166 166
10145CW	233
10146CW	229, 233
10146DCP	231
10146DCPC	231
10146DCW 10146DCWC	231
1014CL	217
1014CT	219
1014FF	228
1014VS	166
1015MT 10302MT	233
1030MT	233
103VS	166
105VS	166
106VS	166
10CW 10CWC	165 151
10CWCH	151
10CWCHN	151
10CWD	149
10CWGL	151, 155
10CWL 10CWNR	165 165
10HC258	64, 68
10HC414	64
10HE1	69
10HE2	69
10HPC 10HPCH	155 155
10HPCHN	155
10HPD	153
10HS1114	63
10HS318	63
10HS434 10HS638	63
10HS800	63
10HS958	63
10PPCH	157
10PPCWSC 10PPD	151, 157 157
1100CT	219
1101CW	166
112 430 000	36, 245
1120CBP	80
1120CBR 116VS	80 166
1200CW	175
1200DIV	18, 23, 48
1200P	174
1200P2	174
1202CW 120CWP	166 165
120VS	166
1210PW	18, 20, 21, 23
1216CL	217
1216CT 1216D	219
1216D (Group 3)	217 217
1216FF	228
1217FFH	228
12183CW	146
12183P	147
12186CW 12186P	146 147
12189CW	146
12189P	147
1218CCW	146
1218CP	147
1218DSCW 1218MT	147 233
1218SCCW	146
1219D	217
1219D (Group 3)	217
122 200 050	36, 145

CODE	PAGE
122 201 050	36, 245
122 250 050	36, 245
122 400 050 122 450 050	36, 245
122 500 050	36, 245 36, 245
122 600 050	36, 245
122 650 050	36, 245
122 700 050	36, 245
1220D	217
1220D (Group 3)	217
1222D	217
1222D (Group 3)	217
1224MT	233
1230MT	233
124VS	166
1252SLB250	159
1252SLINB250	159
12CW	149
12HP	153
12HPH 12PP	154 157
12RS12	49
12SFSCW	138
12SFSP	139
12SFSPP	139
12TGS	187
1318MT	233
1318MTC	35
13CLRCW	150
13CLRHP	154
1400CT	219
1400TL	220
14105CP	233
14105CW	233
1411CP	232
1411CW	232
14187TRCW 1418CL	233
1418CT	217
1418CW	218
1418CWNS	218, 250
1418D	217
1418D (Group 3)	217
1418FF	228
1418H	213, 250
1418TR	212
1418TR (Group 3)	212
1418TRCW	218
1418VC (Group 3)	216, 249
1418VCH (Group 3)	216, 249
1422TR	212
1422TR (Group 3)	212
14CW 14HP	149 153
14PP	157
150CW	165
1520CBCP	80
1520CBP	80
1520CBPF	80
1520CBR	80
1520CL	217
1520CT	219
1520CW	218
1520CWNS	218, 250
1520D	217
1520D (Group 3)	217
1520H	213, 250
1520TR	212
1520TR (Group 3)	212
1520VC (Group 3)	216, 249
1520VCRST (Group 3) 1525RST	216, 249
1550CT	224
1596CP	230
1596CW	230
15CLRCW	150
15CLRHP	154
1600CT	219
1600CW	175
1600DIV	18, 23, 45
1600P	174

CODE 1600P2	PAG 17
1600TL	22
1621CBP	8
1621CBR	8
1622CT	21
165PW	3
165PW	24
16C258 16C414	64, 6
16C578	6
16CW	14
16E1	- 6
16E2	- 6
16E4	6
16E5	6
16HP	15
16PP	15
16S1058	6
16S1114	6
16S1214	6
16S318	6
16S418	6
16S434	6
168534	6
16S638	6
16S738 16S800	6
16S800 16S900	6
16S958	6
1722CBCP	8
1722CBP	8
1722CBR	8
17HE1	6
17HE2	6
17HS1114	6
17HS318	6
17HS434	6
17HS638	6
17HS800	6
17HS958	6
1800CT	21
182612CW	14
182612P	14
182615CW	14
182615P	14
18263CW	14
18263P	14
18266CW 18266P	14
18268CLRCW 18268CLRKIT	14
18269CW	14 14
18269P	14
1826CCW	14
1826CL	21
1826CLRCW	14
1826CP	14
1826CT	21
1826DBC	3
1826DBCSP	3
1826DSCW	14
1826DTC	3
1826DTCSP	3
1826HAR	3
1826LBC	3
1826LBCSP	3
1826LTC	3
1826LTC3	3
1826LTCSP	3
1826MT	184, 23
1826MTC	3
1826SCCW	14
18CW	14
18PP	15
18SFSCW	13
18SFSP	13
18SFSPP	13
1950CT	21
2000P	17
2000P2	17

CODE 200BC1	PAGE 49
200BCS	49
200MCCW	162
2025MT	233
2030UT	74
20C258	64, 68
20C414	64
20CC	174
20CFC 20CWC	158 151
20CWCH	151
20CWCHN	151
20CWD	149
20CWGL	151, 155
20CWL	151
20CWLN	151
20E2	69
20GE1	68
20GE2	69
20GE4	69
20GE5 20HPC	155
20HPCH	155
20HPCHN	155
20HPD	153
20HPL	155
20HPLN	155
20LPCWC	151
20LPCWD	149
20LPHPC	155
20LPHPD	153
20PPCH	157
20PPCWSC	151, 157
20PPD	157
20S1058 20S1114	61
20S1114 20S1214	61
20S318	61
20S418	61
20S434	61
20S534	61
20S638	61
20\$738	61
20S800	61
20\$900	61
20\$958	61
21155CBP	80
21155CBR 21157CBP	80
21157CBR	80
2115CBCP	80
2115CBCR	80
22CW	149
22HP	153
22LPCW	149
22LPHP	153
22PP	157
22SFSCW	138
22SFSP	139
22SFSPP	139
23CLRCW	150
23CLRHP	154 159
23SL 23SLB250	159
23SLB250 23SLB6250	155
23SLINB250	159
240MPC	16
2436UTH	74
2436UTHS	74
24CW	149
24HP	153
24LPCW	149
24LPHP	153
24PP	157
2500CT	219
250LCD	13
250LCDCVR	13
25CLRCW	150
25CLRHP	154
25E1	68
25E2	69

CODE 25E4	PAGI 69
25E5	69
25MCCW	162
25S1058	63
25S1114	6:
25S1214 25S318	6:
25S418	6:
25\$434	61
25S534	61
25S638	61
25S738 25S800	6:
25S900	6:
25S958	6:
25SWGF	65
26CF	158
26CW	149
26HP 26PP	153
2700CT	157
28CW	149
28PP	157
2900CT	219
2SFSCW	138
2SFSP	139
2SFSPP 300DIV	18, 20, 23
BOOMPC	20
BOCFC	158
BOCWC	151
BOCWCH	151
BOCWCHN	15: 149
BOCWD BOCWGL	151, 155
BOCWL	151, 150
BOCWLN	151
30GE1	68
30GE2	69
BOHPC BOHPCH	155 155
BOHPCHN	155
BOHPD	153
30HPL	155
30HPLN	155
30PPCH	157
BOPPCHN BOPPCWSC	157 151, 157
BOPPD	151, 157
B0S1114	61
30S318	61
30S434	61
30\$638	6.
30S800 30S958	6:
3200P2	174
3253CL	217
3253CT	219
32CC	174
32CW 32HP	14:
32HP 32PP	15.
33CLRCW	150
33CLRHP	154
34CW	14:
34HP	15:
34PP 350LCD	15
BSCLRCW	150
35CLRHP	154
35CW	165
36CF	158
36CW	149
36E1	68
36E2	69
36E4 36E5	69
JULU	
	153
36HP 36PP	153 157

CODE	PAGE
36S1214	62
36S318	62
36S418	62
36S434	62
36S534	62
36S638 36S738	62
36\$800	62
36S900	62
36S958	62
38CW	149
38PP	157
400DIV	18, 20, 21, 23
400MCCW	162
400STP 40CWC	20, 21, 27, 74
40CWCH	151
40CWCHN	151
40CWD	149
40HPC	155
40HPCH	155
40HPCHN	155
40HPD 40PPCH	153 157
40PPCWSC	151, 157
40PPD	157, 157
415CBP	80
42CW	149
42HP	153
42PP	157
44CW 44HP	149 153
44PP	157
45CW	165
46CW	149
46HP	153
46PP	157
49E1 49E2	68
4981114	62
49S318	62
49S434	62
49S638	62
49\$800	62
49S958 4FBRTT	62 42
4SFSCW	138
4SFSP	139
4SFSPP	139
500CW	175
500LCD	13
500LCDCVR	13
500P 500P2	174 174
50CW	165
50MCCW	162
5412CBP	15, 49
55CWNR	165
5FBRTT	42
60CFC	158
60CW 60CWC	165 151
60CWCH	151
60CWCHN	151
60CWD	149
60CWGL	151, 155
60CWL	151
60CWLN	151
60HPC 60HPCH	155 155
60HPCHN	155
60HPD	153
60HPL	155
60HPLN	155
60PPCH	157
60PPCHN	157
60PPCWSC 60PPD	151, 157 157
62CW	149
62HP	153
62PP	157

CODE	PAGE
6302MT 630MT	233
63CLRCW	150
63CLRHP	154
64CW	149
64HP	153
64PP 650WS	157 52
65CLRCW	150
65CLRHP	154
65CWNR	165
66CF	158
66CW	149
66HP 66PP	153 157
68VS	166
6F	183
6FBRTT	42
6RS6	49
6SFSCW 6SFSP	138 139
6SFSPP	139
6TGS	187
725CWNR	165
730SR	52
730STP	48
730WS 75CW	52 165
75GW 800CW	175
800P	174
800P2	174
806CW	166
80CWC	151
80CWCH 80CWCHN	151 151
80CWD	149
80HPC	155
80HPCH	155
80HPCHN	155
80HPD	153
80PPCWSC 825CWNR	151 165
8262MT	233
826MT	233
82CW	149
82HP	153
8302MT 830MT	233
84CW	149
84HP	153
850CW	175
853FCP	232
853FCPC	232
853FCW 853FCWC	232
853FH	232
853FHC	232
85SFVS	166
86CW	149
86HP	153
86VS 8F	166 183
8FB434	67
8FBNH434	67
8HC258	64, 68
8HC414	64
8HE1 8HE2	69
8HS1114	63
8HS318	63
8HS434	63
8HS638	63
8HS800	63
8HS958 8RS8	63
8SFSCW	138
8SFSP	139
8SFSPP	139
900CT	219
900CW	166
900P	174

CODE	PAGE
900P2	174
9011CW 9013CW	166 166
901CW	166
905CW	166
909CW	166
90CWC	151
90CWCN 90CWD	151 149
90HPC	155
90HPD	153
90PPC	157
90PPCWSC	151, 157
90PPD 90SPCW	157 165
9113CP	231
9113CW	231
9114CP	231
9114CW	231
911CPC 911CWC	231
911VS	166
912CBP	80
913MT	233
913VS 915CP	230
915CW	230
918MT	233
91VS	166
92615MT	233
926MT 92CW	233
92HP	153
92PP	157
93CW	165
94CW	149
94HP 94PP	153 157
950CW	175
950P	174
950P2	174
95VS	166
96CW 96SKRC	165 188
96SKRD	188
96SKRF	188
96SKRLC	188
96SKRLD 96SKRLF	188 188
96SKRLM	188
96SKRLP	188
96SKRM	188
96SKRP	188
978SFVS 99VS	166 166
9CWNR	165
9E1	68
9E2	69
9RS9 9S1114	49 60
95318	60
98434	60
9S638	60
9\$800	60
9S958 9TGS	60 187
ADC33	77
ADCS	76
BAR540	56
BAR540DS	56
BAR54SR BAR650	52 56
BAR650CP	56
BAR650DS	56
BAR650DSCP	56
BAR650DSDX	55
BAR650DSPM BAR650DSPMT	55 55
BAR650DSPMT2	55
BAR650DX	55
BAR650PM	55

CODE	PAG
BAR650PMT BAR650PMT220	
BAR730	
BAR730CP	
BAR730DS	Į.
BAR730DSCP	
BAR730DSDX BAR730DSPM	
BAR730DSPMT	
BAR730DSPMT2	
BAR730DX	Į
BAR730PM	Į.
BAR730PMT	
BAR730PMT220 BBR480	
BBR720	
BC1115SH	
BC11TC	8
BC225	8
BC2254S	
BC230 BC2304S	
BC23045	
BC2354S	
BC330	
BC3304S	{
BC331KD	
BC331KDSH BC331KDTC	
BC340KD	
BC340KDP	
BCT1014	22
BK60406	3
BK60407	
BR258	66, 6
BR414 BR578	66, 24
BR712	00, 24
BSB10	18
BSB12	18
BSB18	18
BUF48	L.
BUF72 BV6CW	17
BWB16CW	16
BWM10CW	16
BWP14CW	16
BWW10CW	16
CA1300	23
CA1623 CA2026	2:
CA2028	2:
CA2129	2:
CA2632	2:
CA2738	2:
CA2836	2:
CA3200 CA3244	2:
CA3247TR	22
CA3253	2:
CA3343	2:
CA3446	2:
CA3646	2:
CA3748	2:
CA3753 CA3800	2:
CA3952	2:
CA4064H	2:
CA4300	2:
CA4361	2:
CB1220	33, 45, 46,
CBA183064V4	1:
CBA183072V4	1:
CBA183084V5 CBA183664V4	12
CBA183672V4	1:
CBA183684V5	12
CBA184264V4	12
	12
CBA184272V4	

126

CODE	PAGE
CBA184872V4 CBA184884V5	126 127
CBA185464V4	126
CBA185472V4	126
CBA185484V5	127
CBA186064V4	126
CBA186072V4	126
CBA186084V5	127
CBA213064V4 CBA213072V4	126 126
CBA213084V5	127
CBA213664V4	126
CBA213672V4	126
CBA213684V5	127
CBA214264V4	126
CBA214272V4 CBA214284V5	126 127
CBA214864V4	126
CBA214872V4	126
CBA214884V5	127
CBA215464V4	126
CBA215472V4	126
CBA215484V5 CBA216064V4	127 126
CBA216072V4	126
CBA216084V5	127
CBA243064V4	126
CBA243072V4	126
CBA243084V5	127
CBA243664V4 CBA243672V4	126 126
CBA243672V4 CBA243684V5	126
CBA244264V4	127
CBA244272V4	126
CBA244284V5	127
CBA244864V4	126
CBA244872V4	126
CBA244884V5 CBA245464V4	127 126
CBA245472V4	126
CBA245484V5	127
CBA246064V4	126
CBA246072V4	126
CBA246084V5 CBCC1	127 128
CBCC10	128
CBCC8	128
CBDS18H10	127
CBDS18H6	127
CBDS21H10	127
CBDS21H6	127
CBDS24H10 CBDS24H6	127 127
CBID6	128
CBTR30	127
CBTR36	127
CBTR362PK	127
CBTR42	127
CBTR422PK	127
CBTR48 CBTR482PK	127 127
CBTR54	127
CBTR542PK	127
CBTR60	127
CBTR602PK	127
CBU183064V4	126
CBU183072V4	126
CBU183084V5 CBU183664V4	127 126
CBU183672V4	126
CBU183684V5	127
CBU184264V4	126
CBU184272V4	126
CBU184284V5	127
CBU184864V4	126
CBU184872V4 CBU184884V5	126 127
CBU185464V4	127
CBU185472V4	126
CBU185484V5	127
CBU186064V4	126

CODE	DACE
CODE CBU186072V4	PAGE 126
CBU186084V5	127
CBU213064V4	126
CBU213072V4	126
CBU213084V5	127
CBU213664V4 CBU213672V4	126 126
CBU213684V5	120
CBU214264V4	126
CBU214272V4	126
CBU214284V5	127
CBU214864V4	126
CBU214872V4	126
CBU214884V5 CBU215464V4	127 126
CBU215472V4	126
CBU215484V5	127
CBU216064V4	126
CBU216072V4	126
CBU216084V5	127
CBU243064V4	126
CBU243072V4 CBU243084V5	126 127
CBU243664V4	126
CBU243672V4	126
CBU243684V5	127
CBU244264V4	126
CBU244272V4	126
CBU244284V5 CBU244864V4	127 126
CBU244872V4	126
CBU244884V5	127
CBU245464V4	126
CBU245472V4	126
CBU245484V5	127
CBU246064V4	126
CBU246072V4 CBU246084V5	126 127
CC32	161
CCP12	185
CCP15	185
CCP27	185
CCPL12	185
CCPL27 CD100	185 73
CD100 CD100H	73
CD100HB	73
CD1313	74
CD1327	74
CD1420	74
CD160	73
CD1826H CD1826HB	72, 73 72, 73
CD1826MTC	35, 73
CD1826MTCHB	35, 73
CD1826PDB	72, 160
CD2020	72, 74
CD2020H	72
CD2020HB	72
CD2028 CD300	20, 34, 35, 73
CD300H	73
CD300HB	73
CD3253EPP	10
CD400	20, 21, 27, 73
CDR2020	65, 72, 74
CDR2020H CECBE6	65, 72, 74
CECBL	71
CECBL6	71
CECBM6	71
CECBR6	71
CECCF6	71
CECCH6	71
CECCL6	71
CECCM6 CECCO6	71
CECCP6	71
CECCR6	71
CECDC6	71
CECFL6	71

CODE CECGO6	PAGI 7
CECGR6	7
CECHB6	7:
CECHU6	7:
CECIC6	7:
CECIT6	71
CECJU6	7:
CECMG6 CECMT6	7.
CECOF6	7.
CECPI6	7
CECP06	7
CECRF6	7
CECRT6	7
CECRW6	7.
CECSB6	7.
CECSG6	7:
CECSH6	7.
CECWF6	7.
CECWI6	7.
CECWT6	7:
CECWW6	
CFPFRC10 CFPMRC10	150 150
CFPSRC10	150
CFR18	15
CFRC18	150
CFRSC18	158
CJ80CW	18
CL900P	171, 24
CL950P	171, 24
CLAM8B5	17
CLI6	171, 24
CLLT10	171, 24
CLLT12	171, 24
CLLT6	171, 24
CLLT8	171, 24
CLNT10 CLNT12	171, 24 171, 24
CLNT5	171, 24
CLNT8	171, 24
CLRSB16	24
CLRSB9	24
CLRSM8B5	24
CLRWSR36	24
CLSB9	24
CLSM8B5	171, 24
CLSRB5	176, 24
CLSSM8B5	24
CLST6	171, 24
CLST9	171, 24
CMBH1826LC CMBH1826TBC	33
CMBH1826TSC	33
CMBHC1826LC	3
CMBHC1826TBC	3;
CMBHC1826TBF	3
CMBHC1826TSC	3
CMBHC1826TSF	3.
CMBP	2
CMBPH	3
CMBPH2	3
CMBPH2HD	3
CMBPHD	2
CMBPHHD	3
CMBPHSP	3
CMBPHSPHD	3
CMBPL	2
CMBPLH	3
CMBPLH2	3
CMBPLH2HD CMBPLHD	3:
CMBPLHID CMBPLHHD	3:
	3
	3
CMBPLHSP CMRPLHSPHD	
CMBPLHSPHD	21
CMBPLHSPHD CMBPLSP	
CMBPLHSPHD CMBPLSP CMBPLSPHD	29
CMBPLHSPHD CMBPLSP CMBPLSPHD CMBPR1	29
CMBPLHSPHD CMBPLSP CMBPLSPHD	

CODE CMBPTH	PAGI 3
CMBPTH2	3:
CMBPTH2HD	3:
CMBPTHHD	3:
CMBPTHSP	3:
CMBPTHSPHD	3.
CMBR	3:
C02632	223
C03200 C03253	223
C03343	22
C03646	223
C03753	223
C03800	22
C04300	22
CP12	18
CP1210	18, 20, 45, 4
CP1220	15, 18, 20, 21, 23, 45, 4
CP15	18
CP27	18
CP3253	1
CP6040	3.0 45 4
CP814 CPB1220	18, 45, 4
CPFWSC244860	10
CPH3	4
CPL12	18
CPL27	18
CPMU213675DDPKG	10
CPMU213675DDPKG	24
CPMU244867SUPKG	10
CPMU244875PDPKG	24
CPU244864SUPKG	10
CR12	7
CRPHDG2878	66, 24
CSDBA	10.
CSDBS CSDDC	105, 120, 129, 24
CSDDC5	105, 120, 129, 24
CSDR7	104, 121, 129, 24
CSDR73	104, 121, 129, 24
CSDR8	105, 121, 129, 24
CSDR84	105, 121, 129, 24
CSEQ3	102, 118, 12
CSHDFF	10
CSID3	101, 11
CSID6	101, 11
CSMHDDB	11
CSMHDTK10	10
CSMHDTK12	10
CSMHDTK145	10
CSMHDTKE4	10
CSMHDTKE5 CSMHDTKE6	10
CSR3	1.
CSR5	1
CSSC244818	104, 120, 12
CSSD188	119, 12
CSSD218	119, 12
CSSD248	102, 119, 12
CSTSR	103, 119, 12
CSWF	101, 118, 12
CSWS1436SK	13
CSWS1436VK	13
CSWS1448SK	13
CSWS1448VK	13
CSWS1836SK	13
CSWS1848SK	13
CSWS36EK CSWS48EK	13
CSWS48EK CVC55	13
CVC72	4
CVC724	4
D12	17:
D14	17
D16	17-
D24	17
D8	17-
DB18263CW	16
DB18263P	16

CODE DBC1826CW	PAG 16
DBC1826P	16
DC10	17
DC1225	7
DC5 DC575	17
DC700	
DC825	ī
DCC10	17
DCC5	17
DCS1125	
DCS950 DD1220BECW	18
DD1220CW	18
DD1220ECW	18
DD1220SCW	18
DD1826CW	18
DG3CW	17.41
DIV12 DIV20	17, 41, 4
DP15	17, 4
DRC2020	65, 24
DRLNK	13
DRS30	13
DRS300	13
DRS36	13
DRS360 DRS48	13
DRS480	13
DRS60	13
DRS600	13
DSPR6	17
DT1220CW	18
E3	69, 24
EA182464V4 EA182472V4	11
EA182484V5	11
EA183064V4	11
EA183072V4	11
EA183084V5	11
EA183664V4	11
EA183672V4	11
EA183684V5 EA184264V4	
EA184272V4	11
EA184284V5	11
EA184864V4	11
EA184872V4	11
EA184884V5	11
EA185464V4	11
EA185472V4 EA185484V5	11
EA186064V4	11
EA186072V4	11
EA186084V5	11
EA187264V4	11
EA187272V4	1
EA187284V5	1
EA212464V4 EA212472V4	1:
EA212484V5	1
EA213064V4	1:
EA213072V4	1
EA213084V5	1.
EA213664V4	1:
EA213672V4	1
EA213684V5 EA214264V4	1:
EA214272V4	1
EA214284V5	1:
EA214864V4	1
EA214872V4	1
EA214884V5	1
EA215464V4	1:
EA215472V4	11
EA215484V5	11
EA216064V4 EA216072V4	11
EA216084V5	11
EA217264V4	11

CODE EA217284V5	PAGE 115
EA242464V4	114
EA242472V4	114
EA242484V5	115
EA243064V4	114
EA243072V4	114
EA243084V5	115
EA243664V4	114
EA243672V4 EA243684V5	114
EA243064V3	115 114
EA244272V4	114
EA244284V5	115
EA244864V4	114
EA244872V4	114
EA244884V5	115
EA245464V4	114
EA245472V4	114
EA245484V5	115
EA246064V4	114
EA246072V4	114
EA246084V5	115
EA247264V4	114
EA247272V4	114
EA247284V5	115
ECC1	117
ECC10	117
ECC8 EDBA	117
EDBS	119 119
EDS14H10	117
EDS14H6	117
EDS18H10	117
EDS18H6	117
EDS21H10	117
EDS21H6	117
EDS24H10	117
EDS24H6	117
EMCWB	118
EMTR36	120
EMTR362PK	120
EMTR42	120
EMTR422PK	120
EMTR48	120
EMTR482PK	120
EMTR54	120
EMTR542PK FMTR60	120
EMTR602PK	120 120
	115
EMU183670V4 FMU183678V4	115
EMU184270V4	115
EMU184278V4	115
EMU184870V4	115
EMU184878V4	115
EMU185470V4	115
EMU185478V4	115
EMU186070V4	115
EMU186078V4	115
EMU213670V4	115
EMU213678V4	115
EMU214270V4	115
EMU214278V4	115
EMU214870V4	115
EMU214878V4	115
EMU215470V4	115
EMU215478V4	115
EMU216070V4	115
EMU216078V4	115
EMU243670V4	115
EMU243678V4	115
EMU244270V4	115
EMU244278V4	115
EMU244870V4	115
EMU244878DRPKG	121, 242
EMU244878V4	115
EMU245470V4	115
EMU245478V4	115
EMILO A COZOVA	
EMU246070V4 EMU246078DRPKG	115 121, 242

CODE EPP160	PAGE
EPP180	10
EPP180PKG	10
EPP180S	10
EPP180SPKG	10
EPP300	10
EPP3253DIV	10
EPP400	10
EPPID5	10
ES28	46
ES28RL	46
ESU182464V4	114
ESU182472V4	114
ESU182484V5	115
ESU183064V4	114
ESU183072V4	114
ESU183084V5	115
ESU183664V4	114
ESU183672V4	114
ESU183684V5	115
SU184264V4	114
ESU184272V4	114
ESU184284V5	115
ESU184864V4	114
ESU184872V4	114
ESU184884V5	115
ESU185464V4 FSU185472V4	114
	114
ESU185484V5	115
ESU186064V4 FSU186072V4	114
ESU186084V5	115
ESU187264V4 ESU187272V4	114
ESU187284V5	114 115
ESU212464V4	115
SU212472V4	114
ESU212484V5	114
ESU213064V4	113
ESU213072V4	114
ESU213084V5	115
ESU213664V4	113
ESU213672V4	114
ESU213684V5	115
ESU214264V4	114
ESU214272V4	114
ESU214284V5	115
ESU214864V4	114
ESU214872V4	114
ESU214884V5	115
ESU215464V4	114
ESU215472V4	114
ESU215484V5	115
ESU216064V4	114
ESU216072V4	114
ESU216084V5	115
ESU217264V4	114
ESU217272V4	114
ESU217284V5	115
ESU242464V4	114
ESU242472V4	114
ESU242484V5	115
ESU243064V4	114
ESU243072V4	114
ESU243084V5	115
ESU243664V4	114
ESU243672V4	114
ESU243684V5	115
SU244264V4	114
ESU244272V4	114
ESU244284V5	115
ESU244864V4	114
ESU244872V4	114
ESU244884V5	115
ESU245464V4	114
ESU245472V4	114
ESU245484V5	115
ESU246064V4	114
ESU246072V4	114
ESU246084V5	115
ESU247264V4	114

CODE ESU247272V4	PAGE
ESU247272V4 ESU247284V5	114 115
ETR24	120
ETR30	120
ETR36	120
ETR362PK	120
ETR42	120
ETR422PK ETR48	120 120
ETR482PK	120
ETR54	120
ETR542PK	120
ETR60	120
ETR602PK	120
ETR72 FPID24	120
FR258	156 67
FSG480	42
FSG720	42
FWC56	67,75
GB1200CW	169
GB850CW	169
GK2000 GL0540	206
GL1070	206
GL1070RNS	210
GL1080	206
GL210P	207
GL220P	207
GL3074	206
GL3980 GL3980NS	206
GL3980RNS	209, 248
GL4002	206
GL4002NS	209, 248
GL4002RNS	210
GL4060	34, 206
GL4210	206
GL4701 GL4709	206
GP0540 (Group 3)	202
GP0540	205
GP0540NS (Group 3)	203, 247
GP1070	200, 205
GP1070AB	201, 246
GP1080 GP1080AB	205
GP1080NS (Group 3)	201, 246 203, 247
GP3074	205, 247
GP3788	205
GP3980	200
GP3980 (Group 3)	202
GP3980	205
GP3980AB	201, 246
GP3980NS (Group 3) GP4002	203, 247
GP4002 (Group 3)	202
GP4002	205
GP4002AB	201, 246
GP4002NS (Group 3)	203, 247
GP4004	200, 205
GP4004 (Group 3)	202
GP4210 GP4410	205
GP4701	205
GP4709	205
GP4853	205
GP4856	205
GP55653	205
GP55702	205
GP55703 GPE0540	205 199
GPE3980	199
GPE4002	199
GPE4004	199
HBR258	66, 68
HBR414	66
HBR578 HBR712	66
1BK/12 HE3	69
HFR258	67

CODE	PAGE
HK39 HK39B	165 239
HK93BCW	165
HK93CW	165
HP3253	10
HT10CW HT120CW	172 172
HT12CW	172
HT14CW	172
HT16CW	172
HT22CW HT5CW	172 172
HT8CW	172
HWAPR	14
HWATD	14
HYDRASTATIONPKG IB32	14 161
IB36	161
IB44	161
IBS20	161
IBS27 IBS37	161 161
IBSF27	161
ICS100L	57
ICS100L4S	57
ICS125L	57
ICS125LB ICS125T	57 57
ICS175L	57
ICS175LB	57
ICS175T	57
ICS175TB ICS200TB	57 57
IT3253	36, 245
IT3753	36, 245
IT3753T	36, 245
ITPD3253 ITPD3753T	36, 245
KK1200	36, 245 64
KSC402	46
KVC854	45
KVC854C	45
KVC856 KVC856C	45 45
KWS40	46
LCDCH	14
LCDCH10	14
LD105	14
LD105A	185
LD130	185
LD85	185
LD85A LDT10	185 170
LDT12	170
LDT16	170
LDT22	170
LDT5 LDT6	170 170, 241
LDT9	170, 241
LED54LIGHTPKG	41
LT10	173
LT12	173 173
LT14 LT16	173
LT22	173
LT6	173
LT8	173
MA2435 MA3142H	227 227
MA3200	227
MA3343	227
MA3646	227
MA3652TR MA3800	227
MA4300	227
MA4361	227
MDC1411T60	254
MDC1418S20	252
MDC1418T16 MDC1418T30	253 253
	200

CODE	PAGE
MDC1520S10	251
MDC1520S10HD MDC1520S20	251
MDC1520716	253
MDC1520T30	253
MDC24	15
MDC24F	15
MDC24R MDSB16	15
MDSB5	239
MDSB9	239
MDSD9	239
MDSL9	239
MDSLD9	239
MDSM8 MDSP9	239
MDSPL	239
MDSPLT9	239
MPA41017V4PKG	98
MPA41018V4PKG MPA41018V5PKG	98
MPA41117V4PKG	98
MPA41118V4PKG	98
MPA41118V5PKG	99
MPA41217V4PKG	98
MPA41218V4PKG MPA41218V5PKG	98
MPA41317V4PKG	98
MPA41318V4PKG	98
MPA41318V5PKG	99
MPA41417V4PKG	98
MPA41418V4PKG MPA41418V5PKG	98
MPA41517V4PKG	98
MPA41518V4PKG	98
MPA41518V5PKG	99
MPA41617V4PKG MPA41618V4PKG	98
MPA41618V5PKG	99
MPA41717V4PKG	98
MPA41718V4PKG	98
MPA41718V5PKG MPA4617V4PKG	99
MPA4618V4PKG	98
MPA4618V5PKG	99
MPA4717V4PKG	98
MPA4718V4PKG MPA4718V5PKG	98
MPA4817V4PKG	98
MPA4818V4PKG	98
MPA4818V5PKG	99
MPA4917V4PKG MPA4918V4PKG	98
MPA4918V5PKG	99
MPA51017V4PKG	98
MPA51018V4PKG	98
MPA51018V5PKG MPA51117V4PKG	99
MPA51118V4PKG	98
MPA51118V5PKG	99
MPA51217V4PKG	98
MPA51218V4PKG MPA51218V5PKG	98
MPA51317V4PKG	98
MPA51318V4PKG	98
MPA51318V5PKG	99
MPA51417V4PKG	98
MPA51418V4PKG MPA51418V5PKG	98
MPA51517V4PKG	98
MPA51518V4PKG	98
MPA51518V5PKG	99
MPA51617V4PKG MPA51618V4PKG	98
MPA51618V5PKG	99
MPA51717V4PKG	98
MPA51718V4PKG	98
MPA51718V5PKG MPA5617V4PKG	99
MPA5618V4PKG	98
MPA5618V5PKG	99

CODE MPA5717V4PKG	PAG 9
MPA5718V4PKG	9
MPA5718V5PKG	9
MPA5817V4PKG	9
MPA5818V4PKG MPA5818V5PKG	9
MPA5917V4PKG	9
MPA5918V4PKG	9
MPA5918V5PKG	9
MPA61017V4PKG	9
MPA61018V4PKG	9
MPA61018V5PKG MPA61117V4PKG	9
MPA61118V4PKG	9
MPA61118V5PKG	9
MPA61217V4PKG	9
MPA61218V4PKG	9
MPA61218V5PKG	9
MPA61317V4PKG	9
MPA61318V4PKG MPA61318V5PKG	9
MPA61417V4PKG	9
MPA61418V4PKG	9
MPA61418V5PKG	9
MPA61517V4PKG	9
MPA61518V4PKG	9
MPA61518V5PKG	9
MPA61617V4PKG	9
MPA61618V4PKG MPA61618V5PKG	9
MPA61717V4PKG	9
MPA61718V4PKG	9
MPA61718V5PKG	9
MPA6617V4PKG	9
MPA6618V4PKG	9
MPA6618V5PKG	9
MPA6717V4PKG	9
MPA6718V4PKG MPA6718V5PKG	9
MPA6817V4PKG	9
MPA6818V4PKG	9
MPA6818V5PKG	9
MPA6917V4PKG	9
MPA6918V4PKG	9
MPA6918V5PKG	9
MPCC1 MPCC10	10
MPCC10	10 10
MPDS40H16	10
MPDS40H30	10
MPDS50H16	10
MPDS50H30	10
MPDS60H16	10
MPDS60H30	10
MPFE30	10
MPFE40 MPFE50	10
MPFE60	10
MPFL1001	10
MPFL1002	10
MPFL1101	10
MPFL1102	10
MPFL1201	10
MPFL1202	10
MPFL1301 MPFL1302	10
MPFL1302	10
MPFL1402	10
MPFL1501	10
MPFL1502	10
MPFL1601	10
MPFL1602	10
MPFL1701	10
MPFL1702	10
MPFL601	10
MPFL602	10
MPFL701 MPFL702	10 10
	10
MPFL801	
MPFL801 MPFL802	10

CODE	PAGE
MPFL902 MPHU51017S4PKG	103
MPHU51017V4PKG	109
MPHU51117S4PKG	109
MPHU51117V4PKG	109
MPHU51217S4PKG	109
MPHU51217V4PKG	109
MPHU51317S4PKG MPHU51317V4PKG	109 109
MPHU5917S4PKG	109
MPHU5917V4PKG	109
MPHU61017S4PKG	109
MPHU61017V4PKG	109
MPHU61117S4PKG	109
MPHU61117V4PKG MPHU61217S4PKG	109 109
MPHU61217V4PKG	109
MPHU61317S4PKG	109
MPHU61317V4PKG	109
MPHU6917S4PKG	109
MPHU6917V4PKG MPMCHD	109
MPMCWB	109
MPMU41017S4PKG	99
MPMU41017V4PKG	99
MPMU41117S4PKG	99
MPMU41117V4PKG	99
MPMU41217S4PKG MPMU41217V4PKG	99
MPMU41217V4PKG	99
MPMU41317V4PKG	99
MPMU4917S4PKG	99
MPMU4917V4PKG	99
MPMU51017S4PKG	99
MPMU51017V4PKG MPMU51117S4PKG	99
MPMU51117V4PKG	99
MPMU51217S4PKG	99
MPMU51217V4PKG	99
MPMU51317S4PKG	99
MPMU51317V4PKG MPMU5917S4PKG	99
MPMU591754PKG	99
MPMU61017S4PKG	99
MPMU61017V4PKG	99
MPMU61117DRPKG	104
MPMU61117DRPKG MPMU61117S4PKG	242
MPMU6111754PKG	99
MPMU61217PDPKG	105
MPMU61217PDPKG	243
MPMU61217S4PKG	99
MPMU61217V4PKG	99
MPMU61317DRPKG	104 242
MPMU61317DRPKG MPMU61317S4PKG	99
MPMU61317V4PKG	99
MPMU6917S4PKG	99
MPMU6917V4PKG	99
MPTR100	104
MPTR1002PK	104
MPTR110 MPTR1102PK	104 104
MPTR120	104
MPTR1202PK	104
MPTR130	104
MPTR1302PK	104
MPTR140 MPTR150	104 104
MPTR150 MPTR160	104
MPTR170	104
MPTR60	104
MPTR70	104
MPTR80	104
MPTR90 MPTR902PK	104
MPU41017V4PKG	104
MPU41018V4PKG	98
MPU41018V5PKG	99
MPU41117V4PKG MPU41118V4PKG	98
	98

CODE	PAGE
MPU41118V5PKG	99
MPU41217V4PKG MPU41218V4PKG	98
MPU41218V5PKG	99
MPU41317V4PKG	98
MPU41318V4PKG	98
MPU41318V5PKG MPU41417V4PKG	99
MPU41417V4PKG	98
MPU41418V5PKG	99
MPU41517V4PKG	98
MPU41518V4PKG	98
MPU41518V5PKG MPU41617V4PKG	99
MPU41618V4PKG	98
MPU41618V5PKG	99
MPU41717V4PKG	98
MPU41718V4PKG	98
MPU41718V5PKG MPU4617V4PKG	99
MPU4618V4PKG	98
MPU4618V5PKG	99
MPU4717V4PKG	98
MPU4718V4PKG MPU4718V5PKG	98
MPU4817V4PKG	98
MPU4818V4PKG	98
MPU4818V5PKG	99
MPU4917V4PKG	98
MPU4918V4PKG MPU4918V5PKG	98
MPU51017V4PKG	98
MPU51018V4PKG	98
MPU51018V5PKG	99
MPU51117V4PKG MPU51118V4PKG	98
MPU51118V5PKG	99
MPU51217V4PKG	98
MPU51218V4PKG	98
MPU51218V5PKG	99
MPU51317V4PKG MPU51318V4PKG	98
MPU51318V5PKG	99
MPU51417V4PKG	98
MPU51418V4PKG	98
MPU51418V5PKG MPU51517V4PKG	99
MPU51518V4PKG	98
MPU51518V5PKG	99
MPU51617V4PKG	98
MPU51618V4PKG	98
MPU51618V5PKG MPU51717V4PKG	99
MPU51718V4PKG	98
MPU51718V5PKG	99
MPU5617V4PKG	98
MPU5618V4PKG MPU5618V5PKG	98
MPU5717V4PKG	98
MPU5718V4PKG	98
MPU5718V5PKG	99
MPU5817V4PKG MPU5818V4PKG	98
MPU5818V5PKG	99
MPU5917V4PKG	98
MPU5918V4PKG	98
MPU5918V5PKG	99
MPU61017V4PKG MPU61018V4PKG	98
MPU61018V5PKG	99
MPU61117V4PKG	98
MPU61118V4PKG	98
MPU61118V5PKG MPU61217V4PKG	99
MPU61217V4PKG MPU61218V4PKG	98
MPU61218V5PKG	99
MPU61317V4PKG	98
MPU61318V4PKG	98
MPU61318V5PKG MPU61417V4PKG	99
MPU61418V4PKG	98

CODE	PAG
MPU61418V5PKG MPU61517V4PKG	99
MPU61518V4PKG	98
MPU61518V5PKG	99
MPU61617V4PKG	98
MPU61618V4PKG	98
MPU61618V5PKG	99
MPU61717V4PKG	98
MPU61718V4PKG	98
MPU61718V5PKG	99
MPU6617V4PKG	98
MPU6618V4PKG	98
MPU6618V5PKG	99
MPU6717V4PKG	9
MPU6718V4PKG	9
MPU6718V5PKG	9:
MPU6817V4PKG	9:
MPU6818V4PKG	9:
MPU6818V5PKG	91
MPU6917V4PKG MPU6918V4PKG	9
00010111110	9
MPU6918V5PKG	9:
MW2129	22
MW3200 MW3245	22
MW3245 MW3600	22
MW3646	22
MW3858	22
MW4200	22
MY2026	22
MY2129	22
MY2632	22
MY2738	22
MY3200	22
MY3244	22
MY3253	22
MY3343	22
MY3446	22
MY3646	22
MY3753	22
MY3800	22
MY3952	22
MY4300	22
MY4361	22
NT10	17:
NT12 NT14	17:
NT16	17:
NT20	17:
NT5	17:
NT8	17:
NT9	17:
0ETR314	6
P320CW	16
P34CW	16
P34LCW	16
P480CW	16
P600CW	16
P60CW	16
P64CW	16
PC34CW	16
PC64CW	16
PE600CW	16
PH556010	22
PH556016	22
PH556020	22
PH556026	22
PH556030	22
PH556036	22
PH556040	22
PH556046	22
PH556050	22
PH556056	22
PH556510	22
PH556516	22
PH556520	22
PH556526	22
PH557010	22
PH557016 PH557020	22
	22

PH557030 221 PH557036 221 PH557040 221 PH557046 221 PH558510 221 PH558516 221 PH558520 221 PH558533 221 PH558536 221 PH558536 221 PH558536 221 PH558536 221 PH500CW 168 PPB15 177 PPB18 177 PPB23 177 PPB14 67 PR500 67 PR514 67 PR5500 240 PR59314 67 PR590 67 PS1014 229 PS810 181 PSB12 181 PSB12 181 PSB18 182 PSB18 182 PSB18 182 PSB19 181 PSB20 182 PSB16 182	CODE	PAGE
PH557040 221 PH557046 221 PH558510 221 PH558516 221 PH558520 221 PH558526 221 PH558530 221 PH558536 221 PH558536 221 PF060CW 168 PPB15 177 PPB18 177 PPB19 177 PR500 67 PR500 67 PR5900 67 PR5900 67 PR5900 67 PR5900 67 PR59114 229 PS89314 67 PS812 181 PSB12 181 PSB15 182 PSB16 181 PSB17 181 PSB18 182 PSB19 181 PSB16 181 PSB17 182 PSB18 181 PSB19 182 <td></td> <td></td>		
PH557046 221 PH558510 221 PH558516 221 PH558526 221 PH558530 221 PH558536 221 PH558536 221 PH558536 221 PH558536 221 PH558536 221 PH560CW 168 PPB15 177 PPB18 177 PPB23 177 PP814 67 PR500 67 PR591014 220 PS810 181 PS811 181 PS812 181 PS813 182 PS814 182 PS815 182 PS816 181 PS82 181	PH557036	221
PH558510 221 PH558520 221 PH558526 221 PH558536 221 PH558536 221 PH558536 221 PH500W 168 PPB15 177 PPB18 177 PPB18 177 PP813 177 PR314 67 PR500 240 PR59314 67 PR5500 240 PR59104 229 PS810 181 PS812 181 PS812 181 PS813 182 PS816 181 PS817 182 PS818 182 PS819 181 PS810 181 PS811 182 PS812 181 PS813 182 PS814 182 PS815 182 PS816 181 PS828 181 <t< td=""><td></td><td></td></t<>		
PH558516 221 PH558520 221 PH558526 221 PH558536 221 PH558536 221 PH558536 221 PH558536 221 PH558536 221 PH558536 221 PPB15 177 PP818 177 PP818 177 PR500 67 PR500 240 PR5900 67 PR500 67 PR5900 67 PR500 67 PR5900 67 PR5900 67 PR5014 229 PS810 181 PSB10 181 PSB11 181 PSB12 181 PSB13 182 PSB14 182 PSB18 182 PSB18 182 PSB19 182 PSB10 282 PSB18 182		
PH558520 221 PH558526 221 PH558530 221 PH558536 221 PH558536 2221 PH650CW 1688 PPB15 177 PPB18 177 PPB18 177 PPB18 177 PPB23 177 PPS00 67 PR500 240 PR590 240 PR59314 67 PR59500 67 PS1014 229 PS810 181 PS812 181 PS812 181 PS815 182 PS818 182 PS818 182 PS818 182 PS823 182 PS88 181 PS89 181 PS89 181 PS89 181 PS80 120 PT1014 220 PT1100 2200 PT1216 220 PT1418 220 PT1418 220 PT1400 1200 PT1418 120 PT1600 1200 PM822 14,176 R1000LCD 14 R500LCD 14 R500LCD 14 R501CD 14 RF512 143 RF512 143 RF512 143 RF512 143 RF512P 144 RF512P 1		
PH558526 221 PH558530 221 PH558536 221 PH558536 221 PH500W 168 PPB15 177 PPB18 177 PPB23 177 PR500 67 PR500 67 PR5500 67 PR55014 67 PR59500 67 PS51014 229 PSB104 281 PSB105 181 PSB12 181 PSB12 181 PSB15 182 PSB16 182 PSB17 182 PSB18 181 PSB23 182 PSB6 181 PSB16 181 PSB23 182 PSB16 182 PSB17 182 PSB18 181 PSB28 181 PSB16 182 PSB17 182		
PH558530 221 PH558536 221 PH558536 221 PH50CW 168 PPB15 177 PPB18 177 PPB18 177 PPB18 177 PPB18 177 PR314 67 PR500 67 PR500 67 PR500 67 PR59500 67 PR59500 67 PS1014 229 PSB10 181 PSB12 181 PSB15 182 PSB18 182 PSB18 182 PSB18 182 PSB18 182 PSB18 181 PSB15 182 PSB18 181 PSB16 220 PT1014 220 PT1014 220 PT1014 220 PT1100 2200 PT1216 220 PT1216 220 PT1418 220 PT1400 220 PT1418 220 PT1400 120 PT1418 120 PT1400 120 PT1400 120 PT1418 120 PT1600 120 PT1800		
PH558536 221 PL60CW 168 PPB15 177 PPB15 177 PPB18 177 PPB23 177 PR500 67 PR500 240 PR5900 67 PR59500 67 PS1014 229 PS810 181 PSB12 181 PSB12 181 PSB12 181 PSB18 182 PSB18 182 PSB18 182 PSB18 181 PSB23 182 PSB6 181 PSB8 181 PT101 220 PT1100 220 PT14100 220 PT1418 220 PT1400 220 PT1418 220 PT1400 220 PT1418 220 PT1490 220 PT1418 220		
PEGOCW 168 PPB15 177 PPB18 177 PPB23 177 PRS00 67 PR500 240 PR5900 240 PR59500 67 PS1014 229 PSB10 181 PSB12 181 PSB15 182 PSB18 182 PSB18 182 PSB18 182 PSB23 182 PSB6 181 PSB8 181 PT1010 220 PT11100 220 PT1216 220 PT1400 220 PT1600 220		
PPB18 177 PPB23 177 PR314 67 PR500 240 PR59314 67 PR59500 67 PS1014 229 PS810 181 PSB10 181 PSB12 181 PSB15 182 PSB16 182 PSB23 182 PSB28 181 PSB66 181 PSB8 181 PT1014 220 PT1216 220 PT1216 220 PT1400 220 PT1418 220 PT1600 220 PWB22 14,176 R500LCD 14 RD120CW 184 R01220CW 184 R01220CW 184 R01220CW 184 RFS12 143 RFS12 143 RFS12 143 RFS12 143 <t< td=""><td></td><td></td></t<>		
PPB23 177 PR500 67 PR500 240 PR59500 67 PR59500 67 PR59500 67 PS1014 229 PS810 181 PSB12 181 PSB15 182 PSB18 182 PSB18 182 PSB23 182 PSB66 181 PSB8 181 PSB8 181 PSB1 220 PT1100 220 PT1216 220 PT1418 220 PT1418 220 PT1418 220 PWB22 14,176 R1000LCD 14 R50120CW 184 R01220CW 184 R01220CW 184 R01220CW 184 RFS12 143 RFS12 143 RFS12 143 RFS12 143 <t< td=""><td></td><td></td></t<>		
PR314 67 PR500 67 PR500 240 PR59500 67 PR59500 67 PS1014 229 PS810 181 PSB15 182 PSB15 182 PSB18 182 PSB23 182 PSB23 182 PSB8 181 PSB8 181 PSB8 181 PSB8 181 PSB8 181 PSB100 220 PT1100 220 PT1216 220 PT1418 220 PT1400 220 PWB22 14, 176 R1000LCD 14 R500LCD 14 R501CCD 14 R61220CWH 184 RD1220CW 184 RD1220CWH 184 RFS1 143 RFS1 143 RFS1 143	PPB18	177
PR500 67 PR500 240 PR59314 67 PR59500 67 PS1014 229 PSB10 181 PSB12 181 PSB15 182 PSB18 182 PSB18 182 PSB6 181 PSB6 181 PSB8 181 PT1104 220 PT1100 220 PT1400 220 PT1418 220 PT1600 220 PTM822 14, 176 R1000LD 14 R500LCD 14 R01220CW 184 R01220CWH 184 R01220CWH 184 R01220CWH 184 RFS12 143 RFS1 143 RFS1 143 RFS12 143 RFS12 143 RFS12PP 143 RFS18PP 143	PPB23	177
PR5500 240 PR59314 67 PR59500 67 PR59500 187 PS1014 229 PSB10 181 PSB12 181 PSB15 182 PSB15 182 PSB18 182 PSB23 182 PSB8 181 PTSB8 181 PT1100 220 PT1216 220 PT1216 220 PT1418 220 PT1600 220 PWB22 14, 176 RT600LD 14 R500LCD 14 R600LCD 14 RD1200CW 184 RD1220CWH 184 RD1220CWH 184 RD122CWH 184 RFS12SCWH 184 RFS12 143 RFS12 143 RFS12 143 RFS12 143 RFS12 143	PR314	67
PR59314 67 PR59500 67 PS1014 229 PSB10 181 PSB12 181 PSB15 182 PSB18 182 PSB23 182 PSB6 181 PSB8 181 PT1014 220 PT1100 220 PT14400 220 PT1450 220 PWB22 14,176 R1000LD 14 R500LCD 14 R500LCD 14 RD1200CW 184 RD1220CWH 184 RFS122CWH 184 RFS12 143 RFS1	PR500	67
PR59500 67 PS1014 229 PSB10 181 PSB12 181 PSB15 182 PSB18 182 PSB23 182 PSB66 181 PSB8 181 PSB8 181 PSB100 220 PT1101 220 PT1216 220 PT1418 220 PT1400 220 PWB22 14,76 R1000LCD 14 R500LCD 14 RD1200CW 184 R01220CW		
PSI014 229 PSB10 181 PSB12 181 PSB15 182 PSB18 182 PSB23 182 PSB6 181 PSB8 181 PTI1014 220 PTI100 220 PTI116 220 PTI418 220 PTI600 220 PTI618 220 PTI618 220 PTI618 220 PTI618 220 PTI618 220 PTI618 220		
PSB10 181 PSB12 181 PSB15 182 PSB18 182 PSB23 182 PSB6 181 PSB8 181 PT1014 220 PT1100 220 PT1400 220 PT1418 220 PT1600 220 PT600 240 RF000 14 RF000		
PSB12 181 PSB15 182 PSB18 182 PSB23 182 PSB6 181 PSB8 181 PT1014 220 PT1100 220 PT1410 220 PT1418 220 PT1600 220 PWB22 14,176 R1000LCD 14 R500LCD 14 RD1220CW 184 R01220CWH 184 R01220CWH 184 R01826CW 184 R01826CW 184 RFS122 H3 143 RFS12 143 RFS12PP 143 RFS12PP 143 RFS2PP 143 RFS2PP 143		
PSB15 182 PSB18 182 PSB23 182 PSB6 181 PTSB8 181 PTI010 220 PT1216 220 PT14400 220 PT1450 220 PT1600 220 PWB22 14,176 R1000LD 14 R500LCD 14 R501220CW 184 R01220CW 184 R01220CW 184 R01220CWH 184 R01220CWH 184 RD1220CWH 184		
PSB18 182 PSB23 182 PSB23 182 PSB6 181 PSB8 181 PSB8 181 PSB8 181 PTI014 220 PT1100 220 PT1216 220 PT1216 220 PT1418 220 PT1418 220 PWB22 14,176 R1000LCD 14 R500LCD 14 R500LCD 14 R500LCD 14 R500LCD 14 RF5120CW 184 RD1220CW 184 RD1220CW 184 RD1220CW 184 RD1220CW 184 RD1220CW 184 RF1220CW 184		
PSB23 182 PSB6 181 PSB6 181 PSB8 181 PT1014 220 PT1100 220 PT1116 220 PT1400 220 PT1418 220 PT1600 220 PT1600 14 R500LCD 14 R500LCD 14 R500LCD 14 R5120CW 184 RD1220CW 184 RD1220CW 184 RD1220CW 184 RD1220CW 184 RD1220CW 184 RFS12CW 184 RFS12CW 184 RFS12CW 184 RFS18 143 RFS12 143 RFS12 143 RFS12P 143 RFS12P 143 RFS12P 143 RFS12PP 143 RFS12PP 143 RFS12PP 143 RFS18PP 143 RFS18PP 143 RFS18PP 143 RFS1PP 143 RFS1CPP 142 RFS2 143 RFS2PP 144 RFS2PP 143 RFS2PP 144 RFS2PP 145 RFS4 143 RFS4PP 143 RFS4PP 144 RFS4PP 145 RFS6PP 146 RFS6PP 147 RFS6PP 147 RFS6PP 148 RFS6PP 148 RFS6PP 149 RFSCUPP 149 RFSCW		
PSB6 181 PSB8 181 PT1014 220 PT1100 220 PT1216 220 PT1400 220 PT1418 220 PT1600 220 PWB22 14, 176 R1000LCD 14 R500LCD 14 R01220CW 184 R01220CWH 184 R01220CWH 184 R01226CWH 184 RD1226CW 184 RFS126CW 184 RFS127 143 RFS12 143 RFS12 143 RFS12 143 RFS12SCPP 142 RFS18 143 RFS18SPP 143 RFS18SPP 143 RFS22 143 RFS22PP 143 RFS22PP 143 RFS2PP 143 RFS6FSPP 143 RFS6FSPP 143 RFS6FSPP		
PSB8 181 PT1014 220 PT1010 220 PT1216 220 PT1400 220 PT1418 220 PT600 220 PWB22 14,176 R1000LCD 14 R500LCD 14 RD120CW 184 R0122OCWH 184 R0122OCWH 184 R01826CW 184 R01826CW 184 RF312 143 RFS12 143 RFS12 143 RFS12SCPP 142 RFS12SCPP 143 RFS12SCPP 143 RFS18 143 RFS1PP 143 RFS1PP 143 RFS1PP 143 RFS2P 144 RFS22 143 RFS22 P 143 RFS2PP 143 RFS2PP 143 RFS6F 143 RFS6F 14		
PT1014 220 PT1100 220 PT1216 220 PT1400 220 PT1418 220 PT1600 220 PWB22 14,176 R1000LCD 14 R500LCD 14 RD1220CW 184 RD1220CWH 184 RD1220CWH 184 RD1226CW 184 RD1226CW 184 RD126CWH 184 RD126CW 184 RFS122CWH 184 RFS122CWH 184 RFS12CWH 184 RFS12 143 RFS12 143 RFS12 143 RFS12 143 RFS12PP 143 RFS18PP 143 RFS18PP 143 RFS1SCPP 142 RFS2 143 RFS2PP 143 RFS2PP 143 RFS4PP 143 RFS6PP		
PT1216 220 PT1400 220 PT1418 220 PT1600 220 PT1600 220 PT1600 220 PW822 14, 176 R1000LCD 14 R500LCD 14 RD1220CW 184 RD1220CWH 184 RD1220CWH 184 RD1826CW 184 RFS1826CWH 184 RFS122CWH 184 RFS12 143 RFS12 143 RFS12 143 RFS12PP 143 RFS12SCPP 142 RFS18PP 143 RFS18PP 143 RFS1SCPP 142 RFS2 143 RFS2 143 RFS2PP 143 RFS2PP 143 RFS2PP 143 RFS4 143 RFS6 143 RFS6 143 RFS6 1	PT1014	
PT1400 220 PT1418 220 PT1600 220 PWB22 14, 176 R1000LCD 14 R500LCD 14 R01220CW 184 R01220CWH 184 R01220CWH 184 R01226CW 184 RD1826CW 184 RFS126CPW 184 RFS12 143 RFS2 143 RFS2 143	PT1100	220
PT1418 220 PT1600 220 PWB22 14, 176 R1000LCD 14 R500LCD 14 RD120CW 184 RD122CWH 184 RD122CWH 184 RD182GCW 184 RD182GCW 184 RFS12SCW 184 RFS12CW 143 RFS12 143 RFS12PP 143 RFS18 143 RFS18PP 143 RFS2PP 143 RFS22 143 RFS22PP 143 RFS2PP 143 RFS4PP 143 RFS6PP 143 RFS6PP 143 RFS6FPP 143 RFSC1PP 143<	PT1216	220
PT1500 220 PWB22 14, 176 R1000LCD 14 R500LCD 14 R500LCD 14 RD1120CW 184 RD1220CW 184 RD1220CW 184 RD1220CW 184 RD1226CW 184 RD1826CW 184 RD1826CW 184 RFS12CPW 184 RFS12 143 RFS12 143 RFS12 143 RFS12P 143 RFS12PP 143 RFS12PP 143 RFS12PP 143 RFS18PP 143 RFS18PP 143 RFS18PP 143 RFS18PP 143 RFS19PP 144 RFS18CPP 142 RFS2 143 RFS4 143 RFS4PP 143 RFS6 143 RFS6 143 RFS6 143 RFS6PP 143 RFS6 143 RFS6PP 143 RFS6 143 RFS6PP 143 RFS6 143 RFS6PP 143 RFSC 143 RFSC 144 RFSC		
PWB22 14,176 R1000LD 14 R500LCD 14 R50LCD 14 RD1200CW 184 RD1220CWH 184 RD1826CW 184 RD1826CWH 184 RD926CW 184 RFS12 143 RFS12 143 RFS12PP 143 RFS12PP 143 RFS18B 143 RFS18PP 143 RFS18PP 143 RFS1SPP 143 RFS1SCPP 142 RFS2 143 RFS22PP 143 RFS22PP 143 RFS2PP 143 RFS2PP 143 RFS4PP 143 RFS6PP 143 RFS6PP 143 RFS6PP 143 RFS6PP 143 RFSC12PP 143 RFSC12PP 143 RFSC12PP 143 RFSC12PP		
R1000LCD 14 R500LCD 14 RD1200CW 184 RD1220CW 184 RD1220CWH 184 RD1226CW 184 RD1826CW 184 RD1826CW 184 RFS12 143 RFS1 143 RFS12 143 RFS12PP 143 RFS12SCPP 142 RFS18 143 RFS18PP 143 RFS1SCPP 142 RFS2SCPP 142 RFS2 143 RFS22PP 143 RFS2PP 143 RFS2PP 143 RFS2PP 143 RFS2PP 143 RFS4PP 143 RFS6FPP 143 RFS6FPP 143 RFS6FPP 143 RFS6FPP 143 RFSC12PP 143 RFSC12PP 143 RFSC12PP 143 RFSC12PP <td></td> <td></td>		
R500LCD 14 RD1200CW 184 RD1220CWH 184 RD1220CWH 184 RD1220CWH 184 RD1226CW 184 RD1826CW 184 RFS1 143 RFS12 143 RFS12 143 RFS12PP 143 RFS12SCPP 142 RFS18 143 RFS18PP 143 RFS1PP 143 RFS1SCPP 142 RFS2 143 RFS22 P 143 RFS22PP 143 RFS2PP 143 RFS2PP 143 RFS4 143 RFS6FSPP 143 RFS6FSPP 143 RFS6FSPP 143 RFS6FSPP 143 RFS6FSPP 143 RFS6FSPP 143 RFSC1 143 RFSC1 143 RFSC1 143 RFSC1PP		
RD1200CW 184 RD1220CWH 184 RD1220CWH 184 RD1826CW 184 RD1826CWH 184 RD1826CWH 184 RFS0182CWH 184 RFS12 143 RFS12 143 RFS12PP 143 RFS12PP 143 RFS18PP 143 RFS18PP 143 RFS1PP 143 RFS1PP 143 RFS2PP 143 RFS22 143 RFS22PP 143 RFS2PP 143 RFS2PP 143 RFS4 143 RFS4 143 RFS6PP 143 RFS6PP 143 RFS6PP 143 RFS8PP 143 RFS8PP 143 RFSC12 143,176 RFSC12 143,176 RFSC12 143 RFSC14 143 RFSC15		
RD1220CW 184 RD1220CWH 184 RD1226CW 184 RD1826CW 184 RFS026CW 184 RFS12 143 RFS12 143 RFS12PP 143 RFS12CPP 142 RFS18BP 143 RFS18PP 143 RFS1PP 143 RFS1PP 143 RFS2PP 143 RFS22 143 RFS22 143 RFS2PP 143 RFS2PP 143 RFS2PP 143 RFS4PP 143 RFS4PP 143 RFS6PP 143 RFS6PP 143 RFS6PP 143 RFS6PP 143 RFS6PP 143 RFSC12PP 143 RFSC12PP 143 RFSC12PP 143 RFSC12PP 143 RFSC12PP 143 RFSC66		
RD1220CWH 184 RD1826CW 184 RD1826CWH 184 RD926CW 184 RFS1 143 RFS12 143 RFS12PP 143 RFS12SCPP 142 RFS18 143 RFS18PP 143 RFS1PP 143 RFS1SCPP 142 RFS2 143 RFS22PP 143 RFS2PP 143 RFS2PP 143 RFS2PP 143 RFS4PP 143 RFS6FP 143 RFS6FP 143 RFS6FP 143 RFS6FP 143 RFSC12PP 143 RFSC2PP 143 RFSC2PP 143 RFSC6PP		
RD1826CW 184 RD1826CWH 184 RD926CW 184 RFS1 143 RFS12 143 RFS12PP 143 RFS12SCPP 142 RFS18 143 RFS18PP 143 RFS1PP 143 RFS1SCPP 142 RFS2 143 RFS22 143 RFS22PP 143 RFS2PP 143 RFS2PP 143 RFS2PP 143 RFS4 143 RFS6 143 RFS6 143 RFS6 143 RFS6 143 RFS6PP 142 RFS8 143 RFS6FPP 143 RFSC12 143, 176 RFSC12PP 143 RFSC12PP 143 RFSC12PP 143 RFSC2PP 143 RFSC1PP 143 RFSC2PP 143 </td <td></td> <td></td>		
RD1826CWH 184 RD926CW 184 RFS1 143 RFS12 143 RFS12PP 143 RFS12SCPP 142 RFS18 143 RFS18PP 143 RFS1PP 143 RFS1SCPP 142 RFS2 143 RFS22 143 RFS22PP 143 RFS2PP 143 RFS2PP 143 RFS4 143 RFS6 143 RFS6PP 143 RFS6PP 143 RFS6PP 143 RFS6SCPP 142 RFS8 143 RFS6FP 143 RFSC1 143 RFSC1 143 RFSC12 143 RFSC12 143 RFSC1PP 143 RFSC2PP 143 RFSC2PP 143 RFSC6PP 143 RFSC6PP 143		
RD926CW 184 RFS1 143 RFS12 143 RFS12PP 143 RFS12PP 142 RFS18B 143 RFS18PP 143 RFS18PP 143 RFS18CPP 142 RFS2 143 RFS2PP 143 RFS2PP 143 RFS2PP 143 RFS4 143 RFS4 143 RFS6 143 RFS6PP 143 RFS6PP 143 RFS6PP 143 RFS8PP 143 RFS8PP 143 RFS6IPP 143 RFSCI2 143,176 RFSCI2 143 RFSCI2 143 RFSCI2PP 143 RFSCIPP 143 RFSCOPP 143 RFSCOPP 143 RFSCFOP 143 RFSCFOP 143 RFSCFOP 143 <td></td> <td></td>		
RFS12 143 RFS12PP 143 RFS12SCPP 142 RFS18 143 RFS18PP 143 RFS1PP 143 RFS1PP 143 RFS1SCPP 142 RFS2 143 RFS2PP 143 RFS2PP 143 RFS2PP 144 RFS4PP 143 RFS6 143 RFS6PP 143 RFS6PP 143 RFS6PP 143 RFS6SCPP 142 RFS8 143 RFS6IPP 143 RFSCI2 143 RFSCI2 143 RFSCI2PP 143 RFSC12PP 143 RFSC2 143 RFSC6 143 RFSC6 143 RFSC6 143 RFSC6 143 RFSC12PP 143 RFSC6 143 RFSC6 143 <		
RFS12PP 143 RFS12SCPP 142 RFS18 143 RFS18PP 143 RFS1SCPP 142 RFS2 143 RFS22 143 RFS2PP 143 RFS2PP 143 RFS2PP 143 RFS2PP 143 RFS4 143 RFS6 143 RFS6PP 143 RFSC1 143 RFSC1 143 RFSC1 143 RFSC1 143 RFSC1 143 RFSC2 143 RFSC2PP 143 RFSC2PP 143 RFSC6PP 143 RFSC6PP 144	RFS1	143
RFS12SCPP 142 RFS18 143 RFS18PP 143 RFS1PP 143 RFS1PP 142 RFS1SCPP 142 RFS2 143 RFS22PP 143 RFS2PP 143 RFS2PP 143 RFS4 143 RFS6 143 RFS6PP 143 RFS6PP 143 RFS8 143 RFS8 143 RFSC1 143 RFSC1 143 RFSC12 143, 176 RFSC12PP 143 RFSC12PP 143 RFSC12PP 143 RFSC2PP 143 RFSC2PP 143 RFSC2PP 143 RFSC2PP 143 RFSC4PP 143 RFSC6PP 143 RFSC6PP 143 RFSC6PP 143 RFSCW1 142 RFSCW1 14	RFS12	143
RFS18 143 RFS18PP 143 RFS1PP 143 RFS1SCPP 142 RFS2 143 RFS2PP 143 RFS2PP 143 RFS2PP 143 RFS4 143 RFS4 143 RFS6 143 RFS6PP 143 RFS6PP 143 RFS8 143 RFS8 143 RFS7 143 RFSC1 143 RFSC12 143,176 RFSC12 143,176 RFSC12PP 143 RFSC12PP 143 RFSC1PP 143 RFSC2PP 143 RFSC6 143 RFSC6 143 RFSC6PP 143 RFSC6BP 143 RFSC6BP 143 RFSC6BP 143 RFSCW1 142 RFSCW2 142 RFSCW2 142		
RFS18PP 143 RFS1PP 143 RFS1SCPP 142 RFS2 143 RFS22 143 RFS2PP 143 RFS2PP 143 RFS2PP 143 RFS2PP 143 RFS4 143 RFS6 143 RFS6PP 143 RFS6PP 143 RFS8PP 143 RFS8PP 143 RFSC12 143,176 RFSC12P 143 RFSC12PP 143 RFSC1PP 143 RFSC2PP 143 RFSC2PP 143 RFSC2PP 143 RFSC4PP 143 RFSC5PP 143 RFSC6PP 143 RFSC6BP 143 RFSC6BP 143 RFSC6BP 143 RFSCW1 142 RFSCW2 142 RFSCW2 142 RFSCW2 14		
RFS1PP 143 RFS1SCPP 142 RFS2 143 RFS2PP 143 RFS2PP 143 RFS2PP 142 RFS4 143 RFS4PP 143 RFS6PP 143 RFS6PP 143 RFS6SCPP 142 RFS8 143 RFS6ID 143 RFSCID 143 RFSCI2 143,176 RFSCI2PP 143 RFSCI2PP 143 RFSCI2PP 143 RFSC2 143 RFSC2PP 143 RFSC2PP 143 RFSC4PP 143 RFSC5PP 143 RFSC6PP 143 RFSCFSCF 143 RFSCFSCWI 142 RFSCWI 142 RFSCWI2 142 RFSCWI2 142 RFSCWI4 142 RFSCWI5 142 RFSCWI6		
RFS1SCPP 142 RFS2 143 RFS22PP 143 RFS2PPP 143 RFS2SCPP 142 RFS4 143 RFS4 143 RFS6 143 RFS6PP 143 RFS6SCPP 142 RFS8 143 RFS8PP 143 RFSC1 143 RFSC12 143, 176 RFSC12PP 143 RFSC1PP 143 RFSC2PP 143 RFSC2PP 143 RFSC2PP 143 RFSC4PP 143 RFSC6PP 143 RFSC6PP 143 RFSC6PP 143 RFSC6PP 143 RFSC6PP 143 RFSC6PP 143 RFSCWI 142 RFSCWI 142 RFSCWI 142 RFSCWI 142 RFSCW2 142 RFSCW6		
RFS2 143 RFS22 143 RFS22PP 143 RFS2PPP 143 RFS2PP 142 RFS4 143 RFS4PP 143 RFS6 143 RFS6PP 143 RFS6SCPP 142 RFS8 143 RFS8 143 RFSC1 143 RFSC12 143, 176 RFSC12PP 143 RFSC1PP 143 RFSC2 143 RFSC2PP 143 RFSC2PP 143 RFSC6 143 RFSC6PP 143 RFSC6PP 143 RFSC6PP 143 RFSCW1 142 RFSCW12 142 RFSCW2 142 RFSCW2 142 RFSCW4 142 RFSCW6 142 RFSCW6 142 RFSCW7 142 RFSCW6 142		
RFS22 143 RFS2PP 143 RFS2PP 143 RFS2SCPP 142 RFS4 143 RFS6 143 RFS6PP 143 RFS8PP 143 RFS8PP 143 RFS8PP 143 RFSC1 143 RFSC12 143,176 RFSC12PP 143 RFSC1PP 143 RFSC1PP 143 RFSC2PP 143 RFSC6 143 RFSC6BPP 143 RFSC6BPP 143 RFSCW1 142 RFSCW12 142 RFSCW12 142 RFSCW2 142 RFSCW2 142 RFSCW4 142 RFSCW6 142 RFSCW6 142 RFSCWC1 142 RFSCWC1 142		
RFS22PP 143 RFS2PP 143 RFS2PP 143 RFS4 143 RFS4 143 RFS6 143 RFS6PP 143 RFS8PP 143 RFS8 143 143 RFS8PP 143 RFSC1 2 143,176 143 RFSC12 143,176 176 RFSC12PP 143 143 RFSC1PP 143 143 RFSC2 143 143 RFSC6BP 143 143 RFSC6PP 143 145 RFSCW1 142 142 RFSCW1 142 142 RFSCW2 142 142 RFSCW2 142 142 RFSCW4 142 142 RFSCW6 142 142 RFSCW7 142 142 RFSCW6 142 142 RFSCW1 142 142		
RFS2PP 143 RFS2SCPP 142 RFS4 143 RFS4PP 143 RFS6 143 RFS6PP 142 RFS8 143 RFS8PP 143 RFSC1 143 RFSC12 143,176 RFSC12PP 143 RFSC1PP 143 RFSC2 H43 143 RFSC6 143 RFSC6 143 RFSC6PP 143 RFSC6PP 143 RFSC6PP 143 RFSCW1 142 RFSCW12 142 RFSCW2 142 RFSCW2 142 RFSCW4 142 RFSCW6 142 RFSCW7 142 RFSCW8 142 RFSCWC1 142 RFSCWC12 142		
RFS2SCPP 142 RFS4 143 RFS4PP 143 RFS6 143 RFS6PP 142 RFS8 143 RFS8PP 143 RFSC1 143 RFSC12 143, 176 RFSC12PP 143 RFSC1PP 143 RFSC2PP 143 RFSC6 143 RFSC6PP 143 RFSC6PP 143 RFSCWI 142 RFSCWI2 142 RFSCWG 142 RFSCWG 142 RFSCWG 142 RFSCWCI 142 RFSCWCI 142		
RFS4 143 RFS4PP 143 RFS6 143 RFS6PP 142 RFS6SCPP 142 RFS8 143 RFS8PP 143 RFSC1 143 RFSC12 143,176 RFSC12PP 143 RFSC1PP 143 RFSC2 143 RFSC6 143 RFSC6BP 143 RFSC6PP 143 RFSCW1 142 RFSCW12 142 RFSCW12 142 RFSCW2 142 RFSCW2 142 RFSCW2 142 RFSCW4 142 RFSCW6 142 RFSCW6 142 RFSCWC1 142 RFSCWC12 142		
RFS6 143 RFS6PP 143 RFS6SCPP 142 RFS8 143 RFS8PP 143 RFSC1 143 RFSC12 143,176 RFSC12PP 143 RFSC1PP 143 RFSC2 143 RFSC6 143 RFSC6PP 143 RFSC6PP 143 RFSCW1 142 RFSCW12 142 RFSCW18 142 RFSCW2 142 RFSCW2 142 RFSCW4 142 RFSCW6 142 RFSCW8 142 RFSCWC1 142 RFSCWC12 142		
RFS6PP 143 RFS6SCPP 142 RFS8 143 RFS8PP 143 RFSC12 143,176 RFSC12PP 143 RFSC1PP 143 RFSC2 143 RFSC6 143 RFSC6PP 143 RFSC6PP 143 RFSCW1 142 RFSCW12 142 RFSCW2 142 RFSCW2 142 RFSCW2 142 RFSCW4 142 RFSCW6 142 RFSCW8 142 RFSCW1 142 RFSCW6 142 RFSCW7 142 RFSCW8 142 RFSCWC1 142 RFSCWC12 142	RFS4PP	143
RFS6SCPP 142 RFS8 143 RFS8PP 143 RFSC1 143 RFSC12 143, 176 RFSC12PP 143 RFSC1PP 143 RFSC2P 143 RFSC2PP 143 RFSC6PP 143 RFSC6PP 143 RFSCWI 142 RFSCWI2 142 RFSCWI2 142 RFSCW2 142 RFSCW2 142 RFSCW2 142 RFSCW6 142 RFSCW6 142 RFSCW8 142 RFSCWC1 142 RFSCWC12 142	RFS6	143
RFS8 143 RFS8PP 143 RFSC1 143,176 RFSC12 143,176 RFSC12PP 143 RFSC2PP 143 RFSC2 143 RFSC6 143 RFSC6PP 143 RFSC6PP 143 RFSCW1 142 RFSCW12 142 RFSCW2 142 RFSCW2 142 RFSCW2 142 RFSCW4 142 RFSCW6 142 RFSCW8 142 RFSCWC1 142 RFSCWC12 142	RFS6PP	143
RFS8PP 143 RFSC1 143 RFSC12 143, 176 RFSC12PP 143 RFSC1PP 143 RFSC2 143 RFSC3PP 143 RFSC6 143 RFSC6PP 143 RFSCW1 142 RFSCW12 142 RFSCW18 142 RFSCW2 142 RFSCW2 142 RFSCW2 142 RFSCW6 142 RFSCW6 142 RFSCW6 142 RFSCWC1 142 RFSCWC12 142		
RFSC1 143 RFSC12 143, 176 RFSC12PP 143 RFSC1PP 143 RFSC2 143 RFSC6 143 RFSC6PP 143 RFSCW1 142 RFSCW12 142 RFSCW18 142 RFSCW2 142 RFSCW2 142 RFSCW2 142 RFSCW4 142 RFSCW6 142 RFSCW8 142 RFSCWC1 142 RFSCWC12 142		
RFSC12 143,176 RFSC12PP 143 RFSC1PP 143 RFSC2 143 RFSC6 143 RFSC6PP 143 RFSCWI 142 RFSCWI2 142 RFSCWI8 142 RFSCW2 142 RFSCW2 142 RFSCW4 142 RFSCW6 142 RFSCW6 142 RFSCW7 142 RFSCW6 142 RFSCW7 142 RFSCW8 142 RFSCWC1 142 RFSCWC12 142		
RFSC12PP 143 RFSC1PP 143 RFSC2 143 RFSC2PP 143 RFSC6B 143 RFSC6PP 143 RFSCWI 142 RFSCWI2 142 RFSCWI3 142 RFSCWI4 142 RFSCWI5 142 RFSCWI6 142 RFSCWI1 142 RFSCWI1 142 RFSCWI2 142		
RFSC1PP 143 RFSC2 143 RFSC2PP 143 RFSC6G 143 RFSC6FP 143 RFSCWI 142 RFSCWI2 142 RFSCWI8 142 RFSCW2 142 RFSCW2 142 RFSCW2 142 RFSCW4 142 RFSCW6 142 RFSCW6 142 RFSCW8 142 RFSCWC1 142 RFSCWC12 142		
RFSC2 143 RFSC2PP 143 RFSC6 143 RFSC6PP 143 RFSCW1 142 RFSCW12 142 RFSCW18 142 RFSCW2 142 RFSCW2 142 RFSCW2 142 RFSCW4 142 RFSCW6 142 RFSCW8 142 RFSCW1 142 RFSCWC1 142 RFSCWC12 142		
RFSC2PP 143 RFSC6 143 RFSC6PP 143 RFSCW1 142 RFSCW12 142 RFSCW18 142 RFSCW2 142 RFSCW2 142 RFSCW2 142 RFSCW6 142 RFSCW6 142 RFSCW6 142 RFSCWC1 142 RFSCWC12 142		
RFSC6 143 RFSC6PP 143 RFSCW1 142 RFSCW12 142 RFSCW18 142 RFSCW2 142 RFSCW2 142 RFSCW2 142 RFSCW4 142 RFSCW6 142 RFSCW8 142 RFSCWC1 142 RFSCWC12 142		
RFSC6PP 143 RFSCWI 142 RFSCWI2 142 RFSCWI8 142 RFSCW2 142 RFSCW2 142 RFSCW2 142 RFSCW4 142 RFSCW6 142 RFSCW8 142 RFSCWC1 142 RFSCWC12 142		
RFSCW1 142 RFSCW12 142 RFSCW18 142 RFSCW2 142 RFSCW2 142 RFSCW4 142 RFSCW6 142 RFSCW8 142 RFSCW1 142 RFSCWC1 142 RFSCWC12 142		
RFSCW12 142 RFSCW18 142 RFSCW2 142 RFSCW2 142 RFSCW4 142 RFSCW6 142 RFSCW8 142 RFSCWC1 142 RFSCWC12 142		
RFSCW18 142 RFSCW2 142 RFSCW2 142 RFSCW2 142 RFSCW4 142 RFSCW6 142 RFSCW8 142 RFSCWC1 142 RFSCWC12 142		
RFSCW22 142 RFSCW4 142 RFSCW6 142 RFSCW8 142 RFSCWC1 142 RFSCWC12 142		
RFSCW4 142 RFSCW6 142 RFSCW8 142 RFSCWC1 142 RFSCWC12 142		
RFSCW6 142 RFSCW8 142 RFSCWC1 142 RFSCWC12 142	RFSCW22	142
RFSCW8 142 RFSCWC1 142 RFSCWC12 142	RFSCW4	142
RFSCWC1 142 RFSCWC12 142		
RFSCWC12 142		
RFSCWC2 142		
	KFSCWC2	142

CODE	PAGE
RFSCWC6 RSB1014CW	142 182
RSB10CW	182
RSB12CW	182
RSB1419CW	182
RSB15CW	182
RSB18CW	182
RSB23CW	182
RSB6CW RSB8CW	182
RSB912CW	182 182
SB55	183
SB60	183
SB80	183
SBH15	41
SBH18	41
SCP12CW SCP24CW	162 162
SCP64CW	162
SCP6CW	162
SFC12	139
SFC12SCPP	138
SFC2	139
SFC2SCPP	138
SFC6 SFC6SCPP	139
SFG1012	138 180
SFG1015	180
SFG1220	180
SFG820	180
SFR1012	180
SFT1010	180
SFT1212 SFT1515	180 180
SFV1015	180
SLL30	159
SPA14	186
SPASL14	186
SP010CW	186
SP011CW SP013	186 186
SP013CW	186
SP08CW	186
SPOP10CW	186
SPOP11CW	186
SPOP13	186
SPOP13CW SRB13	186 176
SRB13CW	176
SRB5	176
SRB5CW	176
TC1418	75
TDC2029	75
TDC30 TDCR12	79 75
TG6	187
TG9	187
TGA11	187
TGA8	187
TGG6	187
TGG9	187
UC1000 UC1000CVR	13 13
UC250	13
UC250CVR	13
UC500	13
UC500CVR	13
UPC100	17
UPC1200	23
UPC140 UPC160	17 17
UPC1600	23
UPC1600HD	23
UPC1600SP	23
UPC180	17
UPC400	20
UPC400SP	20
UPC600 UPC800	23
UPC800SP	23
UPCGL1600SP	23

0005	2405
CODE	PAGE
UPCH1600 UPCH16002	27
UPCH16002HD	27
UPCH16002SP	27
UPCH1600HD	27
UPCH1600SP	27
UPCH400	27
UPCH4002	27
UPCH800	27
UPCH8002	27
UPCHT1600	27
UPCHT16002	27
UPCHT16002HD	27
UPCHT1600HD	27
UPCHT800 UPCHT8002	27
UPCHW400	27 27
UPCHW4002	27
UPCS140	17
UPCS160	17
UPCS180	17
UPCS400	21
UPCS400CK	21
UPCSS160	17
VBR5	40
VBR6	40
VBRC	40
VBRC90	40
VBRCVR5	41
VBRCVR6	41
VBRHD5	40
VBRHD6 VBRL5	40
VBRL6	40
VBRLHD5	40
VBRLHD6	40
VBRR5	41
VBRR6	41
VBRSHTS	41
VBRT5	40
VBRT6	40
VBRTBL	41
VBRTCVR5	41
VBRTCVR6	41
VBRTHD5	40
VBRTHD6	40
VBRTL5	40
VBRTL6 VBRTLHD5	40
VBRTLHD6	40
VBRU5	40
VBRU6	40
VBRUHD5	40
VBRUHD6	40
VBRUT5	40
VBRUT6	40
VBRUTHD5	40
VBRUTHD6	40
VBRWC	41
VCS	40
VCS32CNT	40
VCS32KEYT	41
VCS32R	41
VCSCNL	40
VCSCVR VCSHD	41
VCSWR	40
VCSWRHD	
VL1014	40 207
VL1216	207
VL1418	207, 208
VL1418NS	207, 208
VL1418RNS	210
VL2129RNS	210
VL2632	207
VL3200RNS	210
VL3253	207
VL3343	207
VL3343C	207
VL3343CNS	209
VII 22420NC	040

VL3343CNS

CODE	PAGE
VL3343NS	209
VL3343NS	248
VL3600RNS	210
VL3646C	207, 208
VL3646CNS	209, 248
VL3753	207
VT1216	204
VT1418	200, 204, 208
VT1418AB	201, 246
VT1418TR	204
VT1520	204
VT2632	200, 204
VT3253	200, 204
VT3343	200, 204
VT3343AB	201, 246
VT3343C	204
VT3343CAB	201, 246
VT3646C	200, 204, 208
VT3646CAB	201, 246
VT3753	200, 204
VT3853	204
VTE1418	199
VTE3253	199
VTE3343	199
VTE3646C	199
VTE3753	199
WC100CW	177
WC100CWNH	177
WCR1220	45, 48
WR60406	34
WR60407	34
WW1000	175
WW1000L	175
WW1000LS	175
WW1500	175
WW250	175
WW250L	175
WW500	175

Cambro Warranty

Cambro Camtrays® and Camwear® Dinnerware have a five year guarantee against breakage. Camtherm Bulk Food Holding Cabinets hold a one-year warranty. Polycarbonate food storage products are guaranteed for two years under normal usage. Camshelving® has a one-year warranty on workmanship and a lifetime limited warranty against rust and corrosion, excluding mobile posts. For all other Cambro products, Cambro warrants to the original buyer a three-year pro-rated guarantee. If product proves defective during this time, Cambro grants a prorated credit of the original price toward replacement product. The warranty applies on all Cambro products only when used under normal foodservice industry conditions.

Photo credits:

Cambro products help foodservice operators throughout the world. To represent our global presence, images of Cambro products in use have been taken on locations throughout southern California, USA; in Cancun, Mexico; on the island of Rugen, Germany; and in the city of Huizhou, China. In particular, special thanks to the staffs of the Ambience Hotel, Rugen; Jin Hua Palace Hotel, Huizhou; Southern California Gas Company, Downey; Orange Coast College, Santa Ana and California Hospital, Los Angeles for their assistance in our photo shoots.

248

Camshelving® Code Conversion List

OLD CODE	NEW CODE	PAGE
CBA183672	CBA183672V4	126
CBA184272 CBA184872	CBA184272V4 CBA184872V4	126 126
CBA185472	CBA185472V4	126
CBA186072	CBA186072V4	126
CBA213672	CBA213672V4	126
CBA214272	CBA214272V4	126
CBA214872	CBA214872V4	126
CBA215472	CBA215472V4	126
CBA216072	CBA216072V4	126
CBA243672	CBA243672V4	126
CBA244272	CBA244272V4	126
CBA244872	CBA244872V4	126
CBA245472	CBA245472V4	126
CBA246072	CBA246072V4	126
CBCC	CBCC1	128
CBDS18	CBDS18H6	127
CBDS21	CBDS21H6	127
CBDS24	CBDS24H6	127
CBID6	CBID6	128
CBU183672	CBU183672V4	126
CBU184272	CBU184272V4	126
CBU184872	CBU184872V4	126
CBU185472	CBU185472V4	126
CBU186072	CBU186072V4	126
CBU213672 CBU214272	CBU213672V4	126
CBU214272 CBU214872	CBU214272V4	
	CBU214872V4	126
CBU215472 CBU216072	CBU215472V4 CBU216072V4	126 126
CBU243672	CBU243672V4	126
CBU243072 CBU244272	CBU244272V4	126
CBU244272	CBU244272V4 CBU244872V4	126
CBU245472	CBU245472V4	126
CBU246072	CBU246072V4	126
CSDBA	CSDBA	102
CSDBS	CSDBS	102
CSDR7	CSDR7	104,121,129,242
CSDR73	CSDR73	104,121,129,242
CSDRC244875PKG	CPMU244875DRPKG	242
CSDRC246075PKG	CPMU246075DRPKG	242
CSEQ3	CSEQ3	102,118,128
CSHDDB	CSMHDDB	119
CSHDFF	CSHDFF	108
CSHDTK10	CSMHDTK10	108
CSHDTK12	CSMHDTK12	108
CSHDTK145	CSMHDTK145	108
CSID	CSID6	101,118
CSID3	CSID3	101,118
CSSC2448	CSSC244818	104,120,129
CSSU2448000	CPFWSC244860	103
CSSU244864PKG	CPU244864SUPKG	103
CSSUM244867PKG	CPMU244867SUPKG	103
CSTSR	CSTSR	103,119
CSWF	CSWF	101,118,128
CSWS1436SK	CSWS1436SK	130
CSWS1436VK	CSWS1436VK	130
CSWS1448SK	CSWS1448SK	130
CSWS1448VK	CSWS1448VK	130
CSWS1836SK	CSWS1836SK	130
CSWS1848SK	CSWS1848SK	130
CSWS36EK	CSWS36EK	130
CSWS48EK	CSWS48EK	130
EA183664 EA183672	EA183664V4 EA183672V4	114
LM103D//	CH1030/7/4	114
	EN184264V4	11/
EA184264	EA184264V4 FΔ184272V4	
EA184264 EA184272	EA184272V4	114
EA184264 EA184272 EA184864	EA184272V4 EA184864V4	114 114
EA184264 EA184272 EA184864 EA184872	EA184272V4 EA184864V4 EA184872V4	114 114 114
EA184264 EA184272 EA184864 EA184872 EA185464	EA184272V4 EA184864V4 EA184872V4 EA185464V4	114 114 114 114
EA184264 EA184272 EA184864 EA184872 EA185464 EA185472	EA184272V4 EA184864V4 EA184872V4 EA185464V4 EA185472V4	114 114 114 114 114
EA184264 EA184272 EA184864 EA184872 EA185464 EA185472 EA186064	EA184272V4 EA184864V4 EA184872V4 EA185464V4 EA185472V4 EA186064V4	114 114 114 114 114 114
EA184264 EA184272 EA184864 EA184872 EA185464 EA185472 EA186064 EA186072	EA184272V4 EA184864V4 EA184872V4 EA185464V4 EA185472V4 EA186064V4 EA186072V4	114 114 114 114 114 114 114
EA184264 EA184272 EA184864 EA184872 EA185464 EA185472 EA185064 EA186072 EA213664	EA184272V4 EA184864V4 EA184872V4 EA185464V4 EA185472V4 EA186064V4 EA186072V4 EA213664V4	114 114 114 114 114 114 114 114
EA184264 EA184272 EA184864 EA184872 EA185464 EA185472 EA186064 EA186072 EA213664 EA213672	EA184272V4 EA184864V4 EA184872V4 EA185464V4 EA185464V4 EA186064V4 EA186072V4 EA213664V4 EA213672V4	114 114 114 114 114 114 114 114 114
EA184264 EA184272 EA184864 EA18472 EA184872 EA185464 EA185472 EA186064 EA186072 EA213664 EA213672 EA213664	EA184272V4 EA184864V4 EA184872V4 EA185464V4 EA185472V4 EA186064V4 EA186072V4 EA213664V4 EA213672V4 EA213664V4	114 114 114 114 114 114 114 114 114 114
EA184264 EA184272 EA184864 EA184872 EA184872 EA185464 EA185472 EA186064 EA186072 EA213664 EA213672 EA214264 EA214272	EA184272V4 EA184864V4 EA184872V4 EA185464V4 EA185472V4 EA186064V4 EA186072V4 EA213664V4 EA2136672V4 EA214264V4 EA214272V4	114 114 114 114 114 114 114 114 114 114
EA184264 EA184272 EA184864 EA184872 EA185472 EA18564 EA186064 EA186072 EA213664 EA213672 EA214264 EA214264 EA214264	EA184272V4 EA184864V4 EA184872V4 EA185464V4 EA185472V4 EA186064V4 EA186072V4 EA213664V4 EA213672V4 EA214264V4 EA214264V4 EA214264V4	114 114 114 114 114 114 114 114 114 114
EA184264 EA184272 EA184864 EA184872 EA184872 EA185464 EA185472 EA186064 EA186072 EA213664 EA213672 EA214264 EA214272	EA184272V4 EA184864V4 EA184872V4 EA185464V4 EA185472V4 EA186064V4 EA186072V4 EA213664V4 EA2136672V4 EA214264V4 EA214272V4	114 114 114 114 114 114 114 114 114

OLD CODE	NEW CODE	PAGE
EA216064	EA216064V4	114
EA216072	EA216072V4	114
EA243664	EA243664V4	114
EA243672 EA244264	EA243672V4 EA244264V4	114 114
EA244204 EA244272	EA244204V4 EA244272V4	114
EA244864	EA244864V4	114
EA244872	EA244872V4	114
EA245464	EA245464V4	114
EA245472	EA245472V4	114
EA246064	EA246064V4	114
EA246072	EA246072V4	114
ECC	ECC1	117
EDBA	EDBA	119
EDBS	EDBS	119
EDS14	EDS14H6	117
EDS18	EDS18H6	117
EDS21 EDS24	EDS21H6 EDS24H6	117 117
EMSCBP	EMCWB	117
EMU183670P	EMU183670V4	115
EMU183678P	EMU183678V4	115
EMU184270P	EMU184270V4	115
EMU184278P	EMU184278V4	115
EMU184870P	EMU184870V4	115
EMU184878P	EMU184878V4	115
EMU213670P	EMU213670V4	115
EMU213678P	EMU213678V4	115
EMU214270P	EMU214270V4	115
EMU214278P	EMU214278V4	115
EMU214870P	EMU214870V4	115
EMU214878P	EMU214878V4	115
EMU243670P	EMU243670V4	115
EMU243678P	EMU243678V4	115
EMU244270P EMU244278P	EMU244270V4 EMU244278V4	115 115
EMU244870P	EMU244870V4	115
EMU244878DRPKG	EMU244878DRPKG	121,242
EMU244878P	EMU244878V4	115
EMU246078DRPKG	EMU246078DRPKG	121,242
ESU183664	ESU183664V4	114
ESU183672	ESU183672V4	114
ESU184264	ESU184264V4	114
ESU184272	ESU184272V4	114
ESU184864	ESU184864V4	114
ESU184872	ESU184872V4	114
ESU185464	ESU185464V4	114
ESU185472	ESU185472V4	114
ESU186064	ESU186064V4	114
ESU186072 ESU213664	ESU186072V4 ESU213664V4	114 114
ESU213672	E011010070144	114
ESU214264	ESU213672V4 ESU214264V4	114
ESU214272	ESU214272V4	114
ESU214864	ESU214864V4	114
ESU214872	ESU214872V4	114
ESU215464	ESU215464V4	114
ESU215472	ESU215472V4	114
ESU216064	ESU216064V4	114
ESU216072	ESU216072V4	114
ESU243664	ESU243664V4	114
ESU243672	ESU243672V4	114
ESU244264	ESU244264V4	114
ESU244272	ESU244272V4	114
ESU244864	ESU244864V4	114
ESU244872	ESU244872V4	114
	ECHOAE ACAVA	
ESU245464	ESU245464V4	
ESU245464 ESU245472	ESU245472V4	114
ESU245464 ESU245472 ESU246064	ESU245472V4 ESU246064V4	114 114
ESU245464 ESU245472 ESU246064 ESU246072	ESU245472V4 ESU246064V4 ESU246072V4	114 114 114
ESU245464 ESU245472 ESU246064 ESU246072 MSA441017PKG	ESU245472V4 ESU246064V4 ESU246072V4 MPA41017V4PKG	114 114 114 98
ESU245464 ESU245472 ESU246064 ESU246072 MSA441017PKG MSA441018PKG	ESU245472V4 ESU246064V4 ESU246072V4 MPA41017V4PKG MPA41018V4PKG	114 114 114 98 98
ESU245464 ESU245472 ESU246064 ESU246072 MSA441017PKG MSA441018PKG MSA441117PKG	ESU245472V4 ESU246064V4 ESU246072V4 MPA41017V4PKG MPA41018V4PKG MPA41117V4PKG	11 ⁴ 11 ⁴ 11 ⁴ 98 98
ESU245464 ESU245472 ESU246064 ESU246072 MSA441017PKG MSA441018PKG MSA441118PKG	ESU245472V4 ESU246064V4 ESU246072V4 MPA41017V4PKG MPA41018V4PKG	11 ⁴ 11 ⁴ 11 ⁴ 98 98 98
ESU245464 ESU245472 ESU246064 ESU246072 MSA441017PKG MSA441018PKG MSA441117PKG MSA441117PKG MSA441117PKG	ESU245472V4 ESU246064V4 ESU246072V4 MPA41017V4PKG MPA41018V4PKG MPA41117V4PKG MPA41118V4PKG MPA41118V4PKG	114 114 114 98 98 98 98
ESU245464	ESU245472V4 ESU246064V4 ESU246072V4 MPA41017V4PKG MPA41018V4PKG MPA41117V4PKG MPA41118V4PKG	114 114 114 98 98 98 98
ESU245464 ESU245472 ESU246064 ESU246072 MSA441017PKG MSA441018PKG MSA441117PKG MSA441117PKG MSA441131PKG MSA441318PKG	ESU245472V4 ESU246064V4 ESU246072V4 MPA41017V4PKG MPA41018V4PKG MPA41118V4PKG MPA41118V4PKG MPA41317V4PKG MPA41318V4PKG	114 114 114 98 98 98 98 98
ESU245464 ESU245472 ESU246064 ESU246072 MSA441017PKG MSA441117PKG MSA441117PKG MSA441117PKG MSA44113PKG MSA441317PKG MSA441317PKG MSA441317PKG	ESU245472V4 ESU246064V4 ESU246072V4 MPA41017V4PKG MPA41018V4PKG MPA41118V4PKG MPA41118V4PKG MPA411317V4PKG MPA41317V4PKG MPA41317V4PKG MPA41517V4PKG	114 114 114 98 98 98 98 98 98
ESU245464 ESU245472 ESU246064 ESU246072 MSA441017PKG MSA441018PKG MSA441118PKG MSA441118PKG MSA44113PKG MSA441317PKG MSA441317PKG MSA441518PKG MSA441518PKG	ESU245472V4 ESU246064V4 ESU246072V4 MPA41017V4PKG MPA41018V4PKG MPA41118V4PKG MPA41317V4PKG MPA41317V4PKG MPA41317V4PKG MPA41317V4PKG MPA41517V4PKG MPA41517V4PKG MPA41518V4PKG	114 114 114 98 98 98 98 98 98 98

MSA451117PKG MSA451118PKG MSA451118PKG MSA451118PKG MSA45131PKG MSA451518PKG MSA451518PKG MSA451518PKG MSA451518PKG MSA451518PKG MSA45017PKG MSA45017PKG MSA45017PKG MSA461017PKG MSA461017PKG MSA461118PKG MSA461118PKG MSA46131PKG MSA46131PKG MSA46131PKG MSA461518PKG MSA46151PKG MSA46151PKG MSA46151PKG MSA46151PKG MSA46517PKG MSA575017PKG MSA57501PKG MSA57501PKG MSA57501PKG MSA57501PKG MSA57501PKG MSA57501P	MPA51018V4PKG MPA51117V4PKG MPA51118V4PKG MPA51318V4PKG MPA51318V4PKG MPA51318V4PKG MPA51318V4PKG MPA51517V4PKG MPA51517V4PKG MPA51518V4PKG MPA5918V4PKG MPA61017V4PKG MPA61018V4PKG MPA61018V4PKG MPA61117V4PKG MPA61318V4PKG MPA61318V4PKG MPA61318V4PKG MPA61318V4PKG MPA61318V4PKG MPA61318V4PKG MPA61318V4PKG MPA61317V4PKG MPA61317V4PKG MPA6918V4PKG MPA69918V4PKG MPA6918V4PKG MPA6918V4FKG MPA6918	98 98 98 98 98 98 98 98 98 98 98 98 98 9
MSA451118PKG MSA45131PPKG MSA45131PPKG MSA451318PKG MSA451318PKG MSA451318PKG MSA451517PKG MSA45151PPKG MSA45918PKG MSA45918PKG MSA45011PPKG MSA461017PKG MSA461011PKG MSA461011PKG MSA461118PKG MSA461118PKG MSA46131PPKG MSA46131PPKG MSA46131PPKG MSA46151PPKG MSA46151PPKG MSA46151PPKG MSA46151PPKG MSA4617PKG MSA4617PKG MSA4617PKG MSCC MSCC	MPA51118V4PKG MPA51317V4PKG MPA51317V4PKG MPA51318V4PKG MPA51518V4PKG MPA51518V4PKG MPA51518V4PKG MPA51518V4PKG MPA51518V4PKG MPA61017V4PKG MPA61017V4PKG MPA61017V4PKG MPA61118V4PKG MPA61317V4PKG MPA61317V4PKG MPA61317V4PKG MPA61317V4PKG MPA61518V4PKG MPA61518V4PKG MPA61517V4PKG MPA617V4PKG MPA6117V4PKG MPA61118V4PKG MPA61118V4PKG MPA61118V4PKG MPA61118V4PKG MPA61118V4PKG MPA61118V4PKG MPA61118V4PKG MPA61118V4PKG MPA61118V4PKG MPA6118V4PKG MPA6118V4FKG MPA618V4FKG MPA61	98 98 98 98 98 98 98 98 98 98 98 98 98 9
MSA451317PKG	MPA51317V4PKG MPA51318V4PKG MPA51318V4PKG MPA51518V4PKG MPA51517V4PKG MPA51518V4PKG MPA51518V4PKG MPA5918V4PKG MPA61017V4PKG MPA61018V4PKG MPA61018V4PKG MPA61117V4PKG MPA61317V4PKG MPA61318V4PKG MPA61318V4PKG MPA61318V4PKG MPA61517V4PKG MPA61517V4PKG MPA6918V4PKG MPA6918V4PKG MPA6918V4PKG MPA6918V4PKG MPA6918V4PKG MPA6918V4PKG MPA6918V4PKG MPA6918V4PKG MPMU61117DRPKG MPMU61117DRPKG MPMU61117DRPKG MPMU61117DRPKG MPFL10101 MPFL1002 MPFL1001 MPFL1002 MPFL1001 MPFL1002 MPFL1101 MPFL11002 MPFL1101 MPFL1302 MPFL1301 MPFL1302 MPFL1301 MPFL1302 MPFL1501 MPFL1501 MPFL1501 MPFL1501 MPFL1501	98 98 98 98 98 98 98 98 98 98 98 98 98 9
MSA451318PKG	MPA51318V4PKG MPA51517V4PKG MPA51517V4PKG MPA51518V4PKG MPA51518V4PKG MPA5918V4PKG MPA61017V4PKG MPA61018V4PKG MPA61018V4PKG MPA61117V4PKG MPA61117V4PKG MPA61318V4PKG MPA61318V4PKG MPA61518V4PKG MPA61518V4PKG MPA61518V4PKG MPA6917V4PKG MPA6917V4PKG MPA6917V4PKG MPA6917V4PKG MPA6917V4PKG MPA6917V4PKG MPA691000 MPA691000 MPA691000 MPFL1000 MPFL1000 MPFL1001 MPFL1002 MPFL1001 MPFL1002 MPFL1001 MPFL1002 MPFL1301 MPFL1302 MPFL1300 MPFL1300 MPFL1300 MPFL1401 MPFL1300 MPFL1401 MPFL1400 MPFL1501 MPFL1501 MPFL1501 MPFL1501 MPFL1501	98 98 98 98 98 98 98 98 98 98 98 98 98 101 102 104,242 104,242 101 101 103 103 103 103 103 103 103 103
MSA451517PKG	MPA51517V4PKG MPA51518V4PKG MPA51518V4PKG MPA5917V4PKG MPA5917V4PKG MPA61017V4PKG MPA61018V4PKG MPA61117V4PKG MPA61117V4PKG MPA61118V4PKG MPA61318V4PKG MPA61518V4PKG MPA61518V4PKG MPA61518V4PKG MPA6917V4PKG MPA6917V4PKG MPA6917V4PKG MPA6917V4PKG MPA6917V4PKG MPA6918V4PKG MPA6918V4PKG MPAG918V4PKG MPMCWB MPMU61117DRPKG MPMU6117DRPKG MPMU6117DRPKG MPMU610117DRPKG MPMU610101 MPFL1002 MPFL1001 MPFL1002 MPFL1001 MPFL11001 MPFL11002 MPFL11001 MPFL11001	98 98 98 98 98 98 98 98 98 98 98 98 100 100 102 104,244 104,242 100 100 100 100 100 100 100 100 100 10
MSA451518PKG	MPA51518V4PKG MPA5917V4PKG MPA5917V4PKG MPA61017V4PKG MPA61018V4PKG MPA61018V4PKG MPA61117V4PKG MPA61118V4PKG MPA61118V4PKG MPA61317V4PKG MPA61317V4PKG MPA61317V4PKG MPA61518V4PKG MPA61518V4PKG MPA6917V4PKG MPA6917V4PKG MPAG917V4PKG MPMCWB MPDS50H16 MPDS50H16 MPDS50H16 MPFE30 MPFE40 MPFE11001 MPFL11002 MPFL1101 MPFL1101 MPFL1102 MPFL1101 MPFL1102 MPFL1101 MPFL11002 MPFL1101 MPFL11002 MPFL11001 MPFL11002	98 98 98 98 98 98 98 98 98 98 98 98 100 100 100 100 100 100 100 100 100 10
MSA45917PKG MSA45918PKG MSA45918PKG MSA45918PKG MSA461017PKG MSA461018PKG MSA461018PKG MSA461118PKG MSA461118PKG MSA461318PKG MSA461318PKG MSA461318PKG MSA461518PKG MSA461518PKG MSA46918PKG MSA46918PKG MSA46918PKG MSCC MSCTL MSDR601317PK MSDR601317PK MSDR500 MSFE30 MSFE300 MSFE300	MPA5917V4PKG MPA5918V4PKG MPA61017V4PKG MPA61018V4PKG MPA61018V4PKG MPA61118V4PKG MPA61118V4PKG MPA61317V4PKG MPA61317V4PKG MPA61318V4PKG MPA61518V4PKG MPA61518V4PKG MPA61518V4PKG MPA6917V4PKG MPA6917V4PKG MPA6917V4PKG MPA6917V4PKG MPAG918V4PKG MPAG918V4PKG MPEC1 MPC1 MPEC1 MPEC1 MPEC1 MPEC1 MPEC30 MPES00H16 MPES00 MPFE40 MPFE50 MPFE40 MPFE1001 MPFL1102 MPFL1101 MPFL1102 MPFL1101 MPFL1102 MPFL1101 MPFL1302 MPFL1301 MPFL1302 MPFL1400 MPFL1400 MPFL1400 MPFL1501 MPFL1501 MPFL1501 MPFL1501 MPFL1501	98 98 98 98 98 98 98 98 98 98 98 98 101 102 104,244 104,244 101 101 103 103 103 103 103 103 103 103
MSA45918PKG MSA45018PKG MSA461017PKG MSA461018PKG MSA461117PKG MSA461117PKG MSA461117PKG MSA461117PKG MSA46113PKG MSA461317PKG MSA461318PKG MSA461518PKG MSA461518PKG MSA46917PKG MSA46917PKG MSA46917PKG MSA46917PKG MSA46917PKG MSA46917PKG MSA46917PKG MSA46918PKG MSA46917PKG MSDR601117PK MSDR601117PK MSDR601317PK MSDR601317PK MSDF600 MSF1001 MSF1001 MSF1001 MSF11001 MSF11002 MSF11001 MSF11002 MSF11001 MSF11002 MSF11001 MSF11002 MSF11500 MSF11600 MSF11600 MSF11700 MSF11600 MSF11700 MSF11700 MSF11600 MSF11700	MPA5918V4PKG MPA61017V4PKG MPA61018V4PKG MPA61018V4PKG MPA61117V4PKG MPA61117V4PKG MPA61318V4PKG MPA61318V4PKG MPA61318V4PKG MPA61318V4PKG MPA61517V4PKG MPA61517V4PKG MPA6918V4PKG MPA6918V4PKG MPA6918V4PKG MPA6918V4PKG MPA6918V4PKG MPAC01 MPMU61117DRPKG MPMU61117DRPKG MPMU61117DRPKG MPDS0H16 MPDS0H16 MPDS0H16 MPDS0H16 MPFE30 MPFE40 MPFE40 MPFE1002 MPFL11001 MPFL11002 MPFL11001 MPFL11002 MPFL11001 MPFL13002 MPFL1301 MPFL1300 MPFL1300 MPFL1300 MPFL1401 MPFL1401 MPFL1401 MPFL1501 MPFL1501 MPFL1501 MPFL1501	98 98 98 98 98 98 98 98 98 98 98 98 100 100 100 100 100 100 100 100 100 10
MSA461017PKG MSA461017PKG MSA461018PKG MSA461117PKG MSA461117PKG MSA461118PKG MSA461118PKG MSA46118PKG MSA461318PKG MSA461318PKG MSA461518PKG MSA46917PKG MSA46917PKG MSA46917PKG MSA46917PKG MSA46917PKG MSA46918PKG MSA46918PKG MSA46918PKG MSA46918PKG MSA46918PKG MSDA400 MSDA500 MSDA500 MSDR501317PK MSDR501317PK MSDR501317PK MSDR500 MSFE300 MSFE500 MSFF1001 MSFF1002 MSFF11001 MSFF11002 MSFF11001 MSFF11002 MSFF11500 MSFF11500 MSFF11500 MSFF11500 MSFF11500 MSFF11500 MSFF11500 MSFF11500 MSFF11600 MSFF11600 MSFF11700 MSFF11700	MPA61017V4PKG MPA61018V4PKG MPA61118V4PKG MPA61118V4PKG MPA61117V4PKG MPA61318V4PKG MPA61318V4PKG MPA61318V4PKG MPA61517V4PKG MPA61518V4PKG MPA61518V4PKG MPA6918V4PKG MPA6918V4PKG MPA6918V4PKG MPAG918V4PKG MPMCWB MPMU61117DRPKG MPMU61317DRPKG MPDS40H16 MPDS40H16 MPDS40H16 MPFE30 MPFE40 MPFE1001 MPFL1002 MPFL1101 MPFL1101 MPFL1102 MPFL1101 MPFL1102 MPFL1101 MPFL1302 MPFL1302 MPFL1401 MPFL1302 MPFL1501 MPFL1501 MPFL1501 MPFL1501 MPFL1501	98 98 98 98 98 98 98 98 98 98 98 101 102 104,242 104,244 101 103 103 103 103 103 103 103 103 103
MSA461018PKG MSA461118PKG MSA461117PKG MSA461118PKG MSA461118PKG MSA461118PKG MSA461317PKG MSA461317PKG MSA461517PKG MSA461517PKG MSA461518PKG MSA46917PKG MSA46918PKG MSCCC MSCTL MSDR601117PK MSDR601117PK MSDR601117PK MSDR601317PK MSDR5030 MSDS40 MSDS50 MSDS50 MSDS50 MSDS50 MSPE30 MSFE30 MSFF1001 MSFT1002 MSFT1002 MSFT1001 MSFT1002 MSFT1001 MSFT1500 MSFT1601 MSFT1700 MSFT1601 MSFT1602 MSFT1601 MSFT1602 MSFT1601 MSFT1602 MSFT1601 MSFT1602 MSFT1601 MSFT1602 MSFT1601 MSFT1602 MSFT1700 MSFT1602 MSFT1700 MSFT1700 MSFT1700 MSFT1700 MSFT1700 MSFT1700 MSFT1700 MSFT1700 MSFT1700 MSFT1801 MSFT1802 MSFT801 MSFT802	MPA61018V4PKG MPA61117V4PKG MPA61117V4PKG MPA61118V4PKG MPA61317V4PKG MPA61318V4PKG MPA61518V4PKG MPA61518V4PKG MPA6917V4PKG MPA6917V4PKG MPA6917V4PKG MPA6917V4PKG MPA6917V4PKG MPA6917V4PKG MPA6917V4PKG MPA6918V4PKG MPA6917V4PKG MPMCWB MPMU61117DRPKG MPMU61117DRPKG MPMU61117DRPKG MPMDS40H16 MPDS40H16 MPDS50H16 MPFE30 MPFE40 MPFE50 MPFE1001 MPFL1002 MPFL1101 MPFL1102 MPFL1101 MPFL1102 MPFL1101 MPFL1102 MPFL1101 MPFL11002 MPFL1101 MPFL11002 MPFL11001 MPFL11001	98 98 98 98 98 98 98 98 98 98 100 100 104,244 104,244 100 100 100 100 100 100 100 100 100 1
MSA461117PKG	MPA61117V4PKG MPA61118V4PKG MPA61318V4PKG MPA61317V4PKG MPA61317V4PKG MPA61318V4PKG MPA61518V4PKG MPA61518V4PKG MPA6917V4PKG MPA6917V4PKG MPA6918V4PKG MPA6918V4PKG MPAC1 MPMCWB MPMCWB MPMU61117DRPKG MPMU61317DRPKG MPDS50H16 MPDS50H16 MPDS50H16 MPFE40 MPFE40 MPFE40 MPFE1001 MPFL1101 MPFL1102 MPFL1101 MPFL1102 MPFL1101 MPFL1101 MPFL1102 MPFL1401 MPFL1302 MPFL1401 MPFL1400 MPFL1400 MPFL1400 MPFL1400 MPFL1501 MPFL1501 MPFL1501	98 98 98 98 98 98 98 98 98 101 102 104,242 104,242 101 100 100 100 100 100 100 100 100 10
MSA461118PKG	MPA61118V4PKG MPA61317V4PKG MPA61318V4PKG MPA61318V4PKG MPA61518V4PKG MPA61518V4PKG MPA6917V4PKG MPA6917V4PKG MPA6918V4PKG MPAG918V4PKG MPMCUB MPMUG1117DRPKG MPMUG1317DRPKG MPMUG1317DRPKG MPDS50H16 MPDS50H16 MPDS50H16 MPFE40 MPFE40 MPFE40 MPFE1001 MPFL1001 MPFL1101 MPFL1102 MPFL1101 MPFL1102 MPFL1101 MPFL1102 MPFL1101 MPFL1102 MPFL1401 MPFL1302 MPFL1401 MPFL1400 MPFL1400 MPFL1402 MPFL1501 MPFL1501 MPFL1501	98 98 98 98 98 98 98 98 98 101 102 104,242 104,242 100 103 103 103 103 103 103 103 103 103
MSA461317PKG	MPA61317V4PKG MPA61318V4PKG MPA61318V4PKG MPA61517V4PKG MPA61517V4PKG MPA61518V4PKG MPA6918V4PKG MPA6918V4PKG MPCC1 MPMCWB MPMU61117DRPKG MPMU61117DRPKG MPMU61317DRPKG MPDS40H16 MPDS50H16 MPDS50H16 MPFE30 MPFE40 MPFE40 MPFE40 MPFE1001 MPFL1002 MPFL11001 MPFL11002 MPFL11002 MPFL11001 MPFL11002 MPFL11001 MPFL11002 MPFL11001 MPFL11002 MPFL11001	98 98 98 98 98 98 98 98 100 100 104,244 100 100 100 100 100 100 100 100 100 1
MSA461318PKG	MPA61318V4PKG MPA61517V4PKG MPA61517V4PKG MPA61518V4PKG MPA61518V4PKG MPA6918V4PKG MPAG918V4PKG MPCC1 MPMCWB MPMU61117DRPKG MPMU61317DRPKG MPDS40H16 MPDS40H16 MPDS50H16 MPFE30 MPFE40 MPFE50 MPFE60 MPFL1001 MPFL1002 MPFL1101 MPFL11002 MPFL1101 MPFL11002 MPFL11001 MPFL11002 MPFL11001 MPFL11002 MPFL11001 MPFL11002 MPFL11001 MPFL11002 MPFL11001 MPFL11002 MPFL11001 MPFL11002 MPFL1501 MPFL1501 MPFL1501 MPFL1501	98 98 98 98 98 98 101 102 104,242 104,242 100 100 100 100 100 100 100 100 100 10
MSA461517PKG MSA461518PKG MSA4691518PKG MSA46917PKG MSA46918PKG MSA46918PKG MSA46918PKG MSA46918PKG MSA46918PKG MSCC MSCTL MSDR601117PK MSDR601117PK MSDR601317PK MSDS50 MSDS50 MSDS50 MSDS50 MSPE30 MSFE30 MSFF1001 MSFF1002 MSFF11001 MSFF11002 MSFF11001 MSFF11002 MSFF11001 MSFF11500 MSFF11500 MSFF11500 MSFF11500 MSFF11500 MSFF11500 MSFF11500 MSFF11500 MSFF11600 MSFF11700 MSFF117	MPA61517V4PKG MPA61518V4PKG MPA6917V4PKG MPA6917V4PKG MPA6918V4PKG MPA6918V4PKG MPAGEC1 MPMCWB MPMU61117DRPKG MPMU61317DRPKG MPDS40H16 MPDS40H16 MPDS50H16 MPFE30 MPFE40 MPFE50 MPFE1001 MPFL1002 MPFL11001 MPFL11002 MPFL11001 MPFL11001 MPFL11001	98 98 98 98 1001 1002 104,244 104,244 1001 1003 1003 1003 1003 1003 1003 10
MSA461518PKG MSA46917PKG MSA46917PKG MSA46918PKG MSCC MSCTL MSCTL MSDR601117PK MSDR601317PK MSDS40 MSDS50 MSDS50 MSFE30 MSFE30 MSFE40 MSFE40 MSFF1001 MSFF1101 MSFF1102 MSFF1101 MSFF1102 MSFF1101 MSFF1102 MSFF1101 MSFF1101 MSFF1102 MSFF1501 MSFF1501 MSFF1501 MSFF1501 MSFF1502 MSFF1601 MSFF1602 MSFF1601 MSFF1102 MSFF1702 MSFF1701 MSFF1702 MSFF1701 MSFF1702 MSFF1701 MSFF1702 MSFF1602 MSFF1701 MSFF1702 MSFF1701 MSFF1702 MSFF1602 MSFF1701 MSFF1702 MSFF1602 MSFF1701 MSFF1702 MSFF1602 MSFF1701 MSFF1702 MSFF1701 MSFF1702 MSFF1602 MSFF1701 MSFF1702 MSFF1702 MSFF1701 MSFF1702 MSFF1702 MSFF1801 MSFF1702 MSFF1801 MSFF1802	MPA61518V4PKG MPA6917V4PKG MPA6917V4PKG MPA6918V4PKG MPMCC1 MPMCWB MPMU61117DRPKG MPMU61317DRPKG MPMU61317DRPKG MPDS50H16 MPDS50H16 MPDS50H16 MPFE30 MPFE40 MPFE40 MPFE1001 MPFL1001 MPFL11002 MPFL1101 MPFL1102 MPFL1101 MPFL1102 MPFL1101 MPFL11002 MPFL1400 MPFL1400 MPFL1400 MPFL1500 MPFL1500 MPFL1501 MPFL1501 MPFL1501 MPFL1501	98 98 98 98 101) 100, 104,242 104,243 101) 100 100 100 100 100 100 100 100 10
MSA46918PKG MSCC MSCC MSCC MSCC MSCC MSCT MSDR601117PK MSDR601317PK MSDR601317PK MSDR601317PK MSDR500 MSDS50 MSFE30 MSFE30 MSFE40 MSFE40 MSFE40 MSFE40 MSFE1001 MSFT1001 MSFT1001 MSFT1002 MSFT1002 MSFT1201 MSFT1202 MSFT1301 MSFT1402 MSFT1501 MSFT1501 MSFT1501 MSFT1601 MSFT1602 MSFT1501 MSFT1601 MSFT1602 MSFT1702 MSFT1702 MSFT1702 MSFT1702 MSFT1702 MSFT1702 MSFT1602 MSFT1702 MSFT1602 MSFT1702 MSFT1602 MSFT1702 MSFT1602 MSFT1602 MSFT1702 MSFT1602 MSFT1702 MSFT1602 MSFT1702 MSFT1802 MSFT1802 MSFT1802 MSFT1801 MSFT1802 MSFT802 MSFT801 MSFT802 MSFT801 MSFT802 MSFT802 MSFT802 MSFT801 MSFT802 MSFT802 MSFT801 MSFT802 MSFT801 MSFT802 MSFT802 MSFT801 MSFT802 MSFT801 MSFT802 MSFT802 MSFT802 MSFT801 MSFT802 MSFT802 MSFT801 MSFT802 MSFT802 MSFT802 MSFT802 MSFT801 MSFT802 MSFT80	MPA6918V4PKG MPCC1 MPMCWB MPMU61117DRPKG MMPMU61317DRPKG MMPMU61317DRPKG MMPDS50H16 MPDS50H16 MPFE30 MPFE40 MPFE50 MPFE50 MPFE1001 MPFL1002 MPFL11001 MPFL11002 MPFL1101 MPFL1102 MPFL1101 MPFL1102 MPFL1101 MPFL1102 MPFL1301 MPFL1302 MPFL1301 MPFL1302 MPFL1301 MPFL1302 MPFL1301 MPFL1302 MPFL1501 MPFL1501 MPFL1501	98 101 102 104,244 101,244 101 101 101 101 103 103 103 103 103 103
MSCC MSCTL MSCTC MSCTL MSCTC MSCTL MSDR601117PK MSDR601117PK MSDR601317PK MSDR601317PK MSDS60 MSDS50 MSDS50 MSDS50 MSFE30 MSFE40 MSFE50 MSFE60 MSFE1001 MSFF1002 MSFT1001 MSFT1002 MSFT1101 MSFT1102 MSFT1202 MSFT1301 MSFT1302 MSFT1501 MSFT1502 MSFT1501 MSFT1502 MSFT1501 MSFT1601 MSFT1602 MSFT1501 MSFT1701 MSFT1602 MSFT1701 MSFT1702 MSFT1602 MSFT1602 MSFT1602 MSFT1602 MSFT1602 MSFT1602 MSFT1602 MSFT1702 MSFT1602 MSFT1602 MSFT1702 MSFT1602 MSFT1702 MSFT1602 MSFT1702 MSFT1702 MSFT1702 MSFT1702 MSFT1802 MSFT801 MSFT802 MSFT801 MSFT802 MSFT801 MSFT802 MSFT801 MSFT802 MSFT802 MSFT802 MSFT801 MSFT802 MSFT802 MSFT802 MSFT801 MSFT802 MSFT802	MPCC1 MPMCWB MPMUG1117DRPKG MPMUG1317DRPKG MPDS40H16 MPDS40H16 MPDS50H16 MPFE30 MPFE40 MPFE50 MPFE60 MPFL1001 MPFL11002 MPFL1101 MPFL1102 MPFL1101 MPFL1302 MPFL1301 MPFL1302 MPFL1301 MPFL1302 MPFL1301 MPFL1302 MPFL1301 MPFL1302 MPFL1501 MPFL1501 MPFL1501 MPFL1501	101 102 104,242 104,243 101 101 103 103 103 103 103 10
MSCTL MSDR601117PK MSDR601117PK MSDR601317PK MSDR601317PK MSDR601317PK MSDR501317PK MSDR5050 MSDS50 MSDS50 MSPE30 MSFE30 MSFE30 MSFE30 MSFE60 MSFF1001 MSFF1002 MSFF11001 MSFF11002 MSFF11001 MSFF11301 MSFF1301 MSFF1301 MSFF1301 MSFF1502 MSFF1501 MSFF1501 MSFF1501 MSFF1502 MSFF1501 MSFF1502 MSFF1501 MSFF1502 MSFF1501 MSFF1502 MSFF1501 MSFF1502 MSFF1601 MSFF1702 MSFF1601 MSFF1702 MSFF1601 MSFF1702 MSFF1601 MSFF1602 MSFF1601 MSFF1602 MSFF1601 MSFF1602 MSFF1602 MSFF1601 MSFF1602 MSFF1602 MSFF1602 MSFF1601 MSFF1602 MSFF1603 MSFF1602 MSFF1602 MSFF1603 MSFF1602 MSFF1603	MPMCWB MPMU61117DRPKG MPMU61317DRPKG MPMU61317DRPKG MPDS40H16 MPDS40H16 MPDS60H16 MPFE30 MPFE40 MPFE50 MPFE50 MPFE1001 MPFL1002 MPFL1101 MPFL1102 MPFL1101 MPFL1102 MPFL1101 MPFL1102 MPFL1404 MPFL1400 MPFL1400 MPFL1401 MPFL1400 MPFL1501 MPFL1501 MPFL1501 MPFL1501	102 104,244 104,244 101 100 100 100 100 100 100 100 100 1
MSDR601117PK MSDR601317PK MSDR601317PK MSDR601317PK MSDR601317PK MSDR500 MSDS50 MSDS50 MSPE30 MSFE30 MSFE40 MSFE40 MSFE60 MSFT1001 MSFT1002 MSFT1002 MSFT1101 MSFT1102 MSFT1101 MSFT1201 MSFT1302 MSFT1301 MSFT1502 MSFT1501 MSFT1502 MSFT1601 MSFT1502 MSFT1601 MSFT1502 MSFT1601 MSFT1702 MSFT1602 MSFT1602 MSFT1602 MSFT1602 MSFT1701 MSFT1702 MSFT1602 MSFT1601 MSFT1702 MSFT1602 MSFT1601 MSFT1702 MSFT1602 MSFT1603 MSFT1603 MSFT1604 MSFT1602 MSFT1604 MSFT1605 MSFT16	MPMU61117DRPKG MPMU61317DRPKG MPMU61317DRPKG MPDS40H16 MPDS50H16 MPDS50H16 MPFE30 MPFE40 MPFE50 MPFE40 MPFE1001 MPFL1101 MPFL1102 MPFL1101 MPFL1102 MPFL1301 MPFL1302 MPFL1401 MPFL1401 MPFL1401 MPFL1400 MPFL1400 MPFL1400	104,242 104,242 101 101 103 103 103 103 103 103 103 103
MSDR601317PK I MSDR601317PK I MSDR601317PK I MSDR50 MSDR50 MSDR50 MSDR50 MSPE30 MSPE30 MSPE40 MSPE50 MSPE60 MSPE50 MSPE60 MSPF1001 MSPF11002 MSPF11002 MSPF11002 MSPF11002 MSPF11001 MSPF11201 MSPF11201 MSPF11302 MSPF13002 MSPF1300 MSPF15001 MSPF15001 MSPF15001 MSPF1601 MSPF1601 MSPF1601 MSPF17001 MSPF17001 MSPF17001 MSPF17002 MSPF1601 MSPF17002 MSPF16002 MSPF16002 MSPF17001 MSPF17002 MSPF17002 MSPF17002 MSPF18002 MSPF18001 MSPF18002	MPMU61317DRPKG MPDS40H16 MPDS50H16 MPDS50H16 MPFE30 MPFE30 MPFE40 MPFE50 MPFE1001 MPFL11002 MPFL1101 MPFL1102 MPFL1101 MPFL1202 MPFL1301 MPFL1301 MPFL1402 MPFL1402 MPFL1501 MPFL1502 MPFL1502 MPFL1501 MPFL1502 MPFL1501 MPFL1502	104,242 101 101 103 103 103 103 103 103
MSDS40 MSDS40 MSDS50 MSDS60 MSDS60 MSFE30 MSFE40 MSFE40 MSFE50 MSFE60 MSFT1001 MSFT1002 MSFT1102 MSFT1102 MSFT1201 MSFT1202 MSFT1301 MSFT1202 MSFT1501 MSFT1501 MSFT1601 MSFT1602 MSFT1501 MSFT1502 MSFT1501 MSFT1502 MSFT1601 MSFT1602 MSFT1702 MSFT1601 MSFT1602 MSFT1702 MSFT1601 MSFT1702 MSFT1601 MSFT1702 MSFT1601 MSFT1602 MSFT1702 MSFT1602 MSFT1702 MSFT1602 MSFT1702 MSFT1602 MSFT1702 MSFT1801 MSFT1702 MSFT1801	MPDS40H16 MPDS50H16 MPDS50H16 MPDS60H16 MPFE30 MPFE40 MPFE50 MPFE60 MPFL1001 MPFL1002 MPFL11002 MPFL1101 MPFL1102 MPFL1301 MPFL1301 MPFL1302 MPFL1300 MPFL1401 MPFL1401 MPFL1401 MPFL1502 MPFL1501 MPFL1501 MPFL1501	101 101 103 103 103 103 103 103 103 103
MSDS40 MSDS40 MSDS50 MSDS50 MSDS60 MSPE30 MSPE40 MSFE40 MSFE50 MSFE60 MSFT1001 MSFT1002 MSFT11002 MSFT11002 MSFT11001 MSFT1102 MSFT1201 MSFT1201 MSFT1201 MSFT1501 MSFT1501 MSFT1501 MSFT1601 MSFT1601 MSFT1602 MSFT1501 MSFT1602 MSFT1702 MSFT1801	MPDS50H16 MPDS60H16 MPFE30 MPFE40 MPFE50 MPFE60 MPFL1001 MPFL1002 MPFL11002 MPFL1101 MPFL1301 MPFL1301 MPFL1301 MPFL1302 MPFL1401 MPFL1401 MPFL1502 MPFL1501 MPFL1501	101 101 103 103 103 103 103 103 103 103
MSDS60 MSFE30 MSFE30 MSFE40 MSFE50 MSFE60 MSFE60 MSFT1001 MSFT1002 MSFT1101 MSFT1102 MSFT1201 MSFT1302 MSFT1301 MSFT1302 MSFT1301 MSFT1302 MSFT1301 MSFT1401 MSFT1401 MSFT14002 MSFT1501 MSFT1601 MSFT1602 MSFT1601 MSFT1602 MSFT1702 MSFT1602 MSFT1702 MSFT1702 MSFT1702 MSFT1702 MSFT1702 MSFT1702 MSFT1702 MSFT1702 MSFT1702 MSFT602 MSFT701 MSFT702 MSFT701 MSFT702 MSFT702 MSFT702 MSFT801 MSFT802	MPDS60H16 MPFE30 MPFE40 MPFE50 MPFE50 MPFE1001 MPFL1002 MPFL1101 MPFL1102 MPFL1101 MPFL11201 MPFL1301 MPFL1302 MPFL1401 MPFL1401 MPFL1402 MPFL1401 MPFL1501 MPFL1501 MPFL1501	101 103 103 103 103 103 103 103 103 103
MSFE30 MSFE40 MSFE40 MSFE50 MSFE50 MSFE60 MSFE1001 MSFT1001 MSFT1102 MSFT1101 MSFT1102 MSFT1201 MSFT1301 MSFT1302 MSFT1301 MSFT1502 MSFT1501 MSFT1601 MSFT1601 MSFT1601 MSFT1602 MSFT1601 MSFT1602 MSFT1601 MSFT1702 MSFT1703 MSFT1702 MSFT1702 MSFT1702 MSFT1703 MSFT1702 MSFT1703 MSFT17	MPFE30 MPFE40 MPFE50 MPFE50 MPFE1001 MPFL1002 MPFL1101 MPFL1102 MPFL1102 MPFL1301 MPFL1302 MPFL1302 MPFL1401 MPFL1400 MPFL1400 MPFL1501 MPFL1501 MPFL1501	103 103 103 103 103 103 103 103 103 103
MSFE40 MSFE50 MSFE50 MSFE60 MSFE00 MSFT1001 MSFT1002 MSFT1101 MSFT1102 MSFT1201 MSFT1202 MSFT1301 MSFT1302 MSFT1301 MSFT1502 MSFT1401 MSFT1602 MSFT1400 MSFT1601 MSFT1602 MSFT1701 MSFT1702 MSFT1701 MSFT1702 MSFT1702 MSFT1702 MSFT1701 MSFT1702	MPFE40 MPFE50 MPFE60 MPFL1001 MPFL1101 MPFL1102 MPFL1201 MPFL1201 MPFL1301 MPFL1300 MPFL1300 MPFL14001 MPFL1401 MPFL1401 MPFL1402 MPFL1501 MPFL1501 MPFL1501	10: 10: 10: 10: 10: 10: 10: 10: 10: 10:
MSFE50 MSFE60 MSFE60 MSFE60 MSFE60 MSFE1001 MSFF11002 MSFF11001 MSFF1102 MSFF1201 MSFF1202 MSFF1302 MSFF1302 MSFF1401 MSFF1501 MSFF1501 MSFF1501 MSFF1501 MSFF1502 MSFF1601 MSFF1602 MSFF1701 MSFF1702 MSFF1601 MSFF1702 MSFF1601 MSFF1602 MSFF1702 MSFF1602 MSFF1602 MSFF1701 MSFF1602 MSFF1602	MPFE50 MPFE60 MPFL1001 MPFL1101 MPFL1101 MPFL1102 MPFL1201 MPFL1202 MPFL1301 MPFL1300 MPFL14001 MPFL1401 MPFL1401 MPFL1402 MPFL1501 MPFL1501 MPFL1501	103 103 103 103 103 103 103 103 103 103
MSFE60 MSFT1001 MSFT1002 MSFT1101 MSFT1102 MSFT1201 MSFT1202 MSFT1202 MSFT1301 MSFT1302 MSFT13002 MSFT1401 MSFT1402 MSFT1501 MSFT1501 MSFT1601 MSFT1502 MSFT1601 MSFT1702 MSFT1601 MSFT1702 MSFT1601 MSFT1702 MSFT1702 MSFT1601 MSFT1702 MSFT1602 MSFT1702 MSFT1702 MSFT1602 MSFT1702 MSFT1801	MPFE60 MPFL1001 MPFL1002 MPFL1101 MPFL1102 MPFL1201 MPFL1301 MPFL1300 MPFL1300 MPFL1401 MPFL1401 MPFL1402 MPFL1501 MPFL1501	10; 10; 10; 10; 10; 10; 10; 10; 10; 10;
MSFT1001 MSFT1002 MSFT1101 MSFT1102 MSFT1101 MSFT1201 MSFT1202 MSFT1301 MSFT1302 MSFT1302 MSFT1401 MSFT1502 MSFT1601 MSFT1602 MSFT1601 MSFT1702 MSFT1601 MSFT1702 MSFT1802 MSFT1702 MSFT1802 MSFT1801 MSFT1802	MPFL1001 MPFL1002 MPFL1101 MPFL1102 MPFL1201 MPFL1202 MPFL1301 MPFL1302 MPFL1401 MPFL1401 MPFL1402 MPFL1501 MPFL1501	103 103 103 103 103 103 103 103 103 103
MSFT1002 MSFT1101 MSFT1101 MSFT1101 MSFT1102 MSFT1202 MSFT1301 MSFT1302 MSFT1302 MSFT1401 MSFT1502 MSFT1501 MSFT1502 MSFT1601 MSFT1602 MSFT1601 MSFT1602 MSFT1701 MSFT1701 MSFT1702 MSFT1801 MSFT1801 MSFT1801 MSFT1801 MSFT1802 MSFT801 MSFT802 MSFT802 MSFT801 MSFT802 MSFT802 MSFT801 MSFT802 MSFT802 MSFT802 MSFT802 MSFT802 MSFT801 MSFT802	MPFL1002 MPFL1101 MPFL1102 MPFL1201 MPFL1202 MPFL1301 MPFL1302 MPFL1401 MPFL1402 MPFL1501	103 103 103 103 103 103 103 103 103
MSFT1101 MSFT1102 MSFT1102 MSFT1201 MSFT1201 MSFT1202 MSFT1301 MSFT1302 MSFT1401 MSFT1402 MSFT1501 MSFT1500 MSFT1500 MSFT1601 MSFT1601 MSFT1602 MSFT1701 MSFT1602 MSFT1701 MSFT1702 MSFT1702 MSFT1702 MSFT1701 MSFT1702 MSFT1701 MSFT1702 MSFT1701 MSFT1702 MSFT1701 MSFT1702 MSFT1701 MSFT1702	MPFL1101 MPFL1201 MPFL1202 MPFL1301 MPFL1302 MPFL1302 MPFL1401 MPFL1401 MPFL1501 MPFL1501	103 103 103 103 103 103 103 103 103
MSFT1102 MSFT1201 MSFT1201 MSFT1202 MSFT1301 MSFT1302 MSFT1401 MSFT1402 MSFT1501 MSFT1502 MSFT1502 MSFT1601 MSFT1602 MSFT1702 MSFT1702 MSFT1702 MSFT1702 MSFT1702 MSFT1702 MSFT1702 MSFT1702 MSFT1702 MSFT1701 MSFT1702 MSFT1702 MSFT1702 MSFT1702 MSFT1701 MSFT1702	MPFL1102 MPFL1201 MPFL1202 MPFL1301 MPFL1302 MPFL1401 MPFL1402 MPFL1501 MPFL1502	103 103 103 103 103 103 103 103
MSFT1201 MSFT1202 MSFT1202 MSFT1301 MSFT1302 MSFT1302 MSFT1401 MSFT1402 MSFT1501 MSFT1501 MSFT1502 MSFT1601 MSFT1702 MSFT1702 MSFT1601 MSFT1702 MSFT1602 MSFT1602 MSFT1701 MSFT1702	MPFL1201 MPFL1202 MPFL1301 MPFL1302 MPFL1401 MPFL1402 MPFL1501 MPFL1502	103 103 103 103 103 103 103
MSFT1202 MSFT1301 MSFT1301 MSFT1302 MSFT1302 MSFT1401 MSFT1402 MSFT1501 MSFT1502 MSFT1502 MSFT1601 MSFT1602 MSFT1701 MSFT1702 MSFT1601 MSFT1602 MSFT1702 MSFT602 MSFT602 MSFT602 MSFT701 MSFT701 MSFT702 MSFT802 MSFT801 MSFT802	MPFL1202 MPFL1301 MPFL1302 MPFL1401 MPFL1402 MPFL1501 MPFL1502	103 103 103 103 103 103
MSFT1301 MSFT1302 MSFT1401 MSFT1402 MSFT1402 MSFT1501 MSFT1501 MSFT1502 MSFT1601 MSFT1601 MSFT1701 MSFT1701 MSFT1702 MSFT602 MSFT602 MSFT602 MSFT701 MSFT702 MSFT701 MSFT702 MSFT802 MSFT801 MSFT802 MSFT801 MSFT802 MSFT802 MSFT802 MSFT802 MSFT802 MSFT801 MSFT802 MSF	MPFL1301 MPFL1302 MPFL1401 MPFL1402 MPFL1501 MPFL1502	103 103 103 103 103
MSFT1302 MSFT1401 MSFT1402 MSFT1402 MSFT1501 MSFT1502 MSFT1601 MSFT1601 MSFT1701 MSFT1702 MSFT1702 MSFT601 MSFT601 MSFT601 MSFT702 MSFT602 MSFT701 MSFT702 MSFT701 MSFT702 MSFT802 MSFT801 MSFT802 MSFT801 MSFT802 MSFT802 MSFT802 MSFT802 MSFT802 MSFT802 MSFT801 MSFT802 MSFT8	MPFL1302 MPFL1401 MPFL1402 MPFL1501 MPFL1502	103 103 103 103
MSFT1401 MSFT1402 MSFT1501 MSFT1501 MSFT1502 MSFT1502 MSFT1601 MSFT1701 MSFT1701 MSFT1702 MSFT1702 MSFT601 MSFT601 MSFT701 MSFT702 MSFT702 MSFT702 MSFT702 MSFT802 MSFT801 MSFT802 MSFT8	MPFL1401 MPFL1402 MPFL1501 MPFL1502	103 103 103
MSFT1402 MSFT1501 MSFT1501 MSFT1502 MSFT1502 MSFT1601 MSFT1602 MSFT1701 MSFT601 MSFT601 MSFT602 MSFT701 MSFT702 MSFT702 MSFT802 MSFT801 MSFT802 MSFT801 MSFT802 MSFT801 MSFT802 MSF	MPFL1402 MPFL1501 MPFL1502	103 103
MSFT1501 MSFT1501 MSFT1502 MSFT1501 MSFT1601 MSFT1602 MSFT1701 MSFT1702 MSFT601 MSFT602 MSFT602 MSFT701 MSFT702 MSFT801 MSFT802 MSFT801 MSFT802 MSFT802	MPFL1501 MPFL1502	103
MSFT1502 MSFT1601 MSFT1601 MSFT1602 MSFT1701 MSFT1702 MSFT601 MSFT602 MSFT701 MSFT702 MSFT702 MSFT801 MSFT802 MSFT801 MSFT802 MSFT802 MSFT802 MSFT802 MSFT801 MSFT802	MPFL1502	
MSFT1601 MSFT1602 MSFT1701 MSFT1702 MSFT1702 MSFT601 MSFT602 MSFT601 MSFT701 MSFT702 MSFT801 MSFT801 MSFT802 MSFT801 MSFT802 M		103
MSFT1602 MSFT1701 MSFT1702 MSFT1702 MSFT601 MSFT602 MSFT701 MSFT702 MSFT702 MSFT801 MSFT801 MSFT802	MPFI 1601	
MSFT1701 MSFT1702 MSFT601 MSFT601 MSFT602 MSFT701 MSFT702 MSFT702 MSFT801 MSFT801 MSFT802		103
MSFT1702 MSFT601 MSFT602 MSFT701 MSFT702 MSFT801 MSFT802	MPFL1602	103
MSFT601 MSFT602 MSFT701 MSFT702 MSFT801 MSFT802 MSFT802	MPFL1701	103
MSFT602 MSFT701 MSFT702 MSFT801 MSFT802	MPFL1702	103
MSFT701	MPFL601	103
MSFT702 MSFT801 MSFT802 MSFT802	MPFL602	103
MSFT801 I	MPFL701	103
MSFT802	MPFL702	103
	MPFL801	103
	MPFL802	103
	MPFL901	103
	MPFL902	103
	MPHU61017V4PKG	109
	MPHU61017S4PKG	109
	MPHU61117V4PKG	109
	MPHU61117S4PKG	109
	MPHU61217V4PKG	109
	MPHU61217S4PKG	109
	MPHU6917V4PKG	109
	MPHU6917S4PKG	109
	MPMCHD MPHA1017VAPKO	109
	MPU41017V4PKG	98
	MPU41018V4PKG	98
	MPU41117V4PKG	98
	MPU41118V4PKG	98
	MPU41317V4PKG	98
	MPU41318V4PKG	98
	MPU41517V4PKG	98
	MPU41518V4PKG	98
	MPU4917V4PKG	98
	MPU4918V4PKG	98
	MPU51017V4PKG	98
	MPU51018V4PKG	98
	MPU51117V4PKG	98
	MPU51118V4PKG	98
	MPU51317V4PKG	98
		98
MSU451517PKG MSU451518PKG	MPU51318V4PKG MPU51517V4PKG	98

Camshelving® Code Conversion List

OLD CODE MSU45917PKG	NEW CODE MPU5917V4PKG	PAG 9
MSU45918PKG	MPU5918V4PKG	9:
MSU461017PKG	MPU61017V4PKG	9:
MSU461018PKG	MPU61018V4PKG	9:
MSU461117PKG	MPU61117V4PKG	9:
MSU4611177 KG	MPU61118V4PKG	9:
MSU461317PKG	MPU61317V4PKG	9:
MSU461318PKG	MPU61318V4PKG	9:
MSU461517PKG	MPU61517V4PKG	9:
MSU461517FKG	MPU61518V4PKG	9:
MSU461318FRG MSU46917PKG	MPU6917V4PKG	9:
MSU46918PKG	MPU6918V4PKG	9:
MSUR441117PK	MPMU41117V4PKG	9
MSUR441117FK MSUR441317PK	MPMU41317V4PKG	9
MSUR451117PK	MPMU51117V4PKG	9
MSUR451317PK	MPMU51317V4PKG	9
	MPMU61117V4PKG	9
MSUR461117PK		
MSUR461317PK	MPMU61317V4PKG	9
New	CBA183064V4	12
New	CBA183072V4	12
New	CBA183084V5	12
New	CBA183664V4	12
New	CBA183684V5	12
New	CBA184264V4	12
New	CBA184284V5	12
New	CBA184864V4	12
New	CBA184884V5	12
New	CBA185464V4	12
New	CBA185484V5	12
New	CBA186064V4	12
New	CBA186084V5	12
New	CBA213064V4	12
New	CBA213072V4	12
New	CBA213084V5	12
New	CBA213664V4	12
New	CBA213684V5	12
	CBA214264V4	
New		12
New	CBA214284V5	12
New	CBA214864V4	12
New	CBA214884V5	12
New	CBA215464V4	12
New	CBA215484V5	12
New	CBA216064V4	12
New	CBA216084V5	12
New	CBA243064V4	12
New	CBA243072V4	12
New	CBA243084V5	12
New	CBA243664V4	12
New	CBA243684V5	12
New	CBA244264V4	12
New	CBA244284V5	12
New	CBA244864V4	12
New	CBA244884V5	12
New	CBA245464V4	12
New	CBA245484V5	12
New	CBA246064V4	12
Vew	CBA246084V5	12
New	CBCC10	12
New	CBCC8	12
New	CBDS18H12	12
New	CBDS18H12	12
New	CBDS24H12	12
New	CBTR30	12
New	CBTR36	12
New	CBTR362PK	12
New	CBTR42	12
New	CBTR422PK	12
New	CBTR48	12
New	CBTR482PK	12
New	CBTR54	12
New	CBTR542PK	12
New	CBTR60	12
New	CBTR602PK	12
New	CBU183064V4	12
New	CBU183072V4	12
New	CBU183084V5	12
New	CBU183664V4	12
New	CBU183684V5	12
New New	CBU184264V4	12
Mark	CBU184284V5	12

OLD CODE	NEW CODE	PAGE
New	CBU184884V5	127
New	CBU185464V4	126
New	CBU185484V5	127
New	CBU186064V4	126
New	CBU186084V5	127
New	CBU213064V4	126
New	CBU213072V4	126
New	CBU213084V5	127
New	CBU213664V4	126
New	CBU213684V5	127
New	CBU214264V4	126
New	CBU214284V5	127
New	CBU214864V4	126
New	CBU214884V5	127
New	CBU215464V4	126
New	CBU215484V5	127
New	CBU216064V4	126
New	CBU216084V5	127
New	CBU243064V4	126
New	CBU243072V4	126
New	CBU243084V5	127
New	CBU243664V4	126
New	CBU243684V5	127
New	CBU244264V4	126
New	CBU244284V5	127
New	CBU244864V4	126
New	CBU244884V5	127
New	CBU245464V4	126
New	CBU245484V5	127
New	CBU246064V4	126
New	CBU246084V5	127
New	CPMU213675DDPKG	105
New	CPMU244875PDPKG	243
New	CSDDC	105
New	CSDDC5	105
New	CSDR8	105
New	CSDR84	105
New	CSMHDTKE4	103
	CSMHDTKE5	
New New	CSMHDTKE6	108
New	CSSD248	108 102
	EA182464V4	114
New New	EA182472V4	114
	· · · · · · · · · · · · · · · · · · ·	
New	EA182484V5	115
New	EA183064V4 FA183072V4	114 114
New		
New	EA183084V5	115
New	EA183684V5	115
New	EA184284V5	115
New	EA184884V5	115
New	EA185484V5	115
New	EA186084V5	115
New	EA187264V4	114
New	EA187272V4	114
New	EA187284V5	115
New	EA212464V4	114
New	EA212472V4	114
New	EA212484V5	115
New	EA213064V4	114
New	EA213072V4	114
New	EA213084V5	115
New	EA213684V5	115
New	EA214284V5	115
New	EA214884V5	115
New	EA215484V5	115
New	EA216084V5	115
New	EA217264V4	114
New	EA217272V4	114
New	EA217284V5	115
New	EA242464V4	114
New	EA242472V4	114
New	EA242484V5	115
New	EA243064V4	113
New	EA243072V4	114
New	EA243084V5	115
New	EA243684V5	115
New	EA244284V5	115
New	EA244884V5	115
New	EA245484V5	115
New	EA246084V5	115
New	EA247264V4	114

OLD CODE New	NEW CODE EA247272V4	PAGE 114
New	EA247272V4 EA247284V5	115
New	ECC10	117
New	ECC8	117
New	EDS14H12	117
New	EDS18H12	117
New	EDS21H12	117
New	EDS24H12	117
New	EMTR36	120
New	EMTR362PK	120
New	EMTR42	120
New	EMTR422PK	120
New New	EMTR48 EMTR482PK	120 120
New	EMTR54	120
New	EMTR542PK	120
New	EMTR60	120
New	EMTR602PK	120
New	EMU185470V4	115
New	EMU185478V4	115
New	EMU186070V4	115
New	EMU186078V4	115
New	EMU215470V4	115
New	EMU215478V4	115
New	EMU216070V4	115
New	EMU216078V4	115
New	EMU244878PDPKG EMU245470V4	243
New New	EMU245470V4 EMU245478V4	115 115
New	EMU246070V4	115
New	EMU246078V4	115
New	ESU182464V4	114
New	ESU182472V4	114
New	ESU182484V5	115
New	ESU183064V4	114
New	ESU183072V4	114
New	ESU183084V5	115
New	ESU183684V5	115
New	ESU184284V5	115
New	ESU184884V5	11:
New	ESU185484V5	115
New	ESU186084V5	115
New New	ESU187264V4 ESU187272V4	114
New	ESU187284V5	115
New	ESU212464V4	114
New	ESU212472V4	114
New	ESU212484V5	115
New	ESU213064V4	114
New	ESU213072V4	114
New	ESU213084V5	115
New	ESU213684V5	115
New	ESU214284V5	115
New	ESU214884V5	115
New	ESU215484V5	115
New	ESU216084V5	115
New	ESU217264V4	114
New	ESU217272V4	114
New	ESU217284V5	11!
New	ESU242464V4	11-
New	ESU242472V4 ESU242484V5	114
New New	ESU243064V4	115
New	ESU243072V4	114
New	ESU243084V5	11:
New	ESU243684V5	11:
New	ESU244284V5	11:
New	ESU244884V5	11
New	ESU245484V5	115
New	ESU246084V5	11:
New	ESU247264V4	114
New	ESU247272V4	114
New	ESU247284V5	11!
New	ETR24	12
New	ETR30	120
New	ETR36	120
New	ETR362PK	120
New	ETR42	120
New	ETR422PK	120
New	ETR48	120
New	ETR482PK	120

Camshelving® Code Conversion List

OLD CODE New	NEW CODE ETR54	PAG 120	
New	ETR542PK	12	
New	ETR60	12	
New	ETR602PK	12	
New	ETR72	12	
New	MPA41018V5PKG	9	
New New	MPA41118V5PKG MPA41217V4PKG	9	
New	MPA41218V4PKG	9	
New	MPA41218V5PKG	9	
New	MPA41318V5PKG	9	
New	MPA41417V4PKG	ç	
New	MPA41418V4PKG	g	
New	MPA41418V5PKG	ç	
New	MPA41518V5PKG	9	
New	MPA41617V4PKG	9	
New	MPA41618V4PKG	9	
New New	MPA41618V5PKG MPA41717V4PKG		
New	MPA41718V4PKG	9	
New	MPA41718V5PKG	9	
New	MPA4617V4PKG	9	
New	MPA4618V4PKG	g	
New	MPA4618V5PKG	g	
New	MPA4717V4PKG	ę	
New	MPA4718V4PKG	Ć	
New	MPA4718V5PKG	(
New	MPA4817V4PKG	9	
New	MPA4818V4PKG		
New	MPA4818V5PKG	9	
New New	MPA4918V5PKG MPA51018V5PKG	9	
New	MPA51118V5PKG	9	
New	MPA51217V4PKG	9	
New	MPA51218V4PKG	9	
New	MPA51218V5PKG	9	
New	MPA51318V5PKG	Ç	
New	MPA51417V4PKG	Ç	
New	MPA51418V4PKG	(
New	MPA51418V5PKG	(
New	MPA51518V5PKG	9	
New	MPA51618V4PKG		
New	MPA51618V5PKG		
New New	MPA51717V4PKG MPA51718V4PKG	9	
New	MPA51718V5PKG		
New	MPA551617V4PKG		
New	MPA5617V4PKG		
New	MPA5618V4PKG	(
New	MPA5618V5PKG	Ç	
New	MPA5717V4PKG	Ć	
New	MPA5718V4PKG	Ç	
New	MPA5718V5PKG	(
New	MPA5817V4PKG	(
New	MPA5818V4PKG	9	
New	MPA5818V5PKG		
New New	MPA5918V5PKG MPA61018V5PKG	9	
New Vew	MPA61118V5PKG	(
New	MPA61217V4PKG		
New	MPA61218V4PKG		
New	MPA61218V5PKG		
New	MPA61318V5PKG	(
New	MPA61417V4PKG	(
New	MPA61418V4PKG	Ć	
New	MPA61418V5PKG	(
New	MPA61518V5PKG	(
New	MPA61617V4PKG		
New	MPA61618V4PKG		
New	MPA61618V5PKG		
New New	MPA61717V4PKG MPA61718V/IPKG		
New	MPA61718V4PKG	9	
New	MPA61718V5PKG MPA6617V4PKG		
New New	MPA6618V4PKG	9	
New	MPA6618V5PKG	9	
New	MPA6717V4PKG	9	
Vew	MPA6718V4PKG	9	
New	MPA6718V5PKG	9	
New	MPA6817V4PKG	9	
1011			


OLD CODE	NEW CODE	PAGE	
New	MPA6818V5PKG	99	
New	MPA6918V5PKG	99	
New	MPCC10	101	
New	MPCC8	101	
New	MPDS40H30	101	
New New	MPDS50H30 MPDS60H30	101 101	
New	MPHU51017S4PKG	101	
New	MPHU51017V4PKG	109	
New	MPHU51117S4PKG	109	
New	MPHU51117V4PKG	109	
New	MPHU51217S4PKG	109	
New	MPHU51217V4PKG	109	
New	MPHU51317S4PKG	109	
New	MPHU51317V4PKG	109	
New	MPHU5917S4PKG	109	
New	MPHU5917V4PKG	109	
New	MPHU61317S4PKG	109	
New New	MPHU61317V4PKG MPMU41017S4PKG	109 99	
New	MPMU41017V4PKG	99	
New	MPMU41117S4PKG	99	
New	MPMU41217S4PKG	99	
New	MPMU41217V4PKG	99	
New	MPMU41317S4PKG	99	
New	MPMU4917S4PKG	99	
New	MPMU4917V4PKG	99	
New	MPMU51017S4PKG	99	
New	MPMU51017V4PKG	99	
New	MPMU51117S4PKG	99	
New	MPMU51217S4PKG	99	
New	MPMU51217V4PKG	99	
New New	MPMU51317S4PKG MPMU5917S4PKG	99	
New	MPMU5917V4PKG	99	
New	MPMU61017S4PKG	99	
New	MPMU61017V4PKG	99	
New	MPMU61117S4PKG	99	
New	MPMU61217PDPKG	105	
New	MPMU61217PDPKG	243	
New	MPMU61217S4PKG	99	
New	MPMU61217V4PKG	99	
New	MPMU61317S4PKG	99	
New	MPMU6917S4PKG MPMU6917V4PKG	99	
New New	MPTR100	99 104	
New	MPTR1002PK	104	
New	MPTR110	104	
New	MPTR1102PK	104	
New	MPTR120	104	
New	MPTR1202PK	104	
New	MPTR130	104	
New	MPTR1302PK	104	
New	MPTR140	104	
New	MPTR150	104	
New	MPTR160	104	
New	MPTR170	104	
New	MPTR60	104	
New New	MPTR70 MPTR80	104 104	
New	MPTR90	104	
New	MPTR902PK	104	
New	MPU41018V5PKG	99	
New	MPU41118V5PKG	99	
New	MPU41217V4PKG	98	
New	MPU41218V4PKG	98	
New	MPU41218V5PKG	99	
New	MPU41318V5PKG	99	
New	MPU41417V4PKG	98	
New	MPU41418V4PKG	98	
New	MPU41418V5PKG	99	
New	MPU41518V5PKG	99	
New	MPU41617V4PKG	98	
New New	MPU41618V4PKG MPU41618V5PKG	98 99	
New	MPU41618V5PKG MPU41717V4PKG	99	
New	MPU41717V4PKG MPU41718V4PKG	98	
New	MPU41718V5PKG	99	
New	MPU4617V4PKG	98	
New	MPU4618V4PKG	98	
New	MPU4618V5PKG	99	

OLD CODE	NEW CODE	PAGE
New	MPU4717V4PKG	98
New	MPU4718V4PKG	98
New	MPU4718V5PKG	99
New	MPU4817V4PKG	98
New	MPU4818V4PKG	98
New	MPU4818V5PKG	99
New	MPU4918V5PKG	99
New	MPU51018V5PKG	99
New	MPU51118V5PKG	99
New	MPU51217V4PKG	98
New	MPU51218V4PKG	98
New	MPU51218V5PKG	99
New	MPU51318V5PKG	99
New	MPU51417V4PKG	98
New	MPU51418V4PKG	98
New	MPU51418V5PKG	99
New	MPU51518V5PKG	99
New	MPU51617V4PKG	98
New	MPU51618V4PKG	98
New	MPU51618V5PKG	99
New	MPU51717V4PKG	98
New	MPU51718V4PKG	98
New	MPU51718V5PKG	99
New	MPU5617V4PKG	98
New	MPU5618V4PKG	98
New	MPU5618V5PKG	99
New	MPU5717V4PKG	98
New	MPU5718V4PKG	98
New	MPU5718V5PKG	99
New	MPU5817V4PKG	98
New	MPU5818V4PKG	98
New	MPU5818V5PKG	99
New	MPU5918V5PKG	99
New	MPU61018V5PKG	99
New	MPU61118V5PKG	99
New	MPU61217V4PKG	98
New	MPU61218V4PKG	98
New	MPU61218V5PKG	99
New	MPU61318V5PKG	99
New	MPU61417V4PKG	98
New	MPU61418V4PKG	98
New	MPU61418V5PKG	99
New	MPU61518V5PKG	99
New	MPU61617V4PKG	98
New	MPU61618V4PKG	98
New	MPU61618V5PKG	99
New	MPU61717V4PKG	98
New	MPU61718V4PKG	98
New	MPU61718V5PKG	99
New	MPU6617V4PKG	98
New	MPU6618V4PKG	98
New	MPU6618V5PKG	99
New	MPU6717V4PKG	98
New	MPU6718V4PKG	98
New	MPU6718V5PKG	99
New	MPU6817V4PKG	98
New	MPU6818V4PKG	98
New	MPU6818V5PKG	99
New	MPU6918V5PKG	99
	/0///0	



Visit the NEW Camshelving Microsite at www.cambro. com/camshelving for product information and pricing on ALL available shelving products. View or download the NEW Camshelving Specification and Price List. Or scan QR code.

Stemware And Glass Sizing Reference Guide



To Determine Compartment Size

Half Size Racks:


Place glass or stemware upside down over circle chart. Look down on the glass. Whatever circle the largest diameter of the glass fits within will determine the number of compartments.


• Full Size Racks:

Place glass or stemware upside down over circle chart. Look down on the glass. Whatever circle the largest diameter of the glass fits within will determine the number of compartments.

Use the vertical guide marks at right to determine item height and appropriate rack number.








Camrack® Cup Rack Reference Guide



QUICK GUIDE

Full Size Cup Racks (C)



To determine Cup compartment size:

Turn cup or coffee mug upside down and place diagonally in square. Align handle with arrow in square. Cup or mug and handle must fit completely within boundaries of a square in order to ensure the right rack.



COMPARTMENT

11,1 x 8 cm



C O M P A R T M E N T 10,4 x 8,8 cm



11,3 x 10,4 cm

QUICK GUIDE Full Size Cup Racks (C)

Maximum Cup	Number	Maximum	Cup Height
	Compartments	6,6 cm	10,7 cm

Cup Width Of Compartments 6,6 cm 10,7 cm 10,4 cm 8 8HC258 8HC414 8,8 cm 10 10HC258 10C414

To Determine Cup Height:

Place base of cup or coffee mug on flat surface hold ruler vertically next to it to determine height in inches or millimeters. If the height is greater than 108 mm, additional 41 mm E2 and HE2 extenders may be ordered.

Cambro® Equipment Color Chart




Gray



Coffee Beige



Hot Red



Cold Blue



Speckled Gray



Dark Taupe



Brick Red



Navy Blue



Granite Gray



Granite Sand

Cambro provides a wide selection of colors to help you coordinate with your decor and color code items to simplify use. Color selections vary by product. Please see individual products for specific colors offered.

Due to the printing process, the colors shown may not be exact. For exact colors, contact Cambro or a Cambro Sales Representative for a color chip.

Due to the catalog printing process, the colors shown may



Slate Blue



Charcoal Gray



Dark Brown



Granite Green



Black



Kentucky Green

New from CAMBRO®



Cam GoBox™ **Insulated Carriers** Page 8



Camrack® Extender ID Clips Page 71



1/8 Size Polycarbonate and High Heat Food Pans Page 149, 153



Camshelving® Shelf Divider Page 102, 119, 128



Camshelving Basics Series Solid Shelf Plates Page 124, 125



Lido™ Tumblers Page 170



Camtrays® with Handles



Page 213, 250





Non-Slip Camtrays with Handles Page 216, 249

Camwear® Non-Slip Trays Page 218, 250

Angled Drying and Storage Rack / Cradle Page 105, 121, 243

Dome Drying and Storage Rack / Cradle Page 105, 120, 243



CAMBRO U.S.A.

5801 Skylab Road, Huntington Beach, CA 92647 P.O. Box 2000, Huntington Beach, CA 92647-2000 TEL: 1(714) 848-1555 FAX: 1(714) 843-2630 international@cambro.com

TEL: (49) 7022 90 100 0 FAX: (49) 7022 90100 19 cambroeurope@cambro.com

© Copyright Cambro Manufacturing Company. Printed in the U.S.A.

TEL: 0800 587 0057 Toll Free FAX: 0845 280 3411 cambrouk@cambro.com

IRELAND

CAMBRO UK

TEL: 1800 509 046 Toll Free



